imageCLASS FAX-L150 ESSENTIAL RANGE - Mono Fax Printer



The super fast and affordable dedicated laser fax for the office.

Essential

The imageCLASS FAX-L150 is perfect for the small office and business user. Printing at a quick 18 pages per minute and with a fax memory of 512 pages, you will never again miss that crucial fax.

Coupled with some power saving features such as on 'demand fixing', you can rest assured that your fax is not a drain on your funds or the environment when it is not active.



Key Features

Compact & Stylish Design

- Featuring a small footprint of just W372 x D483 mm
- Small enough for any home or office space
- 30% reduction in footprint compared to previous FAX-L140

High Performance Printing System "UFR II"

 Equipped with Canon's latest High Performing Printing System "UFR II" (Ultra Fast Rendering Version II), the FAX-L150 can deliver high-speed printing because it works together with the processing power of your PC to process large amounts of data quickly - so there is no need for additional memory.

All-in-one cartridges

The Fax-L150 utilises an all-in-one cartridge which means that the Toner, Photosensitive Drum, and Waste Toner Container that are normally individual consumables, are all combined, meaning less consumables to stock and less fuss and also saves you money in the long run.

Low Power Consumption and Quick Start Up

 By adopting Canon's unique On-Demand Fixing System, the FAX-L150 achieves low power consumption and quick start-up. This enables instantaneous heating of the fusing heater only before printing, saving warm-up time. The FAX-L150 is always ready to print.

Quality images

Brilliant quality B&W printing equivalent to 1200 x 600 dpi using image refinement

Fast Printing

Prints up to 18ppm mono

5 line LCD

For ease of use, the FAX-L150 comes with a class leading 5 line LCD screen

Fast Data Processing

Uses Canon's unique Hi-SCoA compression technology for super fast print data processing.

⊚≡

Instant Warm Up

No waiting around for prints – printing takes 0 secs from stand-by mode

Easy Maintenance

All-in-one cartridge system, meaning easy maintenance with only 1 consumable to stock – drum, waste toner box all integrated into the

Laser Printers

Canon laser printers combine a range of features and technologies to deliver fast, high quality and reliable printing. So, if you are looking to create professional business documents while reducing your running costs, Canon lasers fit the bill.

imageCLASS FAX-L150 ESSENTIAL RANGE - Mono Fax Printer



Printer Specificat	tions	FAX - L150
Printing Method		BW Laser
Print Speed	Simplex	A4: Up to 18ppm(Page per minute)
Print Resolution		600 x 400dpi (Speed Priority)
Print Quality		1200 x 600dpi quality (Resolution Priority)
Warm up Time		14 sec or less from power-on
First Printout Time		Black: Approx. 7.8 sec (A4), 7.7 sec (LTR)
Recovery Time		Approx. 3.5 sec.
Print Language/Emulation	Standard	UFR II LT (Host Based)
Print Margins		top/5 mm, bottom/6mm, left/5mm, right/5 mm (Other sizes than Envelope), 10 mm-top, bottom, left and right (Envelope)
Duty Cycle		Up to 8,000 pages
Print Features		Watermark, Page Composer, Toner Saver
Copier Specifications	<u> </u>	
Copy Speed Copy Resolution	Simplex	LTR: 12.4 ppm (pages per minute), A4: 11.8 ppm (pages per minute) 600 x 600 dpi
First Copy Time		Black: Approx. 22.3 sec (A4), 21.3 sec (LTR)
Max. Number of Copies		Up to 99 copies
Reduce/Enlargement		50 - 200 % in 1% increments
Copy Features		Density adjustment , Toner Saver
FAX Specifications		
Modem Speed		Up to 33.6 Kbps
Fax Resolution		Up to 200 x 400 dpi
Compression Method		MH, MR, MMR
Memory Capacity (*2)		Up to 512 pages
One-touch Dial		15 dials
Speed Dial (1 Touch+Coded)		Up to 115 dials
Group dials / Destinations		Max. 114 dials / Max. 114 destinations
Sequential broadcast		Max. 125 destinations
Receive Mode		FAX Only, Manual, Answering, Fax/Tel Auto Switch
Memory Backup		Yes, 5 minutes
FAX Features		FAX Forwarding, Dual Access, Remote Reception, PC FAX(TX only), DRPD, ECM, Auto Redial, Fax Activity Reports, Fax Activity Result Reports, Fax Activity Management Reports
Paper Handling Specifications	,	
Auto Document Feeder		30 sheets (80g/m2 or less)
Available Paper Size for ADF		A4, B5, A5, B6, Letter, Legal, Statement, Min. 127 x 139.7mm to Max. 216 x 356mm
Paper Input	Standard	Plain Paper(60-80g/m2): 150sheet cassette
Paper Output	Standard	100 sheets (face down , 20lb LTR / 68g/m2 A4)
Paper Sizes	Standard cassette	A4, B5, A5, LGL, LTR, STMT, EXE, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, FLS, 16K, Postcard, Postcard without folding line, Tetrahedral Postcard, Envelope: COM10, Monarch, C5, DL, Custom(Min. 76.2 x 127mm to Max. 216 x 356mm)
Paper Types		Plain, heavy, Recycled, Transparecy, Label, Envelope
Paper Weight	Std. cassette	60 to 163 g/m2
Compatibility & Software		
OS Compatibility	Print/FAX Drivers	Windows® 7, Windows Vista®, Windows® XP/2000, Mac® OS X 10.4.9 & up , Linux(*3)
Software Included		Printer Driver, FAX Driver
General Specifications		
Memory	Standard/Max.	64MB/64MB
LCD Display		5-line BW LCD
Dimensions	1	372 x 303 x 303 (Cassette closed)
Weight (w/o CRG, w/CRG)		8.0 kg (w/o CRG) / 8.6 kg (w/ CRG)
Power Consumption	Maximum	1020W or less (230V)
	Av. operation	Approx. 400W (230V) *in Copying
	Av. standby	Approx. 10W (230V)
	Av. sleep	Approx. 1.5W (230V)
Noise Levels	During	Sound pressure Level (Bystander's position) :53 dB in B/W Printing
	operation	Sound Power Level: 6.5 B or less in B/W Printing
	During standby	Sound pressure Level (Bystander's position) : Inaudible(*4) Sound Power Level : 4.3 B or less
Operating Environment Power Requirements	Temp /Humid.	50 to 86°F (10 to 30°C) / 20% to 80% RH (no condensation) AC 220 to 240V:50/60Hz

For reliability and continued smooth running of your Canon laser – use genuine Canon Toner

CART328

^{*2} Based on ITU-T #1 Chart (standard mode)

^{*3} Linux support printing only.

^{*4 &}quot;Inaudible" means each Sound pressure level at bystander's position is less than the background noise of ISO 7779.