

WG7650FM



Which inks can I use with my printer?

PGI -7600 STD and XL



Ink Yield (STD)
A4 document:
12,000

Ink Yield (XL)
A4 document:
6,600

Ink Yield (STD)
A4 document:
6,600

Ink Yield (XL)
A4 document:
10,500

no one sees it like you



Canon

Technical Specifications

WG7650F

Printer	Maximum Printing Resolution		1200dpi	
	Print Head/ Ink	Type	Line Head w/FINE Technology	
		Ink Tank	Black/Cyan/Magenta/Yellow	
	Print Speed	Document : Col, B/W *1 Simplex, General Mode (600dpi)		Up to 40ppm
		Document : Col , B/W*2 Simplex, Office Document Mode (300dpi)		Up to 70ppm
		Document : Col, B/W *1 Duplex, General Mode (600dpi)		Up to 20 ppm
		Document : Col, B/W *3 FPOT Ready/simplex		Approx. 6.4 sec
	Print Speed	Document : Col, B/W *3 FPOT Sleep/simplex		Approx. 12.2 sec
	Maximum Media Size (WxL)		Cassette : 297 x 431.8 mm (11.7"x17") Multi-Purpose Tray: 330.2 mm x 711.2 mm (13"x28") *4	
	Supported Media Size		A5、 A4、 A3、 B5、 B4、 Statement 、 Executive 、 Letter、 Legal、 11×17、 12×18、 SRA3、 13×19、 K8、 K16、 Foolscap/Folio、 Oficio、 G-Letter、 A-Letter、 G-Legal、 A-Foolscap、 B-Oficio、 M-Oficio、 E-Oficio、 A-Oficio、 F4A、 FS(Indian Legal)、 4x6"、 5x7"、 8x10"、 10x12"、 13×19"、 COM10、 Monarch、 ISO-C5、 DL、 Custom size (Up to 330.2mm x 711.2mm)	
	Printing Margin	Bordered Printing Bordered Auto Duplex Printing		Top, Bottom, Left, Right : 4mm each *5
	Supported Media Type and Size per Cassette -Cassette 1:	Thin Paper (52-63g/m2) Plain Paper (64-105g/m2) Thick Paper (106-220g/m2) Colored Paper (64-82g/m2) Recycled Paper (64-105g/m2) Bond Paper (83-99g/m2) Envelop (75-105g/m2)		A5、 A4、 B5、 Statement 、 Executive、 Letter 、 K16、 G-Letter
				COM10、 Monarch、 ISO-C5、 DL
	Supported Media Type and Size per Cassette -Cassette 2, 3, 4:	Thin Paper (52-63g/m2) Plain Paper (64-105g/m2) Thick Paper (106-220g/m2) Colored Paper (64-82g/m2) Recycled Paper (64-105g/m2) Bond Paper (83-99g/m2)		A5、 A4、 A3、 B5、 B4、 Statement 、 Executive 、 Letter、 Legal、 11×17、 K16、 K8、 Foolscap/Folio、 Oficio、 G-Letter、 A-Letter、 G-Legal、 A-Foolscap、 B-Oficio、 M-Oficio、 E-Oficio、 A-Oficio、 F4A、 FS(Indian Legal)
Supported Media Size per cassette -Multi-Purpose Tray:	Thin Paper (52-63g/m2) Plain Paper (64-105g/m2) Thick Paper (106-220g/m2) Colored Paper (64-82g/m2) Recycled Paper (64-105g/m2) Bond Paper (83-99g/m2) Envelop (75-105g/m2)		A5、 A4、 A3、 B5、 B4、 Statement 、 Executive 、 Letter、 Legal、 11×17、 12×18、 SRA3、 13×19、 K16、 K8、 Foolscap/Folio、 Oficio、 G-Letter、 A-Letter、 G-Legal、 A-Foolscap、 B-Oficio、 M-Oficio、 E-Oficio、 A-Oficio、 F4A、 FS(Indian Legal)、 4×6	
	Canon Matte Photo Paper		COM10、 Monarch、 ISO-C5、 DL 4x6"、 5x7"、 8x10"、 10x12"、 A4/LTR、 A3、 13×19"	
	Label (118-185g/m2)		A4、 B4、 Letter	
Paper Cassette Capacity (80/m2)	Cassette 1, 2, 3, 4		550 sheets	
	Multi-Purpose Tray		50 sheets	
Maximum Output Tray Capacity (80g/m2)			A3: 100 sheets, A4/LTR:250 sheets	
Supported Media Type for Double Side Printing	Type		Thin Paper, Thick Paper, Plain Paper, Colored Paper, Recycled Paper, Bond Paper	
	Size/Weight		A5 - 12x18", 52-220g/m ²	
Print Head Alignment			Automatic Adjustment	

no one sees it like you

Technical Specifications

WG7650F

Scan*6	Scanner Type		Flatbed&ADF	
	Scanner Sensor		CIS×2 sensors	
	Duplex Scanning		Available (Single Pass)	
	Optical Resolution*7		600 x 600 dpi	
	Selectable Resolution*8		9600 x 9600 dpi	
	Scanning Bit Depth (Input/Output)	Grayscale		10bit/8bit
		Color		30bit/24bit (RGB10bit/8bit each)
	Scanning Speed*9	Document(ADF) : Col		Approx. 40 ipm
		Document(ADF) : B/W		Approx. 40 ipm
		Document(ADF) : Col		Approx. 65 ipm
		Document(ADF) : B/W		Approx. 65 ipm
Maximum Paper Capacity (80g/m2)			100 sheets	
Maximum Document Size	Flatbed		A3/LDR (297 x 432mm/11.7x17")	
	ADF		A3/LDR (297 x 432mm/11.7x17")	
Copy	Maximum Document Size		A3/LDR (297 x 432mm/11.7x17")	
	Supported Media Size		A3、B4、A4、A4、B5、A5、Canon Matte Photo Paper (4x6"、5x7"、8x10"、10x12"、A4/Letter、A3)	
	Copy Exposure		9 Levels	
	Copy Speed *10	Document (A4/LTR)		40 ppm (Col, B/W)
	First-Copy-Out Time *11	Document : Color		Approx. 5.8 sec
	Magnification			25-400% (1% Increments)
	Multiple Copy			Up to 999 copies
FAX	Applicable Line		PSTN (Public Switched Telephone Network)	
	Modem Speed		Super G3 (Up to 33.6Kbps) / G3 (Up to 14.4Kbps)	
	Transmission Speed	B/W		Approx 3 sec/page (33.6kbps)
		Color		Not Available
	Compression Method *12	B/W		MH,MR,MMR,JBIG
		Color		Not Available
	Gradation	Black		256 Levels
		Color		Not Available
	Fax Resolution			8dots/mm × 3.85 lines/mm (Standard) 8dots/mm × 7.7 lines/mm(Fine) 8dots/mm × 15.4 lines/mm(Super Fine) 16dots/mm × 15.4lines/mm(Ultra Fine)
	Media Size			A3、B4、A4、B5
Fax Memory *13			Up to 512 pages	
Automatic Dialing	One-touch Dialing		Up to 19 (Best Member)	
	Coded Dialing		Up to 281	
	Group Dialing		Up to 199	
SEND	Communication Protocol		FTP (TCP/IP), SMB (TCP/IP), SMTP	
	Maximum Document Size		(Same as Copy function)	
	Address Book		300 addresses	
	Send Resolution		300dpi x 300dpi (Color, B/W), 200dpi x 200dpi (Color)	
	File Format		JPEG、TIFF、PDF	

no one sees it like you

Canon

Technical Specifications

WG7650F

Network	Wired LAN	Network Type	1000 Base-T/ 100Base-TX/ 10Base-T
		Data Rate	1Gbps(1000Mbps)/100Mbps/10Mbps
	Wireless LAN	Network Type	Not Available
		Frequency Band	Not Available
		Range	Not Available
Security		Not Available	
Direct connection (Wireless LAN)		Not Available	
Printing Solutions	Canon Print Business		Available
	Canon Print Service		Available
	Mopria		Available
	Apple Air Print		Available *15
	NFC		Available
	Media Direct Print (USB Memory)	Compatible Format	USB 2.0 compatible
	File Format	JPEG/TIFF/PDF	
Operation	Operation Panel	Display	LCD (5.0 inch/TFT color)
	Interface	USB Port for USB Memory	USB 2.0 Hi-Speed
		USB Port for PC	USB 2.0 Hi-Speed
		For Hand Set	Available (Japanese Model Only)
		For Phone	Available
		For Phone Line	Available
	Power		AC 100-240V 50/60Hz
	Environmental Regulation		Energy Star*, Blue Angel*, Eco Mark*, EPEAT* *To be officially announced
	Duty Cycle		100,000 pages
	Recommended Monthly Printing Volume		1,000 to 5,000 pages
	Dimension (WxDxH)	Standard Configuration	560mm(W) x 590mm(D) x 880mm(H) 22.1"(W) x 23.3"(D) x 34.7"(H)
With Optional Pedestal		560mm(W) x 590mm(D) x 1,133mm(H) 22.1"(W) x 23.3"(D) x 44.7"(H)	
Maximum Space		927mm(W) x 1,208mm(D) x 1,487mm(H) 36.5"(W) x 47.6"(D) x 58.6"(H) (*ADF is opened to 60°)	
Weight (Inc. Print Head)		Approx 82kg	

no one sees it like you

Canon

- *1 "Print Speed is based on ISO/IEC 24734 including Canon original method. Measured in default mode (General Mode: 600dpi). Print speed varies depending on system configuration, interface, software, content of document, print mode, media type, weight and used cassette etc."
- *2 "Print Speed is based on ISO/IEC 24734 including Canon original method. Measured in fast mode (Office Document Mode: 300dpi). Print speed varies depending on system configuration, interface, software, content of document, print mode, media type, weight and used cassette etc."
- *3 Print Speed (FPOT) is based on ISO/IEC17629. Print speed varies depending on system configuration, interface, software, content of document, print mode, media type, weight and used cassette etc.
- *4 With Custom setting, cassette 1 supports 90.0 x 190.0 mm to 216.0 x 297.0 mm. cassette 2, 3 and 4 supports 139.7 x 210.0 mm to 297.0 x 431.8 mm
- *5 When the paper width is longer than 318.9mm, both left and right margin is longer than 4mm.
- *6 TWAIN driver (ScanGear) is based on TWAIN Specifications V 1.6.
- *7 Optical Resolution is based on ISO/IEC 14473. This is the maximum sampling rate when scanning the original.
- *8 When scanning in high resolution, scanning area size may be limited.
- *9 "ADF scan speeds are based on ISO/IEC 17991, scESAT30secA. Scanning Speed (SEND) is based on ISO/IEC 17911, scEFTP30secF.ADF scan speeds/Scanning speed (SEND) vary depending on system configuration, interface, software, et
- *10 Copy Speed is based on Canon original Method. With Canon original chart, execute the continuous copy and calculate copy pages per minute.
- *11 First-Copy-Out Time is based on ISO/IEC 29183.
- *12 Data transfer speed is measured in default mode with Canon original FAX testing chart. Actual speed varies depending on content of document, receiving settings at the destination, transfer line status and etc.
- *13 Fax memory is measured with Canon original FAX testing chart. This number varies depending on the available memory size, content of document and etc.
- *14 Depends on the transmission speed and conditions, this number may vary.
- *15 Some early stage units may require firmware update to make Air Print available.
- *16 Print quality might be lower depending on the operating environment.
- *17 "Typical Electricity Consumption (TEC) value: TEC value was calculated assuming the unit will be constantly switched among operational mode, sleep mode, and power-off mode for 5 days, and that it will be either in sleep or power-off mode for the remaining 2 days within the same week. The TEC value of this product is calculated by Canon on their own accord using TEC measurement procedure regulated in International ENERGY STAR Program."

Specifications may be changed without notice.