HP LaserJet Enterprise MFP M631 series



The pinnacle of performance and security.

This HP LaserJet MFP with JetIntelligence combines exceptional performance and energy efficiency with professional-quality documents right when you need them – all while protecting your network from attacks with the industry's deepest security.¹













Single-pass 2-sided ADI

The world's most secure printing¹

- With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.
- Help prevent potential attacks and take immediate action with instant notification of security issues.
- Centralise control of your printing environment with HP Web Jetadmin and help build business efficiency.

High-speed performance meets energy efficiency

- Speed through tasks and save paper. Print two-sided documents nearly as fast as
- This MFP wakes up fast and prints your first page faster in as quickly as 7.9 seconds (M631dn and Flow M631h).
- This MFP uses exceptionally low amounts of energy thanks to its innovative design and toner technology.
- Paper handling options include a wheeled stand and 550-sheet input feeder for paper sizes 10.16 x 15.24 cm (4 x 6") to legal.

More. Pages, Performance, and Protection.⁵

- Produce sharp text, bold blacks, and crisp graphics with precision black toner.
- Original HP Toner cartridges with JetIntelligence deliver more pages per cartridge than predecessors.5
- Help retain the Original HP quality you paid for with anti-fraud and cartridge authentication technology.
- Spend less time replacing toner, and more on business. Choose high-yield toner cartridges.6

Give workgroups the speed they need

- Help workgroups capture every page easily and detect potential errors or missed pages –
- Enter data more quickly and accurately using the pull-out keyboard.
- Help ensure every scanned document is properly oriented, cropped to size, and greyscale-optimised.
- Load up to 150 pages into the automatic document feeder for fast, unattended

Product walkaround

HP LaserJet Enterprise MFP M631z shown

- 1. Hardware Integration Pocket
- 2. Easy-access USB port
- 3. 1,000 sheet 3-bin stapler/stacker with job offset
- 4. Left door access to toner cartridges
- 5. Automatic two-sided printing
- 6. 550 sheet input tray 2
- 7. 3×550 sheet paper feeder and stand
- 8. 150 sheet ADF with single-pass, two-sided scanning
- 9. 20.3 cm intuitive icon-based colour touchscreen
- 10. HP High-Performance Secure Hard Disk
- 11. Wi-Fi Direct® printing/ Bluetooth® Low Energy
- 12. Right door (access to print path)
- 13. 100 sheet multipurpose tray 1
- 14. Host USB port
- 15. Hi-speed USB 2.0 printing port
- 16. Slot for cable-type security lock
- 17. Gigabit Ethernet port
- 18. Fax port



Series at a glance





| Model | HP LaserJet Enterprise Flow MFP M631h | HP LaserJet Enterprise MFP M631dn |
|---|---------------------------------------|-----------------------------------|
| Product number | J8J64A | J8J63A |
| Print speeds (A4) | Up to 52 ppm | |
| Fax capabilities | Optional | |
| HP High-Performance Secure Hard Disk | Yes | Optional |
| 100 sheet tray 1, 550 sheet tray 2 | Yes | |
| 550 sheet paper feeder | Optional (up to four) | |
| 1 x 550 sheet paper feeder with stand and cabinet | Optional | |
| 3 x 550 sheet paper feeder and stand | Optional | |
| 1 x 550 and 2,000 sheet HCl feeder and stand | Optional | |
| Envelope feeder | Optional (up to two) | |
| 3-bin stapler/stacker with job offset | Not available | |
| Advanced workflow features, including pull-out keyboard | Yes | Not available |
| Direct mobile printing | Optional wireless direct/NFC | |
| Wireless networking | Optional | |

Accessories, Supplies and Support

| Supplies | 4WM80A HP CHP113 Office Paper-2500 sht/A4/210 x 297 mm () | | | |
|---|---|--|--|--|
| | 4WM81A HP CHP150 Home and Office Paper-500 sht/A4/210 x 297 mm () | | | |
| | CF237A HP 37A Black Original LaserJet Toner Cartridge (11,000 pages) CF237X HP 37X High Yield Black Original LaserJet Toner Cartridge (25,000 pages) CF237Y HP 37Y Extra High Yield Black Original LaserJet Toner Cartridge (41,000 pages) | | | |
| | | | | J8J88A HP LaserJet 220V Maintenance Kit (Up to 225,000 pages for HP LaserJet Enterprise MFP M63X series and HP LaserJet Managed MFP E6255XX series; Up to 247,000 pages for HP LaserJet Managed MFP E626XX series) |
| | | | | Accessories |
| | J8J96A HP Staple Cartridge Refill | | | |
| J8J89A HP LaserJet 550-sheet Feeder Tray | | | | |
| J8J91A HP LaserJet 1x550 Paper Feeder and Cabinet | | | | |
| J8J92A HP LaserJet 1x550-sheet and 2000-sheet HCI Feeder and Stand | | | | |
| J8J93A HP LaserJet 3x550-sheet Paper Feeder with Cabinet | | | | |
| J8J90A HP LaserJet Envelope Feeder | | | | |
| CC487A HP LaserJet MFP Analog Fax Accessory 500 | | | | |
| B5L29A HP High-Performance Secure Hard Disk | | | | |
| F5S62A HP Trusted Platform Module Accessory | | | | |
| A7W13A HP Laser Jet Keyboard Overlay Kit-Danish/French-Switzerland/German-Switzerland | | | | |
| A7W14A HP LaserJet Swedish Overlay Keyboard | | | | |
| E5K48A HP 1 GB x32 144-pin (800 MHz)DDR3 SODIMM | | | | |
| B5L28A HP Internal USB Ports | | | | |
| B5L31A HP Foreign Interface Harness | | | | |
| J8031A HP Jetdirect 2900nw Print Server | | | | |
| J8030A HP Jetdirect 3000w NFC/Wireless Accessory | | | | |
| Service and Support | U9NK0E HP 3 year Next Business Day Hardware Support with Defective Media Retention for LaserJet Enterprise MFP M63x U9NK1E HP 4 year Next Business Day Hardware Support with Defective Media Retention for LaserJet Enterprise MFP M63x U9NK2E HP 5 year Next Business Day Hardware Support with Defective Media Retention for LaserJet Enterprise MFP M63x U9NL8PE HP 1 year Post Warranty Next Business Day Hardware with Defective Media Retention for LaserJet Enterprise MFP M63x U9NL9PE HP 2 year Post Warranty Next Business Day Hardware with Defective Media Retention for LaserJet Enterprise MFP M63x | | | |

Technical specifications

| Model | HP LaserJet Enterprise Flow MFP M631h | HP LaserJet Enterprise MFP M631dn | |
|---------------------------------|---|--|--|
| Product number | J8J64A | J8J63A | |
| Functions | Print, Copy, Scan | | |
| Control panel | 20.3 cm (8.0 in) Colour Graphics Display (CGD) with touchscreen; Rotating (adjustable angle) display; Illuminated Home button (for quick return to the Home menu); Pull-out keyboard | 20.3 cm (8.0 in) Colour Graphics Display (CGD) with touchscreen; Rotating (adjustable angle) display; Illuminated Home button (for quick return to the Home menu) | |
| Print | | | |
| Print technology | Laser | | |
| Print speed ¹ | Black (A4, normal) Up to 52 ppm; Black (A4, duplex): Up to 43 ppm; | | |
| First page out ² | Black (A4, ready): As fast as 5.4 sec; Black (A4, sleep): As fast as 7.9 sec; | | |
| Print resolution | Black (best): Up to 1200 x 1200 dpi; Technology: FastRes 1200; 1200 x 1200 dpi; | | |
| Monthly duty cycle | Up to 300,000 pages A4; Recommended monthly page volume: 5000 to 30,000 | | |
| Printer smart software features | Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB | | |
| Standard print languages | HP PCL 6, HP PCL 5 (HP PCL 5 driver available from the Web only), HP postscript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™ | | |
| Fonts and typefaces | 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript level 3 emulation (Euro symbol built-in); 1 internal Unicod Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); Additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts | | |
| Print area | Print margins Top: 4.3 mm, Bottom: 4.3 mm, Left: 4.3 mm, Right: 4.3 mm; Maximum print area: 212 x 352 mm | | |
| Duplex printing | Automatic (standard) | | |
| Сору | | | |
| Copy speed | Black (A4): Up to 52 cpm | | |
| Copier specifications | Two-sided copying, scalability, image adjustments (darkness, contrast, background cleanup, sharpness), N-up, N or Z-ordering, content orientation, collation, booklet, job build, edge-to-edge, job storage, ID Copy, Book Copy, A-to-B Copy (different media sizes); Maximum number of copies: Up to 9,999 copies; Copy resolution: Up to 600 x 600 dpi (flatbed); Up to 600 x 450 dpi (ADP); Reduce/Enlarge: Z5 to 400%; | | |
| Scan | | | |
| Scan speed ³ | Normal (A4): Up to 83 ppm (black and white), up to 83 ppm (colour); Duplex (A4): Up to 167 ipm (black and white), up to 167 ipm (colour) | Normal (A4): Up to 69 ppm (black and white), up to 69 ppm (colour); Duplex (A4): Up to 111 ipm (black and white), up to 111 ipm (colour) | |
| Scan file format ⁴ | Digital Send: PDF, Hi-Compression PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEX' (OCR), Unicode TEXT (OCR), TF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR), Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), CSV (OCR), Print from easy access USB: PDF, PS, Print Ready files (prin, pcl, .cht) | Digital Send: PDF, Hi-Compression PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Scar to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Print from easy access USB: PDF, PS, Print Ready files (.prn, .pcl, .cht) | |
| Scanner specifications | Scanner type: Flatbed, ADF; Scan technology: Charge Coupled Device (CCD); Scan input modes: Front panel applications: Copy; E-mail; Save to Network Folder; Save to USB; Save to Device Memory; Save to SharePoint; Open Extensibility Platform (OXP) applications; HP Scan or user application via TWAIN; Twain version: Version 2.1; Duplex ADF scanning: Yes; Scan size maximum (flatbed): 216 x 356 mm; Optical scan resolution: Up to 600 dp | | |
| Scanner advanced features | Optimize text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect colour; Edge Erase; Job notification; Blank page suppression; HP Quick Sets; HP EveryPage; Auto orientation; Embedded Optical Character Recognition (OCR), Auto crop to page; Auto-tone | Optimize text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect colour; Edge erase; Job notification; Blank page suppression; HP Quick Sets | |

| Model | HP LaserJet Enterprise Flow MFP M631h | HP LaserJet Enterprise MFP M631dn | |
|---------------------------------|---|--|--|
| Product number | J8J64A | J8J63A | |
| Recommended monthly scan volume | 26,750 to 44,500 | 14,250 to 23,750 | |
| Scannable area | Minimum media size (flatbed): No Minimum Size Maximum media size (flatbed): 216 x 356 mm; Minimum media size (ADF): 68 x 147 mm Maximum media size (ADF): 215.9 x 863.6 mm | | |
| Bit depth/ Grey scale levels | Internal: 30 bit ; External: 24 bit / 256 | | |
| Digital sending | Standard: Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to Sharepoint; Send to FTb; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Frase; Auto Colour Sense; Auto Crop To Content; Compact PDF; Auto Tonescale; Auto Orientation; Multi-Pick Detect; Auto Straighten; Auto Crop To Page OCR; Optional: Optional via HP Digital Sending Software (HP DSS); Send t folder; Send-to-workflow; Send-to-printer; Authentication; Digital fax (send to LAN, Internet); OCR; Local Address Book; via HP Embedded Capture; Metadata capture and validation; Data transfer; Scan workflow management | Standard: Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to SharePoint; Send to FTP; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Colour Sense; Auto Crop To Content; Compact PDF: Optional: Optional via HP Digital Sending Software (HP DSS); Send to folder; Send-to-workflow; Send-to-printer; Authentication; Digital fax (send to LAN, Internet); OCR; Local Address Book; via HP Embedded Capture; Metadata capture and validation; Data transfer; Scan workflow management | |
| Fax | | | |
| Fax ⁵ | Optional, | | |
| Processor speed | 1.2GHz | | |
| Connectivity | | | |
| Standard | 1 Hi-Speed Device USB 2.0; 2 Host USB (1 walk-up and 1 external accessible); 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket | | |
| Optional | HP Jetdirect 2900nw Print Server J8031A; HP Jetdirect 3000w NFC/Wireless Accessory J8030A | | |
| Wireless | Optional, enabled with purchase of HP Jetdirect 2900nw Print Server J8031A or HP Jetdirect 3000w NFC/Wireless Accessory J8030A | | |
| Mobile printing capability | HP ePrint; Apple AirPrint™; Mopria™-certified; Google Cloud Print 2.0 | | |
| Supported network protocols | Via built-in networking solution: TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, IPP 2.1 Apple Airprint**, IHP ePrint, FTP Print, Google Cloud Print; DISCOVERY: SLP, Bonjour, Web Services Discovery; IP CONFIG: IPv4 (BootP, DHCP, AutoIP, Manual, TFTP Config, ARP-Ping), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6); Management: SNMPv2/v3, HTTP/HTTPs, Telnet, TFTP Config, FTP FW Download, Syslog: Security: SNMPv3, SSL Cert Management, Firewall, ACL, 802.1x | | |
| Network capabilities | Standard (built-in Gigabit Ethernet) | | |
| Hard disk | Standard, minimum 500 GB HP High-Performance Secure Hard Disk (AES 256 hardware encryption or greater) | 16GB EMMC Standard. 320GB Encrypted HDD Accessory Optional. | |
| Memory | Standard: 1.5 GB (printer); 1 GB (scanner); Maximum: 3 GB Total | Standard: 1.5 GB (printer); 512 MB (scanner); Maximum: 4 GB | |
| Media handling | · | • | |
| Number of paper trays | Standard: 2 ; Maximum: 6 | | |
| Media types | Paper (plain, light, bond, recycled, heavy, extra heavy, cardstock, pre-printed, pre-punched, coloured, rough, heavy rough), monochrome transparency, labels, letterhead, envelope, heavy envelope | | |
| Media size | Custom (metric): Feeder 1: 76 x 127 to 216 x 356 mm; Feeder 2: 99 x 148 to 216 x 297 mm; Supported (metric): Feeder 1: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10 x 15 cm, Oficio (216 x 340 mm), 16K, envelopes (C5, B5, C6, DL ISO), postcard (JIS) single and double); Feeder 2: A4, A5, A5-R, B5 (JIS), 16; ADF: Oficio; executive; statement; 16K; A4; RA4; A5; A6; B5; B6 (JIS); Postcard (JIS); DPostcard (JIS); 68 x 147 mm to 215.9 x 863.6 mm | | |
| Media handling | Standard input: 100 sheet multipurpose feeder, 550 sheet input feeder, 150 sheet automatic document feeder Standard output: 500 sheet output feeder, two-sided printing Optional input: Optional 1 x 550 sheet paper feeder, 1 x 550 sheet feeder with cabinet, 2,000 sheet feeder high capacity input with 1 x 550 sheet paper feeder, optional 3 x 550 sheet feeder, optional envelope feeder ADF: Standard, 150 sheets | | |
| Media weight | Feeder 1: 60 to 200 g/m²; Feeder 2: 60 to 120 g/m²; ADF : 45 to 199 g/m² | | |
| Input capacity | Tray 1: Sheets: 100; Transparencies, cardstock (163 g/m²): 50; Cardstock (200 g/m²): 30; Envelopes: 10 Tray 2: Sheets: 550; Labels, transparencies: 100 Maximum: Up to 3,750 sheets ADF: Standard, 150 sheets | | |

| Model | HP LaserJet Enterprise Flow MFP M631h | HP LaserJet Enterprise MFP M631dn | |
|--------------------------------------|--|--|--|
| Product number | J8J64A | J8J63A | |
| Output capacity | Standard: Up to 500 sheets Envelopes: Up to 75 envelopes Transparencies: Up to 200 sheets Maximum: Up to 500 sheets | | |
| Compatible operating systems | Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.11 El Capitan, OS X 10.10 Yosemite, UNIX, Windows 10 all 32/64-bit editions (excluding RT OS for Tablets), Windows 7 all 32/64-bit editions, Windows 8/8.1 all 32/64-bit editions (excluding RT OS for Tablets), Windows Vista all 32-bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.) | | |
| Compatible network operating systems | Citrix MetaFrame Presentation Server 3.0, Citrix MetaFrame XP Pro, etc.) Citrix MetaFrame Presentation Server 3.0, Citrix MetaFrame XP Presentation Server (Feature Release 1, 2, and 3), Citrix on Windows Server 2003/2003 R2, Citrix on Windows Server 2008/2008 R2/2008 R2 SP1, Citrix on Windows Server 2012/2012 R2, Citrix Presentation Server 4.0/4.5, Citrix XenApp 5.0 (Plus Feature Pack 2 & 3) for Windows Server 2008 R2 SP1, Citrix On Windows Server 2008 R2 SP1 Terminal Services, 32/64-bit, Citrix XenApp 5.0/6.5/7.5 (for Windows Server 2008 R2 SP1 Terminal Services, 32/64-bit), Citrix XenApp 5.0 (Ps.5 (for Windows Server 2012 and 2012 R2 Terminal Services, 64-bit), Citrix XenDesktop 5.6 (for Windows Server 2008 R2 Ferminal Services, 32/64-bit), Citrix XenDesktop 5.6 (for Windows Server 2008 R2 Ferminal Services, 32/64-bit), Citrix XenDesktop 5.6 (for Windows Server 2008 R2 Services, 32/64-bit), Citrix XenDesktop 5.6 (for Windows Server 2008 R2 Services, 32/64-bit), Citrix XenDesktop 5.6 (for Windows Server 2008 R2 Services, 32/64-bit), Citrix XenDesktop 5.0 (for Windows Server 2008 R2 M2 Services, M2/64-bit), Citrix XenDesktop 5.0 (for Windows Server 2008 R2 M2 Services, M2/64-bit), Citrix XenDesktop 5.0 (for Windows Server 2008 R2 M2 Services, M2/64-bit), Citrix XenDesktop 5.0 (for Windows Server 2008 R2 M2 Services), Windows Server 2008 R2 M2 Services, Windows Server 2008 R2 M2 Services), Windows Server 2008/2008 R2 Services), Windows Server 2008/2008 R2 Services), Windows Server 2008 R2 Services), Windows Server 2008/2008 R | | |
| Minimum system requirements | Windows: 2GB available hard disk space; OS hardware requirements see http://www.microsoft.com; Mac: 1.3 GB available hard drive space; Internet; OS hardware requirements see http://www.Apple.com for more info | | |
| Software included | http://www.123 HP.com.or.0S.App.Source for printer software), onlin | P Software Installer/Uninstaller, Mac OS Welcome Screen (Directs users to e user manuals | |
| Security management | Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; Optional HP and 3rd party advanced authentication solutions (e.g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key, and Kerberos authentication; Supports WJA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; Hardware integration pocket for security solutions; Intrusion Detection with Red Balloon Security Technology - Constant in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability; Whitelisting - loads only known good code (DLLs, EXEs,); Security management: Compatible with HP JetAdvantage Security Manager, Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs | | |
| Printer management | HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP Web JetAdmin Software; HP WS Pro Proxy Agent; Printer Administrator Resource Ki for HP Universal Print Driver | | |
| Dimensions and weight | | | |
| Printer dimensions (W x D x H) | Minimum 512 x 558 x 640 mm; Maximum: 1030 x 808 x 865 mm (right side jam access door open, left side cartridge door open, all feeders open and extended, ADF open); | | |
| Package dimensions (W x D x H) | 700 x 639 x 785 mm | | |
| Printer weight | 33.2 kg | | |
| Package weight | 38 kg | | |
| Operating environment | Temperature: 15 to 32.5°C; Humidity: 30 to 70% RH | | |
| Storage conditions | Temperature: -20 to 40°C; Humidity: 10 to 90% RH | | |
| Acoustics | Acoustic power emissions: 6.9 Bel; Acoustic pressure emissions: 55 dB(A) | | |
| Power ⁶ | Requirements: Input voltage: 220V to 240V nominal (+/-10%), 50 - 60Hz nominal (+/-3Hz), 6 A; Consumption: 740 watts (printing/copying), 29.0 watts (ready), 3.3 watts (sleep), <0.1 watts (Auto Off/Manual On), <0.1 watts (Manual Off); Typical Electricity Consumption (TEC): ES: 2.348 kWh/week; BA: 2.219 kWh/week; Power supply type: Built in 220V Power Supply; | | |
| Energy savings feature technology | HP Auto-On/Auto-Off Technology; Instant-on Technology; Instant-on | HP Auto-On/Auto-Off Technology; Instant-on Technology; Instant-on Copy | |
| Certifications | CISPR 22:2008/EN 55022:2010 (Class A), EN 61000-3-2:2006 +A1:2009 + A2:2009; EN 61000-3-3:2008; EN 55024:2010; EMC Directive 2004/108/EC with CE Marking (Europe): Other EMC approvals as required by individual countries ENERGY STAR® qualified; CECP; EPEAT® Silver | | |
| Blue Angel compliant | Yes, Blue Angel DE-UZ 205—only ensured when using Original HP supplies | | |
| Country of origin | Made in Mexico (AC4, AC8, AKV, BGJ); Made in China (ABT, ABY, ACQ, B1 B19, BAZ) | | |
| What's in the box ⁸ | HP Laser Jet Enterprise Flow MFP M631h Printer; HP Black Original Laser Jet Toner Cartridge (11,000 yield); CD with software drivers and documentation; Documentation (hardware install guide); Power cord | HP LaserJet Enterprise MFP M631dn Printer; HP Black Original LaserJet Toner Cartridge (11,000 yield); CD with software drivers and documentation; Documentation (hardware install guide); Power cord | |
| Warranty | One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in your region. | | |

Footnotes

- 1 Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit http://www.hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/printersecurityclaims.
- ² HP Web Jetadmin is available for download at no additional charge at http://www.hp.com/go/webjetadmin.
- ³ Measured after 15 min in sleep. Exact speed varies depending on the system configuration, software application, driver, document complexity and time in sleep.
- ⁴ Based on HP testing using the ENERGY STAR® programme's Typical Electricity Consumption (TEC) method or as reported in energystar.gov versus the top three leading competitors as of 8/2015. Actual results may vary. For details see http://www.hp.com/go/Ljclaims.
- ⁵ More pages versus predecessor cartridges claim based on page-yield comparison of HP 37X High Yield Black Original LaserJet Toner Cartridges with HP 87X High Yield Black Original LaserJet Toner Cartridges. For more information, see http://www.hp.com/qo/learnaboutsupplies.
- ⁶ HP 37X High Yield Black Original LaserJet Toner Cartridges not included; please purchase separately.

Technical specifications disclaimers

- ¹ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- ² Measured using ISO/IEC 17629, For more information see http://www.hp.com/go/printerclaims, Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- 3 Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
- ⁴ Scan software not included in box. HP Scan and TWAIN driver available for download at http://www.hp.com/support.
- 5 Based on standard ITU-T test image at standard resolution and MMR encoding, the HP fax device can transmit at 3 sec/page for V.34 and 6 sec/page for V.17.
- ⁶ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115 v device.
- Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115 v device.
- ⁸ Cartridges included; Yields 11,000 black pages based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/qo/learnaboutsupplies.















http://www.hp.com/uk

The product could differ from the images shown. © Copyright 2019 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.



