

# Simple, Effortless, Intelligent.



# **Professional Colour Laser Multi-Function Centre**

MFC-L9630CDN











### Simple, Effortless, Intelligent.

Make the right impression when it counts with vibrant, professional outputs, accurate digital documents, and standout technology that's game changing for A4 printing. With convenient connectivity options, impressive scalability, and a robust design - you can be confident that it will keep up with the demands of a busy office.

#### MFC-L9630CDN



#### **Key Features:**

- Interrupt Copy Functionality
- Print up to 40ppm<sup>7</sup>
- 2-sided (duplex) print up to 14ppm<sup>7</sup>
- 2-sided (duplex) scan up to 100ipm<sup>9</sup> in colour and monochrome
- 17.6cm colour touchscreen LCD
- Gigabit network and NFC for secure authentication, mobile printing and scanning
- 2GB internal memory and optional 2GB USB Flash Memory, optional 2.4/5GHz Wireless card
- Integrate third-party software for a tailored document management system
- 520-sheet paper input tray expandable to 2,700 sheets via additional paper trays
- 100-sheet Automatic Document Feeder (ADF)
- 6,500 page (BK), 5,000 page (C/M/Y) in-box toners<sup>10</sup>



## When quality and performance work together

Invest in a colour printing solution that's guaranteed to make the right impression when it counts with vibrant, professional colour outputs and accurate digital documents every time. Combined with advanced, intelligent features and a robust design that's built to last, you'll be able to manage, secure, and govern your documents efficiently to meet your business' needs.



#### Designed to print for longer

The robust design and long-life components ensures that it will keep on performing without interruption. With the high-yield toners in-box that can print up to 6,500<sup>10</sup> pages in black, 5,000<sup>10</sup> in colour, plus upgraded 2GB internal memory and components with double the service life, including the belt, engine, and drum unit – you can be confident that it will keep up with the demands of a busy office.



#### Game-changing technology

Experience the very latest in colour laser technology with the convenient Interrupt Copy function – a game-changing feature for A4 Multi-Function Centres. This function allows you to interrupt a print job in progress at any time to print another copy function job. Accompanied by automatic 2-sided (duplex) printing up to 14ppm<sup>7</sup> and scanning up to 100ipm<sup>9</sup>, it provides a professional output and capture solution for your busy workforce.



#### Flexible connectivity options

Connect your way with gigabit network and NFC as standard for secure authentication, mobile printing, and scanning. You can also take advantage of the optional 2.4/5GHz Wi-Fi module for added convenience.



#### Complete customisation

With sophisticated, built-in functionality including identity management and access controls as standard, easily customise and automate complex workflows with the touch of a button. You can also integrate your device with third-party solutions that can optimise workflows with minimal downtime. Contact our team to find out more.



#### Impressive scalability

Designed to fit into your workspace and meet your specific print and scan requirements, the MFC-L9630CDN can be transformed from a desktop device to a highly efficient, floor-standing model. The impressive scalability of this device means that it can expand its paper handling capacity from 520 sheets to 2,700 pages by simply adding optional paper trays.



#### At your side support

Wherever you are in Australia, Brother offers free customer care for the lifetime of your product.

General		Media Types MP Tray	Plain Paper, Letterhead, Coloured Paper, Thin Paper,
Engine	Colour Laser		Thick Paper, Thicker Paper, Recycled Paper, Bond, Label, Envelope, Envelope Thin, Envelope Thick, Glossy Paper
Carton Contents	Printer, Quick Setup Guide, User's Guide, CD-ROM (Windows), Power Cord, Black Toner Standard Yield	Media Types ADF	Plain Paper, Recycled Paper, Thin
	Up to 6,500 pages <sup>10</sup> , Colour Toner Standard Yield Up to 5,000 pages*, <b>Belt Unit:</b> Up to 150,000 pages	Media Types Duplex	Plain Paper, Letterhead, Coloured Paper, Thin Paper,
	(2-page per job), Up to 100,000 pages (1-page per job)(BU800CL)., <b>Waste Toner Box:</b> Up to 100,000	Wedia Types Duplex	Thick Paper, Thicker Paper, Recycled Paper, Glossy Paper
	pages (WT800CL), <b>Drum Unit:</b> Up to 30,000 pages (1-page per job),Up to 100,000 pages (3-page per job) (DR851CL)	Media Types Paper Tray (Option)	Plain Paper, Letterhead, Coloured Paper, Thin Paper, Recycled Paper
Display	(5.166.62)	Media Low or Out Sensor	Yes for both Standard and Optional Lower trays
LCD Display	17.7cm Colour LCD (Touchscreen)	Media Output Sensor	When the output paper tray is full
Printer		Digital Copier	
Standard Memory	2GB	Copier Speed	Up to 40 cpm Mono
Print Speed <sup>7</sup>	Up to 40 ppm Mono Up to 40 ppm Colour	First Copy Out Time	Up to 40 cpm Colour  Less than 12/13 secs (Mono/Colour) from Ready mo
2-Sided (duplex) Print Speed <sup>7</sup>	Up to 28/28 ipm or 14/14 ppm (Mono/Colour, based on ISO/IEC 24734)	2-Sided (duplex) Copy	Less than 32/32 secs (Mono/Colour) from Sleep mod Duplex Scan to Duplex Print
2-Sided (duplex) Print	Yes (Automatic)	Copier Resolution	Max. 600 x 600 dpi
Emulation	PCL6 (PCL XL Class3.0), BR-Script3, PDF Version 1.7,	Reduction-Enlargement Ratio	25 - 400 percent in 1 percent increments
	XPS Version 1.0	Copier N-in-1	2 in 1 & 4 in 1 (A4/LTR Mono/Colour)
Printer Resolution	600 x 600dpi, 2400dpi (2400 x 600) quality	Copier Multi Sort	Makes copies of each page and sorts
Printer OS Compatibility	Windows 11, Windows 10 (32&64bit), Windows 8/8.1 (32&64bit), Windows 7 (32&64bit), Windows Server	Copier Multi Stack	Up to 999 copies
	2022, Windows Server 2019, Windows Server 2016,	Fax	
	Windows Server 2012/R2 (64bit), Windows Server 2008 (32&64bit), Windows Server 2008 R2	Modem Speed	33,600bps (Fax)
	Mac OS X 10.14 - 10.15, macOS 11-12 <sup>3</sup>	2-Sided (duplex) Fax	Send/Receive
	Linux CUPS, LPD/LPRng (x86/x64 environment) Citrix XenApp 6.0/ 6.5 and Citrix XenDesktop 5.0/ 5.6	ITU-T Group compatibility	Super G3
First Print Out Time <sup>8</sup>	Less than 10 secs Mono/Colour (From Ready mode and standard tray)	Telstra Duet Compatible	A service purchased from a telephone company that allows two or more telephone numbers to share a
	Less than 30 secs Mono/Colour (From Sleep mode and standard tray)		single fixed line
Resident Barcodes	Code39, Interleaved 2 of 5, FIM(US-PostNet), Post	Speed Dials	300 locations
Hesident Barcodes	Net(US-PostNet), EAN-8, EAN-13, UPC-A, UPC-E, Codabar, ISBN(EAN), ISBN(UPC-E), Code128 (set A,	ECM	The MFC will detect line errors during fax transmissio and resend the page(s) of the document that had an error
Resident Fonts	set B, set C), EAN128 (set A, set B, set C), Code93, GS1Databar, MSI	Out of Paper Reception	Up to 500 Pages (ITU-T Test Chart)
nesident ronts	PCL: 73 scalable fonts, 12 bitmap fonts, 16 bar codes PS: 66 scalable fonts	Broadcasting	Up to 350 locations
Quiet Mode <sup>2</sup>	A mode to reduce the printing noise by reducing the print speed	Automatic Reduction	When receiving a single page document more than 297mm long the fax machine will automatically reduct the message to fit onto a single A4 sheet
Recommended Monthly Print Volume <sup>5</sup>	1,000 to 12,000 pages	Fax Forwarding	To Fax number or Email Address
Paper Handling <sup>4</sup>		Fax Features	
Standard Paper Capacity Multi-Purpose Tray Capacity	Up to 520 Sheets Up to 100 sheets / 15 Envelopes	PC Fax	Send/Receive from Windows Send only from MAC / Linux (Network / USB)
Envelopes Input	Up to 15 envelopes face down (MP tray only) output	Internet Fax	Yes - T37 protocol
Livelopes input	via rear	Digital Scanner	163 Tot protocol
Output Paper Capacity	Up to 250 Sheets face down (80gsm)	Scanner Colour/Mono	Colour
	1 sheet face-up (straight paper path)	Scanner Colour Depth	30 bit input / 24 bit output colour
ADF	Up to 100 sheets	Scanning Technology	Dual CIS
Media Weights Paper Tray	60 - 230 gsm	Scanner Speed <sup>9</sup>	Simplex: Max.1.82 Sec - 50ipm
Media Weights Paper Tray (Option)	60 - 105 gsm	oddiner opeca	Duplex: Max.1.02 Sec - 100ipm
Media Weights MP Tray	60 - 230 gsm		In accordance with ISO/IEC17991
Media Weights ADF	45 - 120 gsm	Scanner Resolution (Optical)	From Glass: Up to 600 x 600 dpi From ADF: Up to 600 x 600 dpi
Media Weights Duplex	60 - 230 gsm	Scanner Resolution (Interpolated)	Up to 19,200 x 19,200 dpi
Media Size Paper Tray	A4, Letter, B5(ISO), A5, A5(Long Edge), A6, Executive, Legal, Folio, Mexico Legal, India Legal, A4 Short (270mm Paper), Folio, 16K	2-Sided (duplex) Scan	Yes - Single Pass
Media Size MP Tray	76.2 to 215.9 mm (W), 127 to 355.6 mm (L), Envelope; COM-10, DL, C5, Monarch	Scanning Area	Flatbed: 216 mm (W) x 356 mm (L) <b>ADF:</b> 105 mm to 215.9 mm (W) x 148 mm to 356 mm (L)
Media Size ADF	105 to 215.9 mm (W), 147.3 to 356.0 mm (L)	Scanner Grey Scale	256 levels
Media Size Duplex	A4, Letter, Legal, Mexico Legal, India Legal, A4 Short	Scan to Email Client	Scan documents to e-mail client
	(270mm Paper), Folio	Scan to Email Server	Scan documents via e-mail server
Media Size Paper Tray (Option)	A4, Letter, A5, Executive, Legal, Folio, Mexico Legal, India Legal, A4 Short (270mm Paper), 16K	Scan to OCR	Scan documents directly into your word processing application for instant editing
Media Size Scanner Glass	Up to LGL	Scan to Image	Scan into your preferred image editing software
Media Types Paper Tray	Plain Paper, Letterhead, Coloured Paper, Thin Paper, Thick Paper, Thicker Paper, Recycled Paper	Scan to File	Scan to a file on your computer

Scan to Media	USB memory drive	Network Protocols IPV6	NDP, RA, DNS resolver, mDNS, LLMNR responder,
Scan to Sharepoint	On premise Server Via PaperPort, Office 365 via Web Connect		LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, POP3, SMTP Client, FTP Client and Server, CIFS Client, TELNET Server, SNMPv1/v2c/v3, HTTP/HTTPS
Scan to Network Folder <sup>3</sup>	Scan documents to a nominated folder on your network without using a PC (Windows Folder Only)		server, TFTP client and server, ICMPv6, SNTP Client, LDAP, Web Services (Print/Scan), IMAP4
Network Scan	Pull scan from Windows/Mac workstation	Email Alerts	E-mail Notification and E-mail Reports
Scanner OS Compatibility	<b>Windows:</b> 11, Windows 10 (32&64bit), Windows 8/8.1 (32&64bit), Windows 7 (32&64bit)	Network Management Utilities	
	<b>Mac:</b> OS X 10.14 - 10.15, macOS 11-12 <sup>3</sup>	Network Management	Windows: BRAdmin Light, Web Base Management,
Twain Compliant	Linux: Sane  Windows: TWAIN or WIA for Windows7/ Windows8.8.1/Windows10/Windows11	Network Management	BRAdmin Professional, Network Remote Setup  Mac: Web Base Management  Linux: Web Base Management
	Mac: TWAIN/ ICA Linux: SANE	Web Based Management	Web based print management software embedded onto the device
PhotoCapture Centre		BRAdmin Professional <sup>1</sup>	For LAN / WAN management using Windows® PC
Digital-Media Spec	USB Memory Drive (Individual files no larger than 2GB). External drive must be exFAT formatted	Security	
Direct USB	Print/Scan	Wired Security	eMail: APOP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS,
Software		•	SMTP, POP3, IMAP4), SNMP v3
Software Included	Windows: Printer/Scanner Driver <sup>1</sup> , Scansoft Paperport		Authentication Protocol: 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos, IPsec
	14SE and OCR <sup>1</sup> , iPrint&Scan <sup>1</sup> , Status Monitor <sup>1</sup> , PC Fax Send/Receive <sup>1</sup> , BRAdmin Light <sup>1</sup> , BRAdmin Professional <sup>1</sup> , Driver Deployment Wizard <sup>1</sup> Mac: iPrint&Scan <sup>13</sup> , PC Fax Send <sup>1</sup> Linux: PC Fax Send <sup>1</sup>	Wireless Security	eMail: APOP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, SMTP, POP3, IMAP4), SNMP v3, Authentication Protocol: 802.1x (LEAP, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos, IPsec With Optional Module
N-up Printing <sup>3</sup>	Reduce up to 2, 4, 9, 16 or 25 A4 pages into just one A4 page (MAC OSX, up to 2, 4, 6, 9, or 16)	Wireless Security Protocols	SSID (32 chr), WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), Wi-Fi Direct supports WPA2-
Poster Printing <sup>2</sup>	Enlarge 1 A4 page into a poster using 4, 9, 16 or 25 A4 pages (Windows Only)	LDAP	PSK (AES) only.  Integrate with a directory server to look up contacts
Header and Footer Printing <sup>2</sup>	Print the time and date or the user ID on the document (Windows Only)	Active Directory Authentication	and e-mail addresses  Restrict the use of your Brother device. The device's
Watermark Printing <sup>2</sup>	Watermark your documents with predefined text or with your own user-defined messages (Windows Only)	IPv4-Filter	control panel will be locked  Restrict which network users can or cannot access the
Booklet Printing <sup>2</sup>	Print documents in A5 booklet format using automatic		device over the network (IPv4 only)
Archive Printing <sup>2</sup>	or manual 2-sided printing (Windows Only)  When this feature is enabled, a PDF file of your print job will automatically be created and archived (Windows	Secure Print <sup>3</sup>	Use Secure Print to ensure that confidential or sensitive documents do not print until you enter a password on the machine's control panel (Windows/Mac)
	Only)	Secure Function Lock	Version 3, 200 users
Brother Solutions Interface	Brother Solutions Interface (BSI) Developer Program is a platform that enables third-party developers to build custom solutions for and integrate with Brother Devices	Mobile/Web Printing	
Kofax	Yes	Mobile Connect	Use Brother Mobile Connect to print, scan, and copy,
YSoft	Yes	mobile connect	as well as manage your machine and customize its features
Driver Deployment Wizard <sup>1</sup>	A quick & easy way to deploy Brother printer drivers on a networked Windows® PC	iPrint&Scan <sup>1</sup>	Print JPG & PDF files, web pages and text from the clipboard directly from or scan directly to a smart
Connectivity			phone
Interface	Hi-Speed USB 2.0, 10Base-T/100Base-TX/1000Base-T Ethernet, (Optional 2.4/5Ghz Wi-Fl)	AirPrint	Print most common file types from any Apple AirPrint enabled application
USB Interface	Hi-Speed USB 2.0	Mopria <sup>1</sup>	Print most common file types from Mopria™ supporter Android devices
Wired Interface	10Base-T/100Base-TX/1000Base-T Ethernet	Coogle ChromeOS	
Wireless Interface	2.4Ghz: IEEE 802.11 b/g/n (Infrastructure Mode mode), IEEE 802.11g/n (Wi-Fi Direct)	Google ChromeOS	Print from your Chromebook with most printers that connect to Wi-Fi or a wired network
	<b>5Ghz:</b> IEEE 802.11 a/n (Infrastructure Mode mode), IEEE 802.11a/n (Wi-Fi Direct) With Optional Module	Android Print Service Plugin <sup>1</sup>	Print directly from your Android devices (Android 5.0 o later), to your Brother printer through a Wi-Fi network
Wi-Fi Direct	Optional	Web Connect <sup>6</sup>	Scan To/Download and Print from: Google Drive, Dropbox, OneDrive, Box, OneNote
	Optional  Direct Print/Scan		Scan To: Evernote
USB Host NFC	Integrated NFC Reader Supported for printing and		Print from: Creative Centre
NFC	scanning. NFC standards include: (ISO14443 Type A) MIFARE Standard/Plus/ Ultralight/Ultralight C/DESfire	Brother Apps <sup>6</sup>	Office Doc Creator, Easy Scan to Email, Fax Forward to Cloud / Email, Enlarge Text Copy, Scan to Mobile
Networking	my-d move, Tag-it (ISO15693 Type B)	Universal Print	Allows you to manage your printer fleet through cloud services from Microsoft without installing any additional activities.
Wireless Mode	2.4Ghz: IEEE 802.11 b/g/n (Infrastructure Mode mode),		software
	IEEE 802.11g/n (Wi-Fi Direct)  5Ghz: IEEE 802.11 a/n (Infrastructure Mode mode), IEEE 802.11a/n (Wi-Fi Direct)	Options	
	With Optional Module	Optional Paper Tray <sup>11</sup>	250 sheets (LT-330CL) x 3 or 500 sheets (LT-340CL)
Wireless Setup Support Utility Network Protocols IPV4	Wi-Fi Protected Setup (WPS) with Optional Module  ARP, RARP, BOOTP, DHCP, APIPA (Auto IP), WINS/ NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/ Port9100, POP3, SMTP Client, IPP/IPPS, FTP Client and Server, CIFS Client, TELNET Server, SNMPv1/v2c/		x 2 or 250 sheets (LT-330CL) x 1 + 500 sheets (LT-340CL) x 1 (Max. 1,000 sheets) or 520 sheets x 4 cassettes (TT-4000),(TC-4100) Connecting Adaptor required)  Maximum number of Lower Trays: Up to three LT-330CL, or two LT-340CL, or a combination of one LT-330CL and one LT-340CL
	v3, HTTP/HTTPS server, TFTP client and server, ICMP, Web Services (Print/Scan), SNTP Client, LDAP, IMAP4	Optional Network Interface <sup>12</sup>	Wireless 2.4Ghz / 5Ghz Wi-Fi (NC-9000w)

Consumables		Weights & Measurements	
Consumables <sup>10</sup>	Black Toner Standard Yield (TN851BK) Up to 9,000 pages Colour Toner Standard Yield (TN851C/TN851M/ TN851Y) Up to 6,500 pages Black Toner High Yield (TN851XLBK) Up to 12,000 pages Colour Toner High Yield (TN851XLC/TN851XLM/ TN851XLY) Up to 9,000 pages Belt Unit: Up to 150,000 pages (2-page per job) (BU800CL). Waste Toner Box: Up to 100,000 pages (WT800CL). Drum Unit: Up to 100,000 pages (3-page per job) (DR851CL) Black Toner Standard Yield (TN851BK) Up to 9,000 pages Colour Toner Standard Yield (TN851C/TN851M/ TN851Y) Up to 6,500 pages	Size	503 (W) x 541 (D) x 586 (H)mm
		Weight	30.1 Kg without consumables
		Environment	
		Power Consumption	Peak: Average 770W, Ready: Average 85W, Sleep: 16.8W, Deep Sleep: 1.1W, Power Off: 0.04W
		Sleep Mode	0-50 min
		Toner Save	This reduces the toner usage and helps to reduce the total cost of printer ownership
Standard Yield Toner <sup>10</sup>		Power Save	This enables the printer to consume less energy when not in use
		Others	
High Yield Toner <sup>10</sup>	Black Toner High Yield (TN-851XLBK) Up to 12,000 pages Colour Toner High Yield (TN851XLC/TN851XLM/TN851XLY) Up to 9,000 pages	Noise Level TEC Value	Sound Pressure Level: (Printing) Less than 57 dBA, (Ready) Less than 17.2 dBA Sound Power Level: (Printing) Less than 6.79 B, (Ready) Less than 3.06 B  0.687kWh/Week
Drum	Belt Unit: Up to 150,000 pages (2-page per job) (BU-800CL).  Waste Toner Box: Up to 100,000 pages (WT800CL).  Drum Unit: Up to 100,000 pages (3-page per job) (DR851CL)	1 LO VAIUO	O.COT NAME A AGOLD

- Download from Brother Solutions Centre
- Windows only
- 3. Windows/Mac
- Capacity calculated with 80g/m² paper
  The recommended monthly print volume is to achieve the best possible performance and printer life
  Must be connected to the internet
- Print speeds based on ISO/IEC 24734 (www.brother.com/rd/printspeed)
- FPOT (First Print Out Time) based on ISO/IEC 17629 Scan speeds based on ISO/IEC 17991
- 10. Approx. declared yield value in accordance with ISO/IEC 19798
- 11. Purchase optional tray required
- 12. Purchase optional network module required
- 13. Purchase optional onsite warranty required

All specifications correct at time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.









#### Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth.





