



# Work smarter and faster Professional A3 Inkjet Multi Function

### MFC-J6940DW



### Ideal choice for business

Work smarter and faster with the Brother MFC-J6940DW, the complete A3 Multi-Function Inkjet that's made for business. By combining the fastest in class first page out time of 4.4 secs<sup>10</sup>, print speeds of up to 28 ppm, single pass 2-sided (duplex) scanning and 5Ghz wireless LAN connectivity, it provides a fast, smooth and consistent user experience while delivering professional quality colour documents. Designed for modern hybrid workplaces, with scan features including scan to email<sup>8</sup>, cloud storage<sup>8</sup> and Optical Character Recognition (OCR), it also provides dual paper trays which handle paper sizes from A5 through to A3. The MFC-J6940DW is perfect for the digitisation and printing needs of every modern hybrid workplace.

### MFC-J6940DW



#### **Key features:**



- Up to 28 ppm print speed<sup>9</sup>
- Automatic 2-sided (duplex) A3 print, scan, copy and fax
- 8.8cm colour touchscreen
- Wired and wireless connectivity
- 2 x 250 sheet paper trays<sup>2</sup>
- 100 sheet multi-purpose tray<sup>2</sup>
- 50 sheet 2-sided (duplex) A3 Automatic Document Feeder (ADF)<sup>2</sup>
- NFC (Near-Field Communication) mobile print
- High-yield replacement ink cartridges that provide up to 3,000 pages black and up to 1,500 pages colour<sup>1</sup>



#### Made for business

Introducing new 'MaxiDrive' Inkjet technology that provides a premium long-life print head, the fastest in class first page out time of 4.4 secs<sup>10</sup>, print speeds up to 28 ppm and single pass 2-sided (duplex) scanning. Combined with dual paper trays which support up to A3, it provides a fast, smooth and consistent user experience that every business needs



## Large page yields and low-cost printing

When it's time to replace your ink supply, keep running costs low with high-yield replacement ink cartridges that provide up to 3,000 pages black and up to 1,500 pages colour<sup>1</sup>



#### **Print with confidence**

Help take the guesswork out of when to replace ink with Page Gauge technology - a visual, numerical way to know the amount of ink you've used and the amount of ink you have remaining



#### Brother at your side support

Free Australian-based support for the lifetime of your Brother device



#### Designed for mobile

Experience the user-friendly Brother Mobile Connect app, designed to connect to your Brother device so printing, scanning and managing documents on your smartphone is at your fingertips



#### Intuitive one-touch cloud connect

Print-from and scan-to popular cloud apps<sup>8</sup> directly including Dropbox, Google Drive<sup>™</sup>, OneDrive and more. Help save time by creating custom shortcuts directly on the 8.8cm LCD touchscreen for your most used features



#### Simple to connect your way

Versatile connectivity options tailored to your home or small office with dual band (2.4Ghz)/5Ghz) Wireless Network support, Ethernet, Wi-Fi Direct, NFC or connect locally to a single computer via USB interface



General Technology	Inkjet	Mobile and Connectiv
Memory	256MB	Brother Mobil
LCD/Type & Size	8.8cm Colour Touchscreen LCD	(Android)
Local Interface	Hi-Speed USB 2.0	Brother Mobil
Wired Network	10Base-T/100Base-TX Ethernet	(iPad / iPhone
Wireless Network	Dual Band 2.4Ghz and 5Ghz	
Near Field Communication (NFC)	Yes	Apple AirPrint
USB Host	Print from and scan to a USB stick	Brother Print
Vi-Fi Direct	Yes	Plugin⁵
		Mopria <sup>™ 5</sup>
Printer		Brother Apps
Print Speed (A4) <sup>9</sup>	1-sided: 28 ppm Mono and Colour 2-sided (duplex): 22 ppm Mono and Colour	Diotilei Apps
Print (A3)	Yes	
Print Speed FPOT <sup>10</sup>	4.6 seconds Colour, 4.4 seconds Mono	Web Connect
Quiet Mode	Mode to reduce printing noise	Web Connect
Resolution	Up to 1200 x 4800 dpi (Horizontal and Vertical)	
Print Languages	GDI	Сору
		Copy Speed <sup>1</sup>
Printer Functions		
N-up Printing <sup>3</sup>	Reduce up to 2, 4, 9 or 16 pages into just one	Copy Speed
Poster Printing	Enlarge a single page into a poster using 4 or 9	Resolution
Natermark Printing <sup>4</sup>	pages Watermark your documents with predefined text or	
in a contract in thing	with your own user-defined messages	Auto Duplex (
ID Printing <sup>₄</sup>	Add identification to your printed documents (date	Copier Multi
	and time, short custom message or PC username)	
Booklet Printing⁴	Print documents in A5 booklet format using automatic or manual 2-sided (duplex) print	Enlargement/
Print Profiles <sup>3</sup>	Store your favourite driver settings as profiles to easily	N in 1 Copyin
	recall them	
Printer Driver		2 in 1 ID Cop
Vindows®	Windows® 11, Windows® 10 (32 and 64 bit editions),	Grey Scale
	Windows® 8 (32 and 64 bit editions), Windows® 7 (32	Receipt Copy
	and 64 bit editions), Windows <sup>®</sup> Server 2019, 2016, 2012, 2012R2 and 2008R2, Windows <sup>®</sup> Server 2008 (32 and 64 bit editions)	Enlarge Text (
Mac OS	macOS 10.14.6 - 10.15, macOS 11-12 <sup>3</sup>	Auto Deskew
_inux	CUPS, LPD/LPRng (i686 and x86_64)	Fit to Page
		Th to Fage
Paper Handling		Scanner
Paper Input <sup>2</sup>	Standard Tray - 250 sheets	Scanner Type
	Lower Tray - 250 sheets Multi Purpose Tray - 100 sheets	Colour and M
	Auto Document Feeder (ADF) - 50 Sheets	Scan Speed <sup>12</sup>
Paper Output <sup>2</sup>	100 Sheets A4, 50 Sheets A3	
Envelope Printing	Up to 10 envelopes (Upper or MP tray only)	
ledia Sizes	Upper Tray Landscape: A4, LTR, EXE	Scan Resolut
Inicula Sizes	Upper Tray Portrait: A3, LGR, LGL, Folio,	
	A5, A6, Photo (102x152mm/4x6inch)	
	A5, A6, Photo (102x152mm/4x6inch), Indexcard (127x203mm/5x8inch), Photo-L	Interpolated S
	Indexcard (127x203mm/5x8inch), Photo-L (89x127mm/3.5x5inch), Photo-2L	
	Indexcard (127x203mm/5x8inch), Photo-L	Colour Depth
	Indexcard (127x203mm/5x8inch), Photo-L (89x127mm/3.5x5inch), Photo-2L (127x178mm/5x7inch), C5, Com-10, DL Envelope, Monarch, Mexico Legal, India Legal Lower Tray Landscape: A4, LTR	
	Indexcard (127x203mm/5x8inch), Photo-L (89x127mm/3.5x5inch), Photo-2L (127x178mm/5x7inch), C5, Com-10, DL Envelope, Monarch, Mexico Legal, India Legal Lower Tray Landscape: A4, LTR Lower Tray Portrait: A3, LGR, LGL, Folio, Mexico	Colour Depth
	Indexcard (127x203mm/5x8inch), Photo-L (89x127mm/3.5x5inch), Photo-2L (127x178mm/5x7inch), C5, Com-10, DL Envelope, Monarch, Mexico Legal, India Legal Lower Tray Landscape: A4, LTR	Colour Depth Grey Scale
	Indexcard (127x203mm/5x8inch), Photo-L (89x127mm/3.5x5inch), Photo-2L (127x178mm/5x7inch), C5, Com-10, DL Envelope, Monarch, Mexico Legal, India Legal Lower Tray Landscape: A4, LTR Lower Tray Portrait: A3, LGR, LGL, Folio, Mexico Legal, India Legal Multi Purpose Tray - Landscape: A4, LTR, EXE	Colour Depth Grey Scale Scanner F
	Indexcard (127x203mm/5x8inch), Photo-L (89x127mm/3.5x5inch), Photo-2L (127x178mm/5x7inch), C5, Com-10, DL Envelope, Monarch, Mexico Legal, India Legal Lower Tray Landscape: A4, LTR Lower Tray Portrait: A3, LGR, LGL, Folio, Mexico Legal, India Legal Multi Purpose Tray - Landscape: A4, LTR, EXE Portrait: A3, LGR, LGL, Folio, A5, A6,	Colour Depth Grey Scale Scanner F Scan to/E-ma
	Indexcard (127x203mm/5x8inch), Photo-L (89x127mm/3.5x5inch), Photo-2L (127x178mm/5x7inch), C5, Com-10, DL Envelope, Monarch, Mexico Legal, India Legal Lower Tray Landscape: A4, LTR Lower Tray Portrait: A3, LGR, LGL, Folio, Mexico Legal, India Legal Multi Purpose Tray - Landscape: A4, LTR, EXE Portrait: A3, LGR, LGL, Folio, A5, A6, Photo (102x152mm/4x6inch), Indexcard (127x203mm/5x8inch), Photo-L	Colour Depth Grey Scale Scanner F Scan to/E-ma
	Indexcard (127x203mm/5x8inch), Photo-L (89x127mm/3.5x5inch), Photo-2L (127x178mm/5x7inch), C5, Com-10, DL Envelope, Monarch, Mexico Legal, India Legal Lower Tray Landscape: A4, LTR Lower Tray Portrait: A3, LGR, LGL, Folio, Mexico Legal, India Legal Multi Purpose Tray - Landscape: A4, LTR, EXE Portrait: A3, LGR, LGL, Folio, A5, A6, Photo (102x152mm/4x6inch), Indexcard (127x203mm/5x8inch), Photo-L (89x127mm/3.5x5inch), Photo-2L	Colour Depth Grey Scale Scanner F Scan to/E-ma Scan to OCR
	Indexcard (127x203mm/5x8inch), Photo-L (89x127mm/3.5x5inch), Photo-2L (127x178mm/5x7inch), C5, Com-10, DL Envelope, Monarch, Mexico Legal, India Legal Lower Tray Landscape: A4, LTR Lower Tray Portrait: A3, LGR, LGL, Folio, Mexico Legal, India Legal Multi Purpose Tray - Landscape: A4, LTR, EXE Portrait: A3, LGR, LGL, Folio, A5, A6, Photo (102x152mm/4x6inch), Indexcard (127x203mm/5x8inch), Photo-L	Colour Depth Grey Scale Scanner F Scan to/E-ma Scan to OCR
	Indexcard (127x203mm/5x8inch), Photo-L (89x127mm/3.5x5inch), Photo-2L (127x178mm/5x7inch), C5, Com-10, DL Envelope, Monarch, Mexico Legal, India Legal Lower Tray Landscape: A4, LTR Lower Tray Portrait: A3, LGR, LGL, Folio, Mexico Legal, India Legal Multi Purpose Tray - Landscape: A4, LTR, EXE Portrait: A3, LGR, LGL, Folio, A5, A6, Photo (102x152mm/4x6inch), Indexcard (127x203mm/5x8inch), Photo-L (89x127mm/3.5x5inch), Photo-2L (127x178mm/5x7inch), C5, Com-10, DL Envelope, Monarch, Mexico Legal, India Legal Scanner Glass - Up to 297mm (W) / 431.8mm (L)	Colour Depth Grey Scale Scanner F Scan to/E-ma Scan to OCR Scan to Imag Scan to File
	Indexcard (127x203mm/5x8inch), Photo-L (89x127mm/3.5x5inch), Photo-2L (127x178mm/5x7inch), C5, Com-10, DL Envelope, Monarch, Mexico Legal, India Legal Lower Tray Landscape: A4, LTR Lower Tray Portrait: A3, LGR, LGL, Folio, Mexico Legal, India Legal Multi Purpose Tray - Landscape: A4, LTR, EXE Portrait: A3, LGR, LGL, Folio, A5, A6, Photo (102x152mm/4x6inch), Indexcard (127x203mm/5x8inch), Photo-L (89x127mm/3.5x5inch), Photo-L (89x127mm/3.5x5inch), Photo-2L (127x178mm/5x7inch), C5, Com-10, DL Envelope, Monarch, Mexico Legal, India Legal Scanner Glass - Up to 297mm (W) / 431.8mm (L) Auto 2-Sided (duplex) Print - A3, LGR, LGL, Folio,	Colour Depth Grey Scale Scanner F Scan to/E-ma Scan to OCR Scan to Imag Scan to File
Vedia Type and Weights	Indexcard (127x203mm/5x8inch), Photo-L (89x127mm/3.5x5inch), Photo-2L (127x178mm/5x7inch), C5, Com-10, DL Envelope, Monarch, Mexico Legal, India Legal Lower Tray Landscape: A4, LTR Lower Tray Portrait: A3, LGR, LGL, Folio, Mexico Legal, India Legal Multi Purpose Tray - Landscape: A4, LTR, EXE Portrait: A3, LGR, LGL, Folio, A5, A6, Photo (102x152mm/4x6inch), Indexcard (127x203mm/5x8inch), Photo-L (89x127mm/3.5x5inch), Photo-2L (127x178mm/5x7inch), C5, Com-10, DL Envelope, Monarch, Mexico Legal, India Legal Scanner Glass - Up to 297mm (W) / 431.8mm (L) Auto 2-Sided (duplex) Print - A3, LGR, LGL, Folio, A4, LTR, EXE, A5, Mexico Legal, India Legal	Colour Depth Grey Scale Scanner F Scan to/E-ma Scan to OCR Scan to Imag Scan to File
∕ledia Type and Weights	Indexcard (127x203mm/5x8inch), Photo-L (89x127mm/3.5x5inch), Photo-2L (127x178mm/5x7inch), C5, Com-10, DL Envelope, Monarch, Mexico Legal, India Legal Lower Tray Landscape: A4, LTR Lower Tray Portrait: A3, LGR, LGL, Folio, Mexico Legal, India Legal Multi Purpose Tray - Landscape: A4, LTR, EXE Portrait: A3, LGR, LGL, Folio, A5, A6, Photo (102x152mm/4x6inch), Indexcard (127x203mm/5x8inch), Photo-L (89x127mm/3.5x5inch), Photo-L (89x127mm/5x7inch), C5, Com-10, DL Envelope, Monarch, Mexico Legal, India Legal Scanner Glass - Up to 297mm (W) / 431.8mm (L) Auto 2-Sided (duplex) Print - A3, LGR, LGL, Folio, A4, LTR, EXE, A5, Mexico Legal, India Legal Standard Tray - Plain, Inkjet, Glossy, Recycled 64-220g/m6	Colour Depth Grey Scale Scanner F Scan to/E-ma Scan to OCR Scan to Imag Scan to File Scan to Netw Scan Profile <sup>3</sup>
Иedia Type and Weights	Indexcard (127x203mm/5x8inch), Photo-L (89x127mm/3.5x5inch), Photo-2L (127x178mm/5x7inch), C5, Com-10, DL Envelope, Monarch, Mexico Legal, India Legal Lower Tray Landscape: A4, LTR Lower Tray Portrait: A3, LGR, LGL, Folio, Mexico Legal, India Legal Multi Purpose Tray - Landscape: A4, LTR, EXE Portrait: A3, LGR, LGL, Folio, A5, A6, Photo (102x152mm/4x6inch), Indexcard (127x203mm/5x8inch), Photo-L (89x127mm/3.5x5inch), Photo-L (89x127mm/3.5x5inch), Photo-L (127x178mm/5x7inch), C5, Com-10, DL Envelope, Monarch, Mexico Legal, India Legal Scanner Glass - Up to 297mm (W) / 431.8mm (L) Auto 2-Sided (duplex) Print - A3, LGR, LGL, Folio, A4, LTR, EXE, A5, Mexico Legal, India Legal Standard Tray - Plain, Inkjet, Glossy, Recycled 64-220g/m6 Lower Tray - Plain, Recycled 64-120g/m6	Colour Depth Grey Scale Scanner F Scan to/E-ma Scan to OCR Scan to Imag Scan to File Scan to Netw Scan Profile <sup>3</sup>
Иedia Type and Weights	Indexcard (127x203mm/5x8inch), Photo-L (89x127mm/3.5x5inch), Photo-2L (127x178mm/5x7inch), C5, Com-10, DL Envelope, Monarch, Mexico Legal, India Legal Lower Tray Landscape: A4, LTR Lower Tray Portrait: A3, LGR, LGL, Folio, Mexico Legal, India Legal Multi Purpose Tray - Landscape: A4, LTR, EXE Portrait: A3, LGR, LGL, Folio, A5, A6, Photo (102x152mm/4x6inch), Indexcard (127x203mm/5x8inch), Photo-L (89x127mm/3.5x5inch), Photo-L (89x127mm/5x7inch), C5, Com-10, DL Envelope, Monarch, Mexico Legal, India Legal Scanner Glass - Up to 297mm (W) / 431.8mm (L) Auto 2-Sided (duplex) Print - A3, LGR, LGL, Folio, A4, LTR, EXE, A5, Mexico Legal, India Legal Standard Tray - Plain, Inkjet, Glossy, Recycled 64-220g/m6	Colour Depth Grey Scale Scanner F Scan to/E-ma Scan to OCR Scan to Imag Scan to Imag Scan to Retw Scan to Netw Scan Profile <sup>3</sup>
Vledia Type and Weights	Indexcard (127x203mm/5x8inch), Photo-L (89x127mm/3.5x5inch), Photo-2L (127x178mm/5x7inch), C5, Com-10, DL Envelope, Monarch, Mexico Legal, India Legal Lower Tray Portrait: A3, LGR, LGL, Folio, Mexico Legal, India Legal Multi Purpose Tray - Landscape: A4, LTR Portrait: A3, LGR, LGL, Folio, A5, A6, Photo (102x152mm/4x6inch), Indexcard (127x203mm/5x8inch), Photo-L (89x127mm/3.5x5inch), Photo-2L (127x178mm/5x7inch), C5, Com-10, DL Envelope, Monarch, Mexico Legal, India Legal Scanner Glass - Up to 297mm (W) / 431.8mm (L) Auto 2-Sided (duplex) Print - A3, LGR, LGL, Folio, A4, LTR, EXE, A5, Mexico Legal, India Legal Standard Tray - Plain, Inkjet, Glossy, Recycled 64-220g/m6 Lower Tray - Plain, Recycled 64-120g/m6 Multi Purpose Tray - Plain, Inkjet, Glossy, Recycled 64-220g/m2 (260g/m2 with Brother BP71 glossy paper only)	Colour Depth Grey Scale Scanner F Scan to/E-ma Scan to OCR Scan to Imag Scan to File Scan to Netw Scan To Netw Scan To Micro Scan to Share
Media Type and Weights	Indexcard (127x203mm/5x8inch), Photo-L (89x127mm/3.5x5inch), Photo-2L (127x178mm/5x7inch), C5, Com-10, DL Envelope, Monarch, Mexico Legal, India Legal Lower Tray Landscape: A4, LTR Lower Tray Portrait: A3, LGR, LGL, Folio, Mexico Legal, India Legal Multi Purpose Tray - Landscape: A4, LTR, EXE Portrait: A3, LGR, LGL, Folio, A5, A6, Photo (102x152mm/4x6inch), Indexcard (127x203mm/5x8inch), Photo-L (89x127mm/3.5x5inch), Photo-L (89x127mm/3.5x5inch), Photo-2L (127x178mm/5x7inch), C5, Com-10, DL Envelope, Monarch, Mexico Legal, India Legal Scanner Glass - Up to 297mm (W) / 431.8mm (L) Auto 2-Sided (duplex) Print - A3, LGR, LGL, Folio, A4, LTR, EXE, A5, Mexico Legal, India Legal Standard Tray - Plain, Inkjet, Glossy, Recycled 64-220g/m6 Multi Purpose Tray - Plain, Inkjet, Glossy, Recycled 64-220g/m2 (260g/m2 with Brother BP71 glossy	Scanner F Scan to/E-ma Scan to OCR Scan to Image Scan to File Scan to Netw

obile and Web	
oppostivity	
onnectivity other Mobile Connect <sup>5</sup>	Print from, scan to, send faxes, preview received
ndroid)	faxes, preview copies and check the machine status from an Android device
other Mobile Connect⁵	Print from, scan to, send faxes, preview received
ad / iPhone)	faxes, preview copies and check the machine status from an iPad / iPhone
ple AirPrint	Print from and scan to most common file types from any AirPrint enabled application
other Print Service	Print from an Android devices without a dedicated
Jgin <sup>5</sup>	App Driet and the second file to the form Marchie IM
ppria™ ⁵	Print most common file types from Mopria <sup>™</sup> supported Android devices
other Apps <sup>8</sup>	Print from Creative Center, Scan to Mobile, Scan to Searchable PDF, Enlarge Text Copy, Fax Forward to Cloud/E-mail, Scan to PowerPoint, Scan to Excel, Scan to Word, Easy Scan to E-mail
eb Connect <sup>8</sup>	Print from and scan to without using a PC on Box, Dropbox, Evernote, OneDrive, Google Drive™ OneNote
ору	
ppy Speed <sup>11</sup>	Simplex: 25/16 ipm, Duplex: 18/13 ipm (Mono/Colour: based on ISO/IEC 24735
py Speed FCOT <sup>11</sup>	6/5sec (Colour/Mono) (based on ISO/IEC 24735
	Annex D) Print: up to 1200x4800 dpi
solution	Scan: up to 600x600 dpi (horizontal x vertical) Colour
to Duplex Copy	Yes
pier Multi Stack/Sort	Makes up to 999 copies of each page / Stacks or Sorts
largement/Reduction Ratio	Reduce or Increase document sizes from 25% to 400% in 1% increments
n 1 Copying	Allows the user to compress 2 or 4 pages on to a single A4 sheet
n 1 ID Copying	Allows the user to copy both sides of an ID card to a single A4 sheet
ey Scale	256 shades of grey (8 bit for each colour)
ceipt Copying	Produces clearer copies of receipts
large Text Copy <sup>8</sup>	Makes reading copied documents easier if the size of the text on the original document is small
to Deskew	ADF: Yes FB: Yes
	71211100
to Page	FB: Yes
to Page	FB: Yes
to Page canner anner Type	FB: Yes Yes
to Page canner anner Type lour and Mono Scanning	FB: Yes Yes Dual CIS (Contact Image Sensor)
to Page canner anner Type Jour and Mono Scanning	FB: Yes Yes Dual CIS (Contact Image Sensor) Yes Simplex: A4 portrait: 25ipm/25ipm A4 landscape: 19ipm/19ipm
to Page canner anner Type vlour and Mono Scanning an Speed <sup>12</sup>	FB: Yes Yes Dual CIS (Contact Image Sensor) Yes Simplex: A4 portrait: 25ipm/25ipm A4 landscape: 19ipm/19ipm A3: 13ipm/13ipm
to Page canner anner Type vlour and Mono Scanning an Speed <sup>12</sup>	EB: Yes Yes Dual CIS (Contact Image Sensor) Yes Simplex: A4 portrait: 25ipm/25ipm A4 landscape: 19ipm/19ipm A3: 13ipm/13ipm From Glass: 1200x2400dpi (mono) / 1200x1200dpi (colour)
to Page canner anner Type Jour and Mono Scanning an Speed <sup>12</sup> an Resolution	FB: Yes Yes Dual CIS (Contact Image Sensor) Yes Simplex: A4 portrait: 25ipm/25ipm A4 landscape: 19ipm/19ipm A3: 13ipm/13ipm From Glass: 1200x2400dpi (mono) / 1200x1200dpi (colour) From ADF: 600x600dpi (mono) / 300x600dpi (colour)
to Page canner anner Type Jour and Mono Scanning an Speed <sup>12</sup> an Resolution erpolated Scan Resolution	FB: Yes Yes Dual CIS (Contact Image Sensor) Yes Simplex: A4 portrait: 25ipm/25ipm A4 landscape: 19ipm/19ipm A3: 13ipm/13ipm From Glass: 1200x2400dpi (mono) / 1200x1200dpi (colour) From ADF: 600x600dpi (mono) / 300x600dpi (colour) Up to 19200 x 19200dpi
to Page canner anner Type olour and Mono Scanning an Speed <sup>12</sup> an Resolution erpolated Scan Resolution	FB: Yes Yes Dual CIS (Contact Image Sensor) Yes Simplex: A4 portrait: 25ipm/25ipm A4 landscape: 19ipm/19ipm A3: 13ipm/13ipm From Glass: 1200x2400dpi (mono) / 1200x1200dpi (colour) From ADF: 600x600dpi (mono) / 300x600dpi (colour) Up to 19200 x 19200dpi 48 bit colour Processing (Input)
to Page canner anner Type lour and Mono Scanning an Speed <sup>12</sup> an Resolution erpolated Scan Resolution lour Depth	FB: Yes Yes Dual CIS (Contact Image Sensor) Yes Simplex: A4 portrait: 25ipm/25ipm A4 landscape: 19ipm/19ipm A3: 13ipm/13ipm From Glass: 1200x2400dpi (mono) / 1200x1200dpi (colour) From ADF: 600x600dpi (mono) / 300x600dpi (colour Up to 19200 x 19200dpi 48 bit colour Processing (Input) 24 bit colour Processing (Output)
to Page canner anner Type volour and Mono Scanning an Speed <sup>12</sup> an Resolution erpolated Scan Resolution volour Depth	FB: Yes Yes Dual CIS (Contact Image Sensor) Yes Simplex: A4 portrait: 25ipm/25ipm A4 landscape: 19ipm/19ipm A3: 13ipm/13ipm From Glass: 1200x2400dpi (mono) / 1200x1200dpi (colour) From ADF: 600x600dpi (mono) / 300x600dpi (colour) Up to 19200 x 19200dpi 48 bit colour Processing (Input)
to Page canner anner Type Jour and Mono Scanning an Speed <sup>12</sup> an Resolution erpolated Scan Resolution Jour Depth ey Scale	FB: Yes Yes Dual CIS (Contact Image Sensor) Yes Simplex: A4 portrait: 25ipm/25ipm A4 landscape: 19ipm/19ipm A3: 13ipm/13ipm From Glass: 1200x2400dpi (mono) / 1200x1200dpi (colour) From Glass: 1200x2400dpi (mono) / 300x600dpi (colour) Up to 19200 x 19200dpi 48 bit colour Processing (Input) 24 bit colour Processing (Output) 16 bit colour Processing (Input)
to Page canner anner Type lour and Mono Scanning an Speed <sup>12</sup> an Resolution erpolated Scan Resolution lour Depth ey Scale canner Functions	FB: Yes Yes Dual CIS (Contact Image Sensor) Yes Simplex: A4 portrait: 25ipm/25ipm A4 landscape: 19ipm/19ipm A3: 13ipm/13ipm From Glass: 1200x2400dpi (mono) / 1200x1200dpi (colour) From Glass: 1200x2400dpi (mono) / 300x600dpi (colour) Up to 19200 x 19200dpi 48 bit colour Processing (Input) 24 bit colour Processing (Output) 16 bit colour Processing (Input)
to Page canner anner Type lour and Mono Scanning an Speed <sup>12</sup> an Resolution erpolated Scan Resolution lour Depth ey Scale canner Functions an to/E-mail Server	FB: Yes Yes Dual CIS (Contact Image Sensor) Yes Simplex: A4 portrait: 25ipm/25ipm A4 landscape: 19ipm/19ipm A3: 13ipm/13ipm From Glass: 1200x2400dpi (mono) / 1200x1200dpi (colour) From ADF: 600x600dpi (mono) / 300x600dpi (colour Up to 19200 x 19200dpi 48 bit colour Processing (Input) 24 bit colour Processing (Input) 24 bit colour Processing (Output) 16 bit colour Processing (Output) 8 bit colour Processing (Output) Scan and share documents via e-mail server* (Contact Brother to Install)
to Page canner anner Type lour and Mono Scanning an Speed <sup>12</sup> an Resolution erpolated Scan Resolution lour Depth ey Scale canner Functions an to/E-mail Server	FB: Yes Yes Dual CIS (Contact Image Sensor) Yes Simplex: A4 portrait: 25ipm/25ipm A4 landscape: 19ipm/19ipm A3: 13ipm/13ipm From Glass: 1200x2400dpi (mono) / 1200x1200dpi (colour) From ADF: 600x600dpi (mono) / 300x600dpi (colour Up to 19200 x 19200dpi 48 bit colour Processing (Input) 24 bit colour Processing (Output) 16 bit colour Processing (Output) 8 bit colour Processing (Output) 8 bit colour Processing (Output) Scan and share documents via e-mail server* (Contact Brother to Install) Scan documents directly into your word processing application for instant editing
to Page canner anner Type lour and Mono Scanning an Speed <sup>12</sup> an Resolution erpolated Scan Resolution lour Depth ey Scale canner Functions an to/E-mail Server an to OCR an to Image	FB: Yes Yes Dual CIS (Contact Image Sensor) Yes Simplex: A4 portrait: 25ipm/25ipm A4 landscape: 19ipm/19ipm A3: 13ipm/13ipm From Glass: 1200x2400dpi (mono) / 1200x1200dpi (colour) From ADF: 600x600dpi (mono) / 300x600dpi (colour Up to 19200 x 19200dpi 48 bit colour Processing (Input) 24 bit colour Processing (Input) 24 bit colour Processing (Input) 8 bit colour Processing (Output) 16 bit colour Processing (Output) 8 bit colour Processing (Output) Scan and share documents via e-mail server* (Contact Brother to Install) Scan documents directly into your word processing application for instant editing Scan into your preferred image editing software
to Page canner anner Type lour and Mono Scanning an Speed <sup>12</sup> an Resolution erpolated Scan Resolution lour Depth ey Scale canner Functions an to/E-mail Server an to OCR an to Image	FB: Yes Yes Dual CIS (Contact Image Sensor) Yes Simplex: A4 portrait: 25ipm/25ipm A4 landscape: 19ipm/19ipm A3: 13ipm/13ipm From Glass: 1200x2400dpi (mono) / 1200x1200dpi (colour) From ADF: 600x600dpi (mono) / 300x600dpi (colour Up to 19200 x 19200dpi 48 bit colour Processing (Input) 24 bit colour Processing (Output) 16 bit colour Processing (Output) 8 bit colour Processing (Output) 8 bit colour Processing (Output) Scan and share documents via e-mail server* (Contact Brother to Install) Scan documents directly into your word processing application for instant editing
to Page canner anner Type lour and Mono Scanning an Speed <sup>12</sup> an Resolution erpolated Scan Resolution lour Depth ey Scale canner Functions an to/E-mail Server an to OCR an to Image an to File	FB: Yes Yes Dual CIS (Contact Image Sensor) Yes Simplex: A4 portrait: 25ipm/25ipm A4 landscape: 19ipm/19ipm A3: 13ipm/13ipm From Glass: 1200x2400dpi (mono) / 1200x1200dpi (colour) From ADF: 600x600dpi (mono) / 300x600dpi (colour Up to 19200 x 19200dpi 48 bit colour Processing (Input) 24 bit colour Processing (Input) 16 bit colour Processing (Input) 8 bit colour Processing (Output) 16 bit colour Processing (Output) 8 bit colour Processing (Output) Scan and share documents via e-mail server* (Contact Brother to Install) Scan documents directly into your word processing application for instant editing Scan into your preferred image editing software
to Page canner anner Type lour and Mono Scanning an Speed <sup>12</sup> an Resolution erpolated Scan Resolution lour Depth ey Scale canner Functions an to/E-mail Server an to OCR an to Image an to File an to Network	FB: Yes Yes Dual CIS (Contact Image Sensor) Yes Simplex: A4 portrait: 25ipm/25ipm A4 landscape: 19ipm/19ipm A3: 13ipm/13ipm From Glass: 1200x2400dpi (mono) / 1200x1200dpi (colour) From ADF: 600x600dpi (mono) / 300x600dpi (colour Up to 19200 x 19200dpi 48 bit colour Processing (Input) 24 bit colour Processing (Output) 16 bit colour Processing (Output) 16 bit colour Processing (Output) 8 bit colour Processing (Output) Scan and share documents via e-mail server* (Contact Brother to Install) Scan documents directly into your word processing application for instant editing Scan into your preferred image editing software Scan to a file on your computer Scan documents to a nominated folder on your
to Page canner anner Type volour and Mono Scanning an Speed <sup>12</sup> an Resolution erpolated Scan Resolution volour Depth ey Scale canner Functions an to/E-mail Server an to OCR an to Image an to Network an Profile <sup>3</sup>	FB: Yes Yes Dual CIS (Contact Image Sensor) Yes Simplex: A4 portrait: 25ipm/25ipm A4 landscape: 19ipm/19ipm A3: 13ipm/13ipm From Glass: 1200x2400dpi (mono) / 1200x1200dpi (colour) From ADF: 600x600dpi (mono) / 300x600dpi (colour Up to 19200 x 19200dpi 48 bit colour Processing (Input) 24 bit colour Processing (Input) 24 bit colour Processing (Output) 16 bit colour Processing (Output) 8 bit colour Processing (Output) Scan and share documents via e-mail server* (Contact Brother to Install) Scan documents directly into your word processing application for instant editing Scan into your preferred image editing software Scan to a file on your computer Scan documents to a nominated folder on your network without using a Windows PC Create up to 25 preset network, FTP profiles for an easy way to store multiple scan settings
to Page canner anner Type volour and Mono Scanning an Speed <sup>12</sup> an Resolution erpolated Scan Resolution volour Depth ey Scale canner Functions an to/E-mail Server an to OCR an to Image an to File an to Network an Profile <sup>3</sup> an To Microsoft Office	FB: Yes Yes Dual CIS (Contact Image Sensor) Yes Simplex: A4 portrait: 25ipm/25ipm A4 landscape: 19ipm/19ipm A3: 13ipm/13ipm From Glass: 1200x2400dpi (mono) / 1200x1200dpi (colour) From ADF: 600x600dpi (mono) / 300x600dpi (colour Up to 19200 x 19200dpi 48 bit colour Processing (Input) 24 bit colour Processing (Output) 16 bit colour Processing (Output) 16 bit colour Processing (Output) 8 bit colour Processing (Output) 25 Can and share documents via e-mail server* (Contact Brother to Install) Scan documents directly into your word processing application for instant editing Scan into your preferred image editing software Scan to a file on your computer Scan documents to a nominated folder on your network without using a Windows PC Create up to 25 preset network, FTP profiles for an easy way to store multiple scan settings Scan to Word (.docx), PowerPoint (.pptx), Excel (.xlsx) for Microsoft Office
to Deskew to Page canner anner Type olour and Mono Scanning an Speed <sup>12</sup> an Resolution erpolated Scan Resolution olour Depth ey Scale canner Functions an to/E-mail Server an to OCR an to Image an to File an to Network an Profile <sup>3</sup> an To Microsoft Office an to SharePoint <sup>4</sup> an to Searchable PDF <sup>7</sup>	FB: Yes Yes Dual CIS (Contact Image Sensor) Yes Simplex: A4 portrait: 25ipm/25ipm A4 landscape: 19ipm/19ipm A3: 13ipm/13ipm From Glass: 1200x2400dpi (mono) / 1200x1200dpi (colour) From ADF: 600x600dpi (mono) / 300x600dpi (colour) Up to 19200 x 19200dpi 48 bit colour Processing (Input) 24 bit colour Processing (Output) 16 bit colour Processing (Output) 16 bit colour Processing (Output) 8 bit colour Processing (Output) 25 can and share documents via e-mail server* (Contact Brother to Install) Scan documents directly into your word processing application for instant editing Scan into your preferred image editing software Scan to a file on your computer Scan documents to a nominated folder on your network without using a Windows PC Create up to 25 preset network, FTP profiles for an easy way to store multiple scan settings Scan to Word (.docx), PowerPoint (.pptx), Excel (.xlsx)
to Page Canner anner Type Jour and Mono Scanning an Speed <sup>12</sup> an Resolution erpolated Scan Resolution Jour Depth ey Scale Canner Functions an to/E-mail Server an to OCR an to Image an to File an to Network an Profile <sup>3</sup> an To Microsoft Office an to SharePoint <sup>4</sup>	FB: Yes Yes Dual CIS (Contact Image Sensor) Yes Simplex: A4 portrait: 25ipm/25ipm A4 landscape: 19ipm/19ipm A3: 13ipm/13ipm From Glass: 1200x2400dpi (mono) / 1200x1200dpi (colour) From ADF: 600x600dpi (mono) / 300x600dpi (colour) Up to 19200 x 19200dpi 48 bit colour Processing (Input) 24 bit colour Processing (Output) 16 bit colour Processing (Output) 8 bit colour Processing (Output) 8 bit colour Processing (Output) Scan and share documents via e-mail server* (Contact Brother to Install) Scan documents directly into your word processing application for instant editing Scan into your preferred image editing software Scan to a file on your computer Scan documents to a nominated folder on your network without using a Windows PC Create up to 25 preset network, FTP profiles for an easy way to store multiple scan settings Scan to Word (.docx), PowerPoint (.pptx), Excel (.xlsx) for Microsoft Office Scan documents directly into SharePoint (On-premise)

Scanner Drivers	
Scanner Compatibility	Windows 11, Windows 10 (32&64bit), Windows 8/8.1
	(32&64bit), Windows 7 (32&64bit)
	macOS 10.14.6 - 10.15, macOS 11-12 <sup>3</sup> Linux Sane
Fax	
FAX colour Type	Mono/colour
Fax Modem	33,600 (Super G3)
PC-Fax Send <sup>3&amp;8</sup> and Receive <sup>4&amp;8</sup>	Send and Receive faxes directly from your PC
Memory Transmission	Up to 150 pages (ITU-T Test Chart, Standard Resolution, JBIG)
Out of Paper Reception	Up to 150 pages (ITU-T Test Chart, Standard Resolution, JBIG)
Error Correction Mode (ECM)	Detect line errors during fax transmission and resend the page(s) of the document that had an error (recipient machinesmust share this feature for it to work)
Auto Reduction	When receiving a single page document longer than A4 (297mm) the fax machine will automatically reduce the message to fit onto a single A4 sheet
Broadcasting	Send the same fax message up to 250 locations
Grey Scale	256 shades (8 bit) of grey are available for faxing
Fleet Management	
Unattended Installer <sup>4</sup>	Ability to centrally deploy and customise our drivers
	and software
MSI Installer <sup>4</sup>	Modular installers that can be distributed through
BRAdmin <sup>485</sup>	On-premise Active Directory® LAN/WAN management software
Embedded Web Server	Ů Ů Ů
Embedded web Server	Web based print management software embedded onto the device
Driver Deployment Wizard485	Easily create print drivers for hassle free deployment
	over your network
Software	
Brother iPrint&Scan Desktop 385	Print from, scan to, send faxes, preview received
	faxes, preview copies and check the machine status from Windows or macOS PC
	from windows of macOS PC
Security and Network	100 T(1000 T)
Wired Network	10Base-T/100Base-TX
Wired Network Security	APOP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, FTPS, SMTP, POP3, IMAP4), SNMP v3 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos,
Wireless Network	lpsec 2.4GHz: IEEE 802.11 b/g/n (Infrastructure Mode)
	IEEE 802.11 g/n (Wi-Fi Direct) 5GHz: IEEE 802.11 a/n
	(Infrastructure Mode) IEEE 802.11 a/n (Wi-Fi Direct)
Wireless Network Security	WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), WPA3-SAE (AES) *Wi-Fi Direct supports
	WPA2-PSK (AES) only. APOP, SMTP-AUTH, SSL/TLS
	(IPPS, HTTPS, FTPS, SMTP, POP3, IMAP4), SNMP v3, 802.1x (EAP-FAST, PEAP, EAP-TLS, EAP-TTLS),
	VS, 602.1X (EAF-FAST, FEAF, EAF-TES, EAF-TES), Kerberos, Ipsec
Wi-Fi Direct™	Print wirelessly without having to go through a
	wireless access point (both automatic and manual methods supported)
Wireless Setup Support	Wi-Fi Protected Setup (WPS)
Wireless Applications	Vertical Pairing
IPv4	ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/
	NetBIOS name resolution, DNS Resolver, mDNS,
	LLMNR responder, LPR/LPD, Custom Raw Port/ Port9100, IPP, FTP Client ,FTP Server, SNMPv1/v2c/
	v3, TFTP server, POP3/IMAP4/SMTP Client, ICMP,
	Web Services (Print/Scan), CIFS Client, SNTP Client, LDAP, HTTP Server
IPv6	Client, LDAP, HTTP Server NDP, RA, mDNS, LLMNR Responder, DNS Resolver,
	LPR/LPD, Custom Raw Port/Port9100, IPP, FTP
	Client, FTP Server, SNMPv1/v2c/v3, TFTP server,
	Web Services (Print/Scan), POP3/IMAP4, SMTP Client, CIFS Client, SNTP Client, LDAP, ICMPv6,
	HTTP Server
IP Filter	Restrict which network users can or cannot access
E-mail Notifications	the device over the network (IPv4 only) Automatically have the device send e-mail alerts
	when it requires attention, such as when the ink is
	low or needs replacing

	Receive usage reports on a regular basis via e-mail
Setting Lock	Yes (B&W only/not colour)
Secure Function Lock 3.0	Restrict access to individual or groups of users over a network. Can be used with PC User Login Names for up to 100 users
Supplies	
Inbox (pages)	BK: 550, C: 550, M: 550, Y: 550
Standard-Yield Cartridges (pages)	LC-432BK: 550, LC-432C: 550, LC-432M: 550, LC-432Y: 550
High-Yield Cartridges (pages)	LC-432BK XL: 3000, LC-432C XL: 1500, LC-432M XL: 1500, LC-432Y XL: 1500
Dimensions and Weight	
Product Dimensions	575 W x 477 D x 374.5mm H - 23.6kg
Decommonded Monthly	
Recommended Monthly Print Volume	
Recommended Monthly Print	250 to 2,500 pages
Volume <sup>6</sup>	
Environment	
Power Source	AC 220-240V 50/60Hz
Power Consumption	Copying: 29W, Ready: 5.5W,
	Sleep: 0.9W, Off: 0.03W
Sound Pressure Level (Operating)	<b>Sleep:</b> 0.9W, <b>Off:</b> 0.03W 50dB(A) (Approx.)
	•
Sound Pressure Level (Operating) Ink Save Mode Approx. declared yield value in ac Capacity calculated with 80g/m <sup>2</sup> p Windows and macOS only Windows and macOS only Windows only Optional download Maximum number of printed page ty between like Brother products Requires Brother Software Must be web connected	50dB(A) (Approx.) This reduces the ink usage and helps to reduce the total cost of printer ownership cordance with ISO/IEC 24711 baper as per month can be used to compare designed durabil 4734 (www.brother.com/rd/printspeed) on ISO/IEC 17629 VIEC 24735
Sound Pressure Level (Operating) Ink Save Mode Approx. declared yield value in ac Capacity calculated with 80g/m <sup>2</sup> p Windows and macOS only Windows only Optional download Maximum number of printed page ty between like Brother products Requires Brother Software Must be web connected Print Speeds based on ISO/IEC 2 FPOT (First Print Out Time) based Copy Speeds ESAT based on ISO	50dB(A) (Approx.) This reduces the ink usage and helps to reduce the total cost of printer ownership cordance with ISO/IEC 24711 baper as per month can be used to compare designed durabil 4734 (www.brother.com/rd/printspeed) on ISO/IEC 17629 VIEC 24735
Sound Pressure Level (Operating) Ink Save Mode Approx. declared yield value in ac Capacity calculated with 80g/m <sup>2</sup> p Windows and macOS only Windows and macOS only Optional download Maximum number of printed page ty between like Brother products Requires Brother Software Must be web connected Print Speeds based on ISO/IEC 2 FPOT (First Print Out Time) based Copy Speeds ESAT based on ISO/IEC 1	50dB(A) (Approx.) This reduces the ink usage and helps to reduce the total cost of printer ownership cordance with ISO/IEC 24711 baper as per month can be used to compare designed durabil 4734 (www.brother.com/rd/printspeed) on ISO/IEC 17629 VIEC 24735
Sound Pressure Level (Operating) Ink Save Mode Approx. declared yield value in ac Capacity calculated with 80g/m <sup>2</sup> p Windows and macOS only Windows and macOS only Optional download Maximum number of printed page ty between like Brother products Requires Brother Software Must be web connected Print Speeds based on ISO/IEC 2 FPOT (First Print Out Time) based Copy Speeds ESAT based on ISO/IEC 1	50dB(A) (Approx.) This reduces the ink usage and helps to reduce the total cost of printer ownership cordance with ISO/IEC 24711 baper es per month can be used to compare designed durabil 4734 (www.brother.com/rd/printspeed) on ISO/IEC 17629 VIEC 24735 7991
Sound Pressure Level (Operating) Ink Save Mode Approx. declared yield value in ac Capacity calculated with 80g/m <sup>2</sup> p Windows and macOS only Windows only Optional download Maximum number of printed page ty between like Brother products Requires Brother Software Must be web connected Print Speeds based on ISO/IEC 2 FPOT (First Print Out Time) based Copy Speeds ESAT based on ISO/IEC 1	50dB(A) (Approx.) This reduces the ink usage and helps to reduce the total cost of printer ownership cordance with ISO/IEC 24711 baper es per month can be used to compare designed durabil 4734 (www.brother.com/rd/printspeed) on ISO/IEC 17629 VIEC 24735 7991
Sound Pressure Level (Operating) Ink Save Mode Approx. declared yield value in ac Capacity calculated with 80g/m <sup>2</sup> p Windows and macOS only Windows and macOS only Optional download Maximum number of printed page ty between like Brother products Requires Brother Software Must be web connected Print Speeds based on ISO/IEC 2 FPOT (First Print Out Time) based Copy Speeds ESAT based on ISO/IEC 1	50dB(A) (Approx.) This reduces the ink usage and helps to reduce the total cost of printer ownership cordance with ISO/IEC 24711 baper es per month can be used to compare designed durabil 4734 (www.brother.com/rd/printspeed) on ISO/IEC 17629 VIEC 24735 7991
Sound Pressure Level (Operating) Ink Save Mode Approx. declared yield value in ac Capacity calculated with 80g/m <sup>2</sup> p Windows and macOS only Windows and macOS only Optional download Maximum number of printed page ty between like Brother products Requires Brother Software Must be web connected Print Speeds based on ISO/IEC 2 FPOT (First Print Out Time) based Copy Speeds ESAT based on ISO/IEC 1	50dB(A) (Approx.) This reduces the ink usage and helps to reduce the total cost of printer ownership cordance with ISO/IEC 24711 baper es per month can be used to compare designed durabil 4734 (www.brother.com/rd/printspeed) on ISO/IEC 17629 VIEC 24735 7991
Sound Pressure Level (Operating) Ink Save Mode Approx. declared yield value in ac Capacity calculated with 80g/m <sup>2</sup> p Windows and macOS only Windows only Optional download Maximum number of printed page ty between like Brother products Requires Brother Software Must be web connected Print Speeds based on ISO/IEC 2 FPOT (First Print Out Time) based Copy Speeds ESAT based on ISO/IEC 1	50dB(A) (Approx.) This reduces the ink usage and helps to reduce the total cost of printer ownership cordance with ISO/IEC 24711 baper es per month can be used to compare designed durabil 4734 (www.brother.com/rd/printspeed) on ISO/IEC 17629 VIEC 24735 7991





Working with you for a better environment At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth. www.brotherearth.com

All specifications correct at the time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

