MAXIFY GX1060 MegaTank

TECHNICAL SPECIFICATIONS





MAXIFY GX1060 **Mega**Tank

ENJOY ECONOMICAL HIGH-YIELD PRINTING

Comprising of Canon's new MegaTank ink technology, the MAXIFY GX1060 MegaTank is capable of printing up to 3,000 page in black, and 3,000 pages in colour¹, reducing the chances that you will run out of ink when you need it most. Canon's Economy printing mode will also enable you to decrease printing costs and maximise your productivity even further by reducing the consumption of ink, achieving yields of up to 4,500 in black, and 4,500 in colour.



COMPACT AND STYLISH

The MAXIFY GX1060 MegaTank is 15% smaller than the current MAXIFY MegaTank range, it's full front operation design makes it perfect for compact spaces.



GET THE BENEFIT OF EASY MAINTENANCE

The MAXIFY GX1060 MegaTank offers the benefit of a user replaceable Print head, Maintenance Cartridge. With the convenience of being able to easily maintain it yourself, it means less downtime with printing.



INTUITIVE AND SIMPLE

Simple to use with its tilting 2.7" colour touch LCD screen, status light and intuitive UI. The new UI design provides better viewability and ease of use. Users can program settings they frequently use and call them up instantly, improving work productivity.



'Approx. yields are based on Canon original method using test patterns ISO/IEC 24712 (Colour chart). The estimated page yields are determined not based on the initial set of bundled ink bottles, but based on subsequent sets of ink bottles after print head nozzles have been filled with ink from the initial set of ink bottles. Black and colour page yields are not to be combined. Page yields varies significantly depending on contents printed and other factors. ²Economy mode plain paper Page Yield is an estimate.

Maintenance Cartridge

What inks can I use with my printer?

GI-55BK GI-55C GI-55M GI-55Y







GENERAL FEATURES			
Model	MAXIFY GX1060 MegaTank		
Ink Type	4 Bottles (PGBK / C / M / Y)		
Maximum Print Resolution	600 dpi x 1,200 dpi*1		
Size	Approx. 374 x 380 x 186mm Approx. 14.8 x 15 x 7.4 inch		
Weight	Approx. 7.0 kg Approx. 15.4 lbs		
Display	2.7" / 6.7 cm LCD (Monochrome)		
Interface	Hi-Speed USB-B		
Connectivity	Wireless LAN 2.4GHz & 5GHz, Wireless Direct, Wired LAN		
Input Power	AC 100-240 V, 50 / 60 Hz		
PRINT SPEED			
Document: Colour*2	Approx. 10.0 ipm		
Document: Black & White*2	Approx. 15.0 ipm		
POWER CONSUMPTION			
Copying*3 USB connection to PC	Approx. 21 W		
OFF	Approx. 0.1 W		
Standby (MFP: scanning lamp is off) USB connection to PC	Approx. 0.8 W		
Standby (all ports connected, MFP: scanning lamp is off)	Approx. 1.4 W		
Time to enter Standby mode	Approx. 5 min 1 sec.		
ENVIRONMENT			
Operating Environment*4	Temperature: 5 - 35 °C condensation)	Humidity: 10 - 90 %RH (no dew	
Recommended Environment*5	Temperature: 15 -30 °C condensation)	Humidity: 10 - 80 %RH (no dew	
Storage Environment	Temperature: 0 - 40 °C condensation)	Humidity: 5 - 95 %RH (no dew	
ACOUSTIC NOISE (PC PRINT)			
Quiet Mode	Available		
Acoustic Noise (PC print) Plain Paper*6	Approx. 46.5 dB(A)		
PRINT HEAD / INK			
Number of Nozzles	Total 3,136 nozzles (BK: 832 nozzles, C/M/Y 768 nozzles)		
Compatible Inks	GI-55BK, GI-55C, GI-55Y, GI-55M		
PRINTABLE WIDTH			
	Up to 206 mm (8 inch)		




PRINTABLE AREA	
Bordered Printing	 #10 Envelope, DL Envelope, Envelope C5, Monarch Envelope Top: 12.7 mm, Bottom: 12.7 mm, Right: 5.6 mm, Left: 5.6 mm 4" x 6", 5" x 7", 7" x 10", 8" x 10" Top: 3 mm, Bottom: 5 mm, Right: 3.4 mm, Left: 3.4 mm Other Top: 5 mm, Bottom: 5 mm, Right: 5 mm, Left: 5 mm Bordered Auto 2-sided printing Top: 5 mm, Bottom: 5 mm, Right: 5 mm, Left: 5 mm
SUPPORT MEDIA	
Cassette	Plain Paper (64 g/m2 - 105 g/m2), High Resolution Paper (HR-101N), Photo Paper Plus Glossy II (PP-301), Photo Paper Pro Luster (LU-101), Photo Paper Plus Semi-gloss (SG-201), Photo Paper Glossy (GP-701), Matte Photo Paper (MP-101), Envelope, Magnetic Photo Paper (MG-101), Restickable Photo Paper (RP-101), Greeting Card (manufactured by Avery and RedRiverPaper), Cardstock (manufactured by Neenah Paper and INKPRESS), Light Fabric Iron on Transfers (LF-101), Double sided Matte Paper (MP-101D)
PAPER SIZE	
Cassette	A4, A5, A6, B5, LTR, LGL, B-Oficio, M-Oficio, Foolscap, Legal(India), Executive, #10 Envelope, DL Envelope, C5 Envelope, Monarch Envelope, 4" x 6", 5" x 7", 7" x 10", 8" x 10", Custom size (width:89 mm - 216 mm, length: 127 mm - 355.6 mm)
PAPER HANDLING (MAXIMUM NUMBER)	
Cassette	Plain Paper (64 g/m2): 250 4" x 6" - Photo Paper Plus Glossy II (PP-301), Photo Paper Plus Semi-gloss (SG-201), Photo Paper Glossy (GP-701), Matte Photo Paper (MP-101): 20. Magnetic Photo Paper(MG-101), Restickable Photo Paper(RP-101): 1. 5" x 7" - Photo Paper Plus Glossy II (PP-301), Photo Paper Plus Semi-gloss (SG-201): 10
Auto Document Feeder	Plain Paper (64 g/m2): 35 LGL: 5, others: 1
PAPER WEIGHT	
Cassette	Plain Paper: 64 g/m2 -105 g/m2, Canon paper: max paper weight : approx. 265 g/m2, Photo Paper Plus Glossy II (PP-301)
SCANNER FUNCTIONS* ⁷	
Scanner Type	Flatbed (Platen)
Optical Resolution* ⁸	1,200 x 2,400 dpi
Scanning Bit Depth (Input/Output)	Grayscale: 16 bit / 8 bit Colour: RGB each 16 bit / 8 bit
Maximum Document Size	A4 / LTR (216 x 297 mm)



COPY FUNCTIONS		
Maximum Document Size	A4 / LTR	
Compatible Media	Plain Paper (64 g/m2 - 105 g/m2), Photo Paper Plus Glossy II (PP-301), Photo Paper Pro Luster (LU-101), Photo Paper Plus Semi-gloss (SG-201), Photo Paper Glossy (GP-701), Matte Photo Paper (MP-101), Light Fabric Iron on Transfers (LF-101)	
lmage Quality	3 positions (Economy, Standard, Economy)	
Multiple Copy	Black & White / Colour: max. 99 pages	
PRINTING SOLUTION		
Available for* ⁹	AirPrint / Mopria / Canon Print Service (for Android) / PIXMA/MAXIFY Cloud Link / Canon PRINT app (for iOS / Android)	
Minimum System Requirements	Windows: Windows ^R 11, 10, 8.1, 7SP1. Windows Server 2022/2019/2016/2012 R2/2008 R2 SP1. Mac: macOS 10.15.7 [~] 13 Other Supported OS: iOS, iPadOS, Android, ChromeOS	
MAINTENANCE CARTRIDGE		
Compatible Maintenance Cartridge	MC-G05	

What's in the Box?

Printer
Power Cord
4 high-yield ink bottles (1x Black & 1 x C/M/Y)
Manuals and other documents





- *1: Ink droplets can be placed with a pitch of 1/4800 inch at minimum.
- *2: Document print speeds are the averages of ESAT (Word, Excel, PDF) in Office Category Test for the default simplex mode, ISO/IEC 24734.
- *3: Copy: When copying ISO/JIS-SCID N2 (printed by inkjet printer) on A4 size plain paper using default settings. Specifications are subject to change without notice.
- *4: The performance of the printer may be reduced under certain temperature and humidity conditions.
- *5: For the temperature and humidity conditions of papers such as photo paper, refer to the paper's packaging or the supplied instructions.
- *6: Acoustic Noise is measured based on ISO7779 standard with default setting.
- *7: TWAIN driver (ScanGear) is based on the TWAIN specification V1.9 and requires the Data Source Manager comes with the operating system.
- *8: Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473 standard.
- *9: Resolution may be changed between Direct print and printing from PC.

Standard disclaimers:

- If your inkjet printer is found defective within the applicable manufacturer warranty period (1 Year), we'll replace it with the same, or an equivalent model. Excludes damage caused by external factors. Canon's full replacement promise is in addition to your rights under Australian Consumer Law which, depending on the type of fault, includes repair, replacement or a refund. For full terms see: www.canon.com.au/printassist or the card in the printer box. Only for products purchased at Authorised Canon Australia retailers
- Photo print speed is based on the default setting using ISO/JIS-SCID N2 on Photo Paper Plus Glossy II and
 does not take into account data processing time on host computer. Print speed may vary depending on
 system configuration, interface, software, document complexity, print mode, page coverage, type of paper
 used etc.
- Approx. yields are based on Canon original method using test patterns ISO/IEC 24712 (Colour chart). The
 estimated page yields are determined not based on the initial set of bundled ink bottles, but based on
 subsequent sets of ink bottles after print head nozzles have been filled with ink from the initial set of ink
 bottles. Black and colour page yields are not to be combined. Page yields varies significantly depending on
 contents printed and other factors.
- Economy mode plain paper Page Yield is an estimate.
- AirPrint and Mopria are available for download via the Apple Store (iOS) and Play Store (Android).
- USB cable not included.

Note: Ink must be available in each ink-tank for all functions including copy, print and scan. Some functions may not work unless an internet connection established.





www.canon.com.au www.canon.co.nz