Data sheet

HP LaserJet Enterprise MFP M633 series



This HP LaserJet MFP with JetIntelligence combines performance, energy efficiency, and security.

This HP LaserJet MFP with JetIntelligence combines exceptional performance and energy efficiency with professional-quality documents right when you need them—all while protecting your network from attacks with the industry's deepest security.



HP LaserJet Enterprise Flow MFP M633z



HP LaserJet Enterprise MFP M633fh

The world's most secure printing1

- With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.
- Run-time intrusion detection continually monitors to detect and stop attacks, then automatically reboots.
- Centralize control of your printing environment with HP Web Jetadmin—and help build business efficiency.
- Give workgroups what they need to succeed. Easily choose and deploy over 180 HP and third-party solutions.

High-speed performance meets energy efficiency

- Speed through tasks and save paper. Print two-sided documents nearly as fast as single-sided.
- This printer wakes up fast and prints your first page faster—in as quickly as _ seconds.4
- This MFP uses exceptionally low amounts of energy thanks to its innovative design and toner technology.5
- Paper handling options include a wheeled stand and 550-sheet input feeder for paper sizes A6 to legal.

More. Pages, Performance, and Protection.6

- Produce sharp text, bold blacks, and crisp graphics with precision black toner.
- Original HP Toner cartridges with JetIntelligence deliver more pages per cartridge than predecessors.6
- Help retain the Original HP quality you paid for with anti-fraud and cartridge authentication technology.
- Spend less time replacing toner, and more on business. Choose high-yield toner cartridges. 7

Give workgroups the speed they need


- Help workgroups capture every page easily and detect potential errors or missed pages—every time.
- Enter data more quickly and accurately using the pull-out keyboard.
- Help ensure every scanned document is properly oriented, cropped to size, and grayscale-optimized.
- Load up to 150 pages into the automatic document feeder for fast, unattended scanning.
- Load up to 150 pages into the automatic document feeder for fast, unattended scanning.

¹ Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit http://www.hp.com/go/printersThatProtect. For more information: http://www.hp.com/go/printersChatProtect. For more information: a vailable for download at no additional charge at http://www.hp.com/go/pebjetadmin ³ Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ⁴ Measured after 15 min in sleep. Exact speed varies depending on the system configuration, software application, driver, document complexity and time in sleep. ⁵ Based on HP testing using the ENERGY STAR® program's Typical Electricity Consumption (TEC) method or as reported in energystar.gov versus the top three leading competitors as of 8/2015. Actual results may vary. For details see http://www.hp.com/go/Liclaims ⁶ More pages versus predecessor cartridges claim based on page-yield comparison of HP 37X High Yield Black Original LaserJet Toner Cartridges with HP 87X High Yield Black Original LaserJet Toner Cartridges not included; please purchase separately. ⁸ Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software. ⁹ An FCC Class A emissions compliant device meets the less stringent (higher) levels of emissions allowed by the FCC for a product operation in a commercial environment. An FCC class A device cannot be marketed for use in a residential environment and an FCC class A device should not be purchased for use in a residential environment due to the increased risk of interference to radio communications.

HP LaserJet Enterprise Flow MFP M633z

Product walkaround

- 1. Hardware Integration Pocket¹
- 2. Easy-access USB port2
- 3. 1,000-sheet 3-bin stapler/stacker with job offset
- 4. Left door access to toner cartridges
- 5. Automatic two-sided printing
- 6. 550-sheet input tray 2
- 7. 1x550 and 2,000-sheet HCI feeder and stand
- 8. 150-sheet ADF with single-pass, two-sided scanning and HP EveryPage⁵
- 9. 8.0-inch (20.3 cm) intuitive icon-based color touchscreen
- 10. HP High-Performance Secure Hard Disk
- 11. Pull-out keyboard⁵
- 12. Wi-Fi Direct printing⁶/ Bluetooth Low Energy⁸
- 13. Right door (access to print path)
- 14. 100-sheet multipurpose tray 1
- 15. Host USB port
- 16. Hi-speed USB 2.0 printing port
- 17. Slot for cable-type security lock
- 18. Gigabit Ethernet port
- 19. Fax port



Close-up of I/O ports

Series at a glance





| Model | HP LaserJet Enterprise Flow MFP M633z | HP LaserJet Enterprise MFP M633fh |
|--|---|---|
| Part number | J8J78A | J8J76A |
| Print speeds (letter/A4)³ | Up to 75/71 ppm | Up to 75/71 ppm |
| Fax capabilities | V | \checkmark |
| HP High-Performance Secure Hard Disk | $\sqrt{}$ | \checkmark |
| 100-sheet tray 1, 550-sheet tray 2 | V | $\sqrt{}$ |
| 550-sheet feeder⁴ | Optional (up to one) | Optional (up to four) |
| 1x550-sheet paper feeder with stand and cabinet4 | Not available | Optional |
| 3x550-sheet paper feeder and stand⁴ | Not available | Optional |
| 1x550 and 2,000-sheet HCl feeder and stand4 | $\sqrt{}$ | Optional |
| Envelope feeder | Optional (up to one) | Optional (up to two) |
| 3-bin stapler/stacker with job offset | $\sqrt{}$ | Not available |
| Advanced workflow features, including pull-out keyboard ⁵ | √ | Not available |
| Direct mobile printing | Embedded Wi-Fi Direct ^s /Bluetooth Low Energy ^s | Optional wireless direct ⁶ /NFC ⁷ |
| Wireless networking | Optional ⁹ | Optional ⁹ |

'Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase. 'An administrator must enable the easy-access USB port before use. 'Measured using ISO/IEC 24734', excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. 'The HP Laser/let Enterprise MFP M631E, RIG32E, and Flow M632E, and Flow M632E, and Flow M633E and adult to the use the paper feeder in the Flow Med In M631E, and M633F and and up to four additional optional S50-sheet paper feeders. The Flow Med In M631E, and Stand, or 1x550 and 2,000-sheet HCI feeder and stand) and up to one additional optional S50-sheet paper feeders. The pull-out keyboard and HP EveryPage are only available on the HP Laser/let Enterprise HOM MFP M633E, and Flow MFP M633E models. *Wi-FI Direct printing is embedded in the HP Laser/let Enterprise M631E and Flow MFP M633E models. *Wi-FI Direct printing is embedded in the HP Laser/let Enterprise M631E and Flow MFP M633E, models. *All other models can add wire less direct with purchase of the optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device, an app or driver may also be required. For details, see hp.com/go/mobileprinting, Wi-FI Direct sa registered trademark of Wi-FI Alliance.* Troub-to-print capability can be added to all models (except M631E and Flow M633E) with purchase of the optional HP Laterliet 3000w NFC/Wireless Direct Accessory. Mobile device must support Near Field Communication (NFC)-enabled printing. For more information, see hp.com/go/ businessmobileprinting. *Bluetooth* on the models Can add wireless networking with the purchase of the HP LaserJet Enterprise M671E and Flow MFP M631E and Flow MF

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. HP Care Pack Services provide a comprehensive suite of protection services designed to keep HP hardware and software up and running so employees can stay productive.

Next Business Day Onsite with Defective Media Retention:

Customers can retain their hard disk drive and keep control of sensitive data.

Same Day Onsite – 4 hour 9x5 and 13x5:

Sends an HP technician to customers' site the same business day for repair, within 4 hours, if the issue cannot be resolved through remote support. Various support window times are available, for different requirements.

Next Business Day Exchange:

Ships a permanent replacement unit overnight via premium airfreight, if hardware issue cannot be resolved remotely. Shipping charges are prepaid by HP.

For carepack availability visit: hp.com/go/cpc













Top features

Only HP Enterprise printers repair themselves from attacks in real time while offering outstanding manageability. Automatically monitor threats, detect intrusions, and validate operating software while centrally managing your fleet with ease.

With speeds up to 75 pages per minute,³ fast first page out and a variety of paper-handling options, you get confidence that your employees can speed through their tasks without interruption.

Get more pages and help protect your printer using Original HP Toner cartridges with JetIntelligence.

Accelerate workflow, improve accuracy, and easily connect people throughout your organization. Complete high-volume scan jobs super-fast—up to 180 ipm®—and avoid extra steps with a Flow MFP designed for maximum productivity.

Accessories

J8J89A - HP LaserJet 550-sheet paper feeder

J8J90A - HP LaserJet Envelope Feeder

J8J91A - HP LaserJet 1x550-sheet paper feeder with stand and cabinet (only M633fh)
J8J92A - HP LaserJet 1x550-sheet and 2,000-sheet HCI feeder and stand (only M633fh)

J8J93A - HP LaserJet 3x550-sheet paper feeder with stand (only M633fh)

B5L28A - HP Internal USB Ports

B5L31A - HP Foreign Interface Harness (FIH)

CC487A - HP LaserJet MFP Analog Fax Accessory 500 (only M633fh)

J8031A - HP Jetdirect 2900nw Print Server

J8030A - HP Jetdirect 3000w NFC/Wireless Accessory F5S62A - HP Trusted Platform Module Accessory

A7W12A - HP LaserJet Keyboard Overlay Kit for Simplified Chinese & Traditional Chinese

A7W14A - HP LaserJet Keyboard Overlay Kit Sweden E5K48A - HP 1GB DDR3 x32 144-Pin 800MHz SODIMM

Supplies

J8J96A - HP Staple Cartridge Refill

J8J87A - HP LaserJet 110v Maintenance Kit J8J88A - HP LaserJet 220v Maintenance Kit J8J95A - HP 300 ADF Roller Replacement Kit

CF237A - HP 37A Black Original LaserJet Toner Cartridge

CF237X - HP 37X High Yield Black Original LaserJet Toner Cartridge CF237Y - HP 37Y Extra High Yield Black Original LaserJet Toner Cartridge

Services

U9NK2E- HP 5 year Next Business Day HW Support w/Defective Media Retention

U9NK5E- HP 5 year 4 hour 9x5 Hardware Support w/Defective Media Retention
U9NK8E - HP 5 year 4 hour 13x5 Hardware Support w/Defective Media Retention
U9NL1E - HP 5 year NBD Call To Repair HW Support w/Defective Media Retention

U9NL4E - HP 5 year Next Business Day Parts Exchange Service

U9NL7E - $\,\,$ HP 5 year Next Business Day + max 5 Maintenance Kit HW Support

U9NL9PE - HP 5 year Next Business Day + max 5 Maintenance Kit HW Support

U9NM1PE - HP 2 year Post Warranty 4 hour 9x5 Hardware Support w/DMR

U9NM3PE - HP 2 year Post Warranty 4 hour 13x5 Hardware Support w/DMR

U9NM5PE - HP 2 year Post Wty NBD CTR HW Support w/Defective Media Retention

U9NM7PE - HP 2 year Post Wty NBD CTR HW Support w/Defective Media Retention

¹ Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit http://www.hp.com/go//printersThatProtect. For more information. http://www.hp.com/go//printersecurityclaims 2 HP Web Jetadmin is awailable for download at no additional charge at http://www.hp.com/go/weipteadmin 3 Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, document complexity and time in sleep. 8 absed on HP testing using the ENERGY STAR® program's Typical Electricity Consumption (TEC) method or as reported in energystar.gov versus the top three leading competitors as of 8/2015. Actual results may vary. For details see http://www.hp.com/go/Liclaims 6 More pages versus predecessor cartridges claim based on page-yield comparison of HP 37X High Yield Black Original LaserJet Toner Cartridges. For more information, see http://www.hp.com/go/learnaboutsupplies 7 HP 37X High Yield Black Original LaserJet Toner Cartridges not included; please purchase separately. 9 Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software. 9 An FCC Class A device should not be purchased for use in a residential environment. An FCC class A device cannot be marketed for use in a residential environment due to the increased risk of interference to radio communications.

HP LaserJet Enterprise MFP M633 series

| Technical Specifications | HP Laser Jet Enterprise Flow MFP M633z (J8J78A) | HP LaserJet Enterprise MFP M633fh (J8J76A) | |
|--|--|---|--|
| AIO functions | | multitasking supported: Yes | |
| Print speed | · · · · · · · · · · · · · · · · · · · | k; 6; First Page Out Black; As fast as 5.4 sec; 8 | |
| Print resolution | 1 11 11 11 | p 1200 x 1200 dpi | |
| Print Technology | | ies; FastRes1200; 1200 x 1200 dpi | |
| | - | lack) | |
| Print Cartridges Number Standard Print Languages | | | |
| | | postscript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™ | |
| Printer Smart Software Features | | , 6, 9, 16), collation, watermarks, store print jobs, easy-access USB | |
| Printer Management | | HP WS Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Driver | |
| Scan Type / Technology | - | y; Charge Coupled Device (CCD) | |
| Scan Resolution | Hardware: 600 x 600 dpi; Optical: up to 600 dpi | | |
| Scan File Format | Digital Sent: PUF, H-Compression PUF, JPEG, IIF, MIIF, XPS, PUFA, TEXT (UCR), Unicode TEXT (UCR), RIF (UCR), Searchable PDF (OCR), Searchable PDF (DCR), Searchable PDF, JPEG, TIFF, MTIFF, XPS, PDFA, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Print from easy access USB: PDF, PS, Print Ready files (.pm., p.cl., .cht) | Digital Send: PDF, Hi-Compression PDF, IPEG, TIFF, MTIFF, XPS, PDF/A; Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Print from easy access USB: PDF, PS, Print Ready files (.pm, .pcl, .cht) | |
| Scan Input Modes | Front panel applications: Copy; E-mail; Save to Network Folder; Save to USB; Save to Device Memory; S | ave to SharePoint; Open Extensibility Platform (OXP) applications; HP Scan or user application via TWAIN | |
| Scan Size | ADF: 215.9 x 863.6 mm; 8.5 x 34.0 in Maximum; 68 x 147 mm; 2.7 x 5.8 in Minimum; Flatbed: 216 x 356 mm; Up to 83 ppm/167 ipm (b&w), up to 83 ppm/167 ipm (color) | ADF: 215.9 x 863.6 mm; 8.5 x 34.0 in Maximum; 68 x 147 mm; 2.7 x 5.8 in Minimum; Flatbed: 216 x 356 mm; Up to 69 ppm/111 ipm (b&w), up to 69 ppm/111 ipm (color) | |
| Scan Speed | Up to 83 ppm/167 ipm (b&w), up to 83 ppm/167 ipm (color) ¹¹ ; Duplex: Up to 167 ipm (b&w), up to 167 ipm (color) | Up to 69 ppm/111 ipm (b&w), up to 69 ppm/111 ipm (color) ¹¹ ; Duplex: Up to 111 ipm (b&w), up to 111 ipm (color) | |
| Scanner Advanced Features | Optimize text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge Erase; Job notification; Blank page suppression; HP Quick Sets; HP SeveryPage; Auto-tone orientation; Embedded Optical Character Recognition (OcR), Auto crop to page; Auto-tone PDF, JPG, TIF, MTIFScan software not included in box. HP Scan and TWAIN driver available for download at http://hp.com/support Scan software not included in box. HP Scan and TWAIN driver available for download at http://hp.com/support | Optimize text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dp; Auto detect color; Edge Erase; Job notification; Blank page suppression; HP Quick Sets PDF, JPG, TiF, MTIFScan software not included in box. HP Scan and TWAIN driver available for download at http://hp.com/support Scan software not included in box. HP Scan and TWAIN driver available for download at http://hp.com/support | |
| Bit depth / Grayscale levels | Internal: 30 bit ; Ex | kternal: 24 bit/ 256 | |
| Digital Sending Standard Features | Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to Sharepoint; Send to FTP; Send to LAN Fax, Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto Crop To Content; Compact PDF; Auto Tonescale; Auto Orientation; Multi-Pick Detect; Auto Straighten; Auto Crop To Page; OCR | Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto Crop To Content; Compact PDF | |
| Copy Speed | | Jp to 71 cpm | |
| Copy Resolution | Black (text and Graphics): Up to 600 × 600 dpi (flatbed); Up to 600 × 450 dpi (ADF) | | |
| Maximum Number of Copies | Up to 9999 copies | | |
| Copier Settings | Two-sided copying, scalability, image adjustments (darkness, contrast, background cleanup, sharpness), N-up, N or Z-ordering, content orientation, collation, booklet, job build, edge-to-edge, job storage, ID Copy, Book Copy, A-to-B Copy (different media sizes) | | |
| Fax Speed | Up to: 3 | 3.6 kbps ⁵ | |
| Fax Resolution | Black (best): Up to 300 x 300 dpi (400 x 400 dpi for | received faxes only); Black (standard): 203 x 98 dpi | |
| Fax Smart Software Features | Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address b | ook; LAN/Internet fax; Fax number confirmation; Holiday fax schedule | |
| Fax Features | Fax Memory: Up to 500 pages; Auto Fax Reduction Supported: Yes; Auto-Redialing: Yes; Fax Delayed Sending: No; Distinctive Ring Detection Supported: No; Fax Forwarding Supported: Yes; Fax Phone TAM Interface Supported: No; Fax Polling Supported: Yes (poll to receive only); Fax Telephone Mode Supported: No; Unk Barrier Supported: Yes, Maximum Speed Dialing Numbers: Up to 1000 numbers (each with 210 destinations); PC Interface Supported: Yes; Remote Retrieval Capability Supported: No; Telephone Handset Supported: No; Telephone Mode Supported: | | |
| Standard Connectivity | 1 Hi-Speed Device USB 2.0; 2 Host USB (1 walk-up and 1 external accessible); 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket; 1 Fax; 1 1 Wi-Fi direct 802.11b/g/n; 1 Bluetooth low energy | 1 Hi-Speed Device USB 2.0; 2 Host USB (1 walk-up and 1 external accessible); 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket; 1 Fax | |
| Network Capabilities | Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 100Base-Tx, 802.3az (EEE) support on Fast Ethernet and Gj. Links; IPsec (standard); 802.11a/b/g/n wireless networking (standard). | Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 100Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (optional). | |
| Network Ready | Standard (built-in Gigabit Ethernet) | | |
| Wireless Capability | Built-in Wi-Fi Direct, Bluetooth low energy (BLE) | Optional, enabled with purchase of HP Jetdirect 2900nw Print Server J8031A or HP Jetdirect 3000w NFC/Wireless Accessory J8030A | |
| Mobile Printing Capability | | ™-certified; Google Cloud Print 2.0 | |
| Memory | Standard: 1.5 GB (printer); 1 GB (scanner); Maximum: 2.5 GB Total | Standard: 1.5 GB (printer); 512 MB (scanner); Maximum: 2 GB Total | |
| Processor Speed | | nance Secure Hard Disk (AES 256 hardware encryption or greater) | |
| Duty Cycle | Monthly, A4: Up to 300,000 pagesRecomme | ended Monthly Page Volume: 5000 to 30,000 pages | |
| Paper Handling | Input Capacities: 100-sheet multipurpose feeder, S50-sheet input feeder, 150-sheet automatic document feeder, 2000-sheet input feeder with 550 sheet input feeder. Up to 3200 sheets standard; Up to 75 envelopes labels legal; Output Capacities: 500-sheet output feeder, 500 sheet output stapler stacker, two-sided printing; Up to 1000 sheets standard labels legal; Duplex Options: Automatic Idsandard; Auto Document Feeder Capacity; Standard, 150 sheets; Envelope Feeder: Yes, 75 (optional); Standard Paper Trays: 4. Media Types Supported: Paper (plain, light, bond, recycled, heavy, extra heavy, cardstock, pre-printed, pre-punched, colored, rough, heavy rough), mono transparency, labels, letterhead, envelope, heavy envelope; Media Weight Supported: Feeder 1: 16 to 53 lb bond (plain), 16 to 24 lb (envelopes); feeder 2-4: 16 to 32 lb bond (plain); Media Sizes Supported: Feeder 1: 16 to 53 lb bond (plain), 16 to 24 lb (envelopes); feeder 2-4: 16 to 32 lb bond (plain); Media Sizes Supported: Feeder 1: 16 to 53 lb bond (plain), 16 to 24 lb (envelopes); feeder 2-4: 15 to 33 lb bond (plain); Media Sizes Supported: Feeder 1: 16 to 53 lb bond (plain), 16 to 24 lb (envelopes); feeder 2-4: 15 to 32 lb bond (plain); Media Sizes Supported: Feeder 1: 16 to 53 lb bond (plain), 16 to 24 lb (envelopes); feeder 2-4: 15 to 33 lb bond (plain); Media Sizes Supported: Feeder 1: 16 to 53 lb bond (plain), 16 to 24 lb (envelopes); feeder 2-4: 15 to 33 lb bond (plain); Media Sizes Supported: Feeder 1: 16 to 53 lb bond (plain), 16 to 24 lb (envelopes); feeder 2-4: 15 to 33 lb bond (plain); Media Sizes Supported: Feeder 1: 16 to 53 lb bond (plain), 16 to 24 lb (envelopes); feeder 2-4: 16 to 33 lb bond (plain); Media Sizes Supported: Feeder 1: 16 to 53 lb bond (plain), 16 to 24 lb (envelopes); feeder 2-4: 16 to 33 lb bond (plain); Media Sizes Supported: Feeder 1: 16 to 53 lb bond (plain); Media Sizes Supported: Feeder 2: 30 to 53 lb bond (plain); Media Sizes Supported: Feeder 2: 30 to 53 lb bond (plain); Media Sizes Supported: Feeder 2: 30 to 53 l | Input Capacities: 100-sheet multipurpose feeder, 550-sheet input feeder, 150-sheet automatic document feeder; Up to 650 sheets standard; Up to 75 envelopes labels legal; Output Capacities: 500-sheet output feeder, two-sided printing; Up to 500 sheets standard labels legal; Outpux Options: Automatic (standard), Auto Document Feeder Capacity: Standard, 150 sheets; Envelope Feeder: Yes, 75 (optional); Standard Paper Trays: 2; Media Types Supported: Paper (plain; light, bond, recycled, heavy, extra heavy, cardstock, pre-printed, pre-punched, colored, rough, heavy rough), mono transparency, labels, letterhead, envelope, heavy envelope; Media Weight Supported: Feeder 1: 16 to 53 lb bond (plain), 16 to 24 lb (envelopes); feeder 2: 16 to 32 lb bond (plain); Media Sizes Supported: Feeder 1: Letter, legal, statement, executive, Officio (8.5 x 13 in), envelopes [No. 9, No. 10, Monarch(T 341)], 3 x S, 4 x 6, 5 x 7, 5 x 8; feeder 2: letter, executive; Media Sizes Custom: Feeder 1: 3 x 5 to 8.5 x 14 in; feeder 2: 3.90 x 5.83 to 8.5 x 11 in | |

HP LaserJet Enterprise MFP M633 series

| Technical Specifications | HP LaserJet Enterprise Flow MFP M633z (J8J78A) | HP LaserJet Enterprise MFP M633fh (J8J76A) | |
|---|--|---|--|
| Product Dimensions | WxDxH: 26 x 25.9 x 48.5 in; 661 x 658 x 1234 mm Maximum : 40.5 x 35 x 59.1 in (right side jam access door open, left side cartridge door open, all feeders open and extended, ADF open); 1030 x 890 x 1500 mm (right side jam access door open, left side cartridge door open, all feeders open and extended, ADF open) | W x D x H: 20.15 x 22 x 55.2 in; 512 x 558 x 640 mm Maximum: 40.5 x 31.7 x 34.1 in (right side jam access door open, left side cartridge door open, all feeders open and extended, ADF open); 1030 x 808 x 865 mm (right side jan access door open, left side cartridge door open, all feeders open and extended, ADF open) | |
| Product Weight | 141.8 lb64.3 kg | 73.2 lb33.2 kg | |
| What's in the box | HP LaserJet Multifunction Printer; HP Black Original LaserJet Toner Cartridge (~11K yield); CD with software drivers and documentation; Documentation (Hardware Install Guide); Power cord | | |
| Warranty Features | One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to hp.com/support to learn about HP award winning service and support options in your region. | | |
| Energy Efficiency Compliance | ENERGY STAR® qualified; CECP; EPEAT® Silver | | |
| Control Panel | 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); Pull-out Keyboard | 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Hom button (for quick return to the Home menu) | |
| Display Description | 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu) | | |
| Software Included | HP Connected, HP Device Experience (DXP), HP PCL 6 Printer Driver, HP Software Installer/Uninstaller, Mac OS Welcome Screen (Directs users to 123.HP.com or OS App Source for printer software), Online user manuals | | |
| Fonts and Typefaces | 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria) Additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts | | |
| Compatible Operating Systems | Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Yosemite, OS X 10.11 ECapitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Xist all 322- & 64-bit editions (Promise (13.2, 42.1), Linux Ubuntu (13.2, 43.1), Linux Sust (13.2, | | |
| Compatible Network Operating Systems | Citrix MetaFrame Presentation Server 3.0, Citrix MetaFrame XP Presentation Server (Feature Release 1, 2, and 3), Citrix on Windows Server 2003/2003R2, Citrix on Windows Server 2008/2008R2/2008 R2 SP1, Citrix on Windows Server 2012/2012R2, Citrix Presentation Server 4.0/4.5, Citrix KenApp 5.0 (Plus Feature Pack 2 & 3) for Windows Server 2008 Breminal Services 32- and 64-bit, Citrix KenApp 6.0/6.5 (Tor Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit, Citrix KenApp 6.0/6.5 (71.5 (flor Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit, Citrix KenApp 6.0/6.5 (71.5 (flor Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit), Citrix KenDesktop 7.0/7.5 (flor Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit), Citrix KenDesktop 7.0/7.5 (flor Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit), Novell Open Enterprise Server 2008/2008 R2 SP1 Terminal Services, 32- and 64-bit, Citrix KenDesktop 7.0/7.5 (flor Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit, Citrix KenDesktop 7.0/7.5 (flor Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit, Citrix KenDesktop 7.0/7.5 (flor Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit, Citrix KenDesktop 7.0/7.5 (flor Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit, Citrix KenDesktop 7.0/7.5 (flor Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit, Citrix KenDesktop 7.0/7.5 (flor Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit, Citrix KenDesktop 7.0/7.5 (flor Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit, CITRIX SP1 Standard/Enterprise (*Cluster & Terminal Services), Windows Server 2008 R2 SP1 Terminal Services (*Cluster & Terminal Services), Windows Server 2008 R2 SP1 Terminal Services (*Cluster & Terminal Services), Windows Server 2008 R2 SP1 Terminal Services (*Cluster & Terminal Services), Windows Server 2008 R2 SP1 Terminal Services (*Cluster & Terminal Services), Windows Server 2008 R2 SP1 Terminal Services (*Cluster & Terminal Services), Windows S | | |
| Minimum System Requirements | PC: 2GB available hard disk space; OS hardware requirements see microsoft.com; MAC: 1.3 GB available hard drive space; Internet; OS hardware requirements see Apple.com for more info | | |
| Power | Power Supply Type: Built in 115V or 220 V Power Supply; Power Requirements: Input voltage: 100 V to 127 V nominal (+/-10%), 50 - 60Hz nominal (+/- 3Hz), 12 A; Input voltage: 220 V to 240 V nominal, (+/-10%) 50 - 60Hz nominal (+/- 3Hz), 6 A; Power Consumption: 740 watts (printing/copying), 29.0 watts (ready), 3.3 watts (sleep), <0.1 watts (Auto Off/Manual On), <0.1 watts (Manual Off) ² | | |
| Acoustics | Acoustic Power Emissions: 7.0 Bel; Acoustic Pressure Emissions: 55 dB(A) | Acoustic Power Emissions: 7.1 Bel; Acoustic Pressure Emissions: 57 dB(A) | |
| Operating Environment | Operating Temperature Range: 15 to 32.5°C; Recommended Operating Temperature: 15 to 27°C; Storage Temperature Range: -20 to 40°C; Non-Operating Humidity Range: 10 to 90% RH; Operating Humidity Range: 10 to 80% RH; Recommended Humidity Operating Range: 30 to 70% RH | | |
| Security Management | Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key; and Kerberos authentication; Supports WJA-10 IPsec configuration Plug-in; 80.2.1X authentication (EAP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; hardware integration pocket for security solutions; Intrusion Detection with Red Balloon Security Technology - Constant in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability; Whitelisting - loads only known good code (DLLs, EXEs,); Security management: Compatible with HP JetAdvantage Security Manager, Device Security Syslog Messages processed and accessable in Arcsight and Splunk SIEMs | | |

Learn more at hp.com



¹ Cartridges included; yields 11,000 black pages based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies ² Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typicallty based on measurement of 115 V device. ³ Average color composite (VM/N) and black declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based and other factors. For details see http://www.hp.com/go/learnaboutsupplies ⁴ Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, wish thtp://www.hp.com/go/learnaboutsupplies ⁵ Based on standard ITU-T test image #1 at standard resolution and MMR encoding, the HP fax device can transmit at 3 set/page for V.34 and 6 sec/page for V.17 ⁶ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ⁷ Measured using ISO 24734 Feature Test, AS Landscape Feed. Speed may vary based on content, PC, media orientation, and media type. ⁸ Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ⁹ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115 V device. ¹⁰ Based on the BA TEC method with the following possible exceptions: 1 minute or less sleep delay setting, Wi-Fi disabled. ¹¹ Scan speeds measure