HP LaserJet Managed MFP E62565 series



This HP LaserJet MFP with JetIntelligence combines performance, energy efficiency, and security.

This HP LaserJet MFP with JetIntelligence combines exceptional performance and energy efficiency with professional-quality documents right when you need them—all while protecting your network from attacks with the industry's deepest security.



HP LaserJet Managed MFP E62565hs



HP LaserJet Managed Flow MFP

The world's most secure printing¹

- With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.
- Run-time intrusion detection continually monitors to detect and stop attacks, then automatically reboots.
- Centralize control of your printing environment with HP Web Jetadmin—and help build business efficiency.²
- Give workgroups what they need to succeed. Easily choose and deploy over 180 HP and third-party solutions.

High-speed performance meets energy efficiency

- Speed through tasks and save paper. Print two-sided documents nearly as fast as single-sided.
- This printer wakes up fast and prints your first page faster—in as quickly as 7 seconds.4
- This MFP uses exceptionally low amounts of energy thanks to its innovative design and toner technology.⁵
- Paper handling options include a wheeled stand and 550-sheet input feeder for paper sizes A6 to legal.

More. Pages, Performance, and Protection.

- Produce sharp text, bold blacks, and crisp graphics with precision black toner.
- Original HP Toner cartridges with JetIntelligence deliver more pages per cartridge than predecessors.⁶
- Help retain the Original HP quality you paid for with anti-fraud and cartridge authentication technology.
- Spend less time replacing toner, and more on business. Choose high-yield toner cartridges.⁷

Give workgroups the speed they need

- Help workgroups capture every page easily and detect potential errors or missed pages—every time.
- Enter data more quickly and accurately using the pull-out keyboard.
- Help ensure every scanned document is properly oriented, cropped to size, and grayscale-optimized.
- Load up to 150 pages into the automatic document feeder for fast, unattended scanning.

Product walkaround

- 1. Hardware Integration Pocket¹
- 2. Easy-access USB port²
- 3. 500-sheet output tray
- 4. HP High-Performance Secure Hard Disk
- 5. Left door access to toner cartridges
- 6. Automatic two-sided printing
- 7. 550-sheet input tray 2
- 8. 150-sheet ADF with single-pass, two-sided scanning and HP EveryPage⁵
- 9. 8.0-inch (20.3 cm) intuitive icon-based color touchscreen
- 10. Pull-out keyboard⁵
- 11. Right door (access to print path)
- 12. 100-sheet multipurpose tray 1
- 13. Host USB port
- 14. Hi-speed USB 2.0 printing port
- 15. Slot for cable-type security lock
- 16. Gigabit Ethernet port



HP LaserJet Managed Flow MFP E62565h shown



Series at a glance





Model	HP LaserJet Managed MFP E62565hs	HP LaserJet Managed Flow MFP E62565h
Product number	J8J73A	J8J74A
Print speeds (letter/A4) ³	Up to 65/61 pages per minute (ppm)	Up to 65/61 ppm
HP High Performance Secure Hard Disk	Yes	Yes
Fax capabilities	Optional	Optional
100-sheet multipurpose tray 1, 550-sheet tray 2	Yes	Yes
550-sheet paper feeder⁴	Optional (up to four)	Optional (up to four)
1x550-sheet paper feeder with stand and cabinet ⁴	Optional	Optional
3x550-sheet paper feeder and stand4	Optional	Optional
1x550 and 2,000-sheet HCI feeder and stand⁴	Optional	Optional
Envelope feeder	Optional (up to two)	Optional (up to two)
3-bin stapler/stacker with job offset	Yes	Not available
Advanced workflow features, including pull-out keyboard ⁵	Not available	Yes
Wireless direct ⁶ , NFC touch-to-print ⁷	Optional	Optional

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs.

Choose from:

Optimized Care (optimum performance and stability):

4 hour Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Standard Care (high level of uptime):

Next Business Day Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Basic Care (minimum recommended support):

Next Business Day Onsite Support

4 hour Onsite Support:

Onsite support within four hours after a service call received within the coverage window

Next Business Day Onsite Support:

Onsite service the next business day after the service call is received

Maintenance Kit Replacement Service:

Onsite replacement of your printer's maintenance kit including parts, materials, and labor

Installation with Network Configuration Service:

Assembly, network configuration, and basic administrator familiarization. For more information about HP Care Pack, HP Contractual, or HP Managed Print Services, visit hp.com/go/printservices



















Top Features

Only HP Enterprise MFPs repair themselves from attacks in real time while offering outstanding manageability. Automatically monitor threats, detect intrusions, and validate operating software while centrally managing your fleet with ease.

With speeds of up to 65 pages per minute,³ fast first page out, and a variety of paper-handling options, you get confidence that your employees can speed through their tasks without interruption.

Get more pages and help protect your printer using Original HP Toner cartridges with JetIntelliqence.

Accelerate workflow, improve accuracy, and easily connect people throughout your organization. Complete high-volume scan jobs super-fast—up to 180 ipm®—and avoid extra steps with a Flow MFP designed for maximum productivity.

Product

J8J73A HP LaserJet Managed MFP E62565hs
J8J74A HP LaserJet Managed Flow MFP E62565h

Accessories

A7W12A HP LaserJet Keyboard Overlay Kit for Simplified Chinese & Traditional Chinese

A7W14A HP LaserJet Swedish Overlay Keyboard

B5L28A HP Internal USB Ports **B5L31A** HP Foreign Interface Harness

CC487A HP LaserJet MFP Analog Fax Accessory 500
E5K48A HP 1 GB x32 144-pin (800 MHz)DDR3 SODIMM
F5S62A HP Trusted Platform Module Accessory

J8030A HP Jetdirect 3000w NFC/Wireless Accessory
J8031A HP Jetdirect 2900nw Print Server

J8031A HP Jetdirect 2900nw Print Server
J8J89A HP LaserJet 550-sheet Feeder Tray
J8J90A HP LaserJet Envelope Feeder

J8J91A HP LaserJet 1x550 Paper Feeder and Cabinet
J8J92A HP LaserJet High Capacity Paper Feeder and Stand
J8J93A HP LaserJet 3x550-sheet Paper Feeder with Cabinet

J8J96A HP Staple Cartridge Refill

Supplies and Maintenance Kits

J8J87A HP LaserJet 110V Maintenance Kit (Up to 225,000 pages)
J8J88A HP LaserJet 220V Maintenance Kit (Up to 225,000 pages)
HP 300 ADF Roller Replacement Kit (Up to 150,000 pages)
W9004MC HP Black Managed LaserJet Toner Cartridge (Up to 50,000 Yield)

HP Care Packs

U9NM8EHP 3 year NBD Hardware Support w/Defective Media Retention for LaserJet Enterprise E625xx ManagedU9NM9EHP 4 year NBD Hardware Support w/Defective Media Retention for LaserJet Enterprise E625xx ManagedU9NN0EHP 5 year NBD Hardware Support w/Defective Media Retention for LaserJet Enterprise E625xx ManagedU9NN1EHP 3 year 4 hour 9x5 HW Support w/Defective Media Retention for LaserJet Enterprise E625xx ManagedU9NN2EHP 4 year 4 hour 9x5 HW Support w/Defective Media Retention for LaserJet Enterprise E625xx Managed

U9NN3E HP 5 year 4 hour 9x5 HW Support w/Defective Media Retention for LaserJet Enterprise E625xx Managed **U9NN7PE** HP 1 year Post Wty NBD HW Support w/Defective Media Retention for LaserJet Enterprise E625xx

Managed

U9NN8PE HP 2 year Post Wty NBD HW Support w/Defective Media Retention for LaserJet Enterprise E625xx

Managed

U9NN9PE HP 1 year Post Warranty 4 hour 9x5 Hardware Support w/DMR for LaserJet Enterprise E625xx Managed **U9NP0PE** HP 2 year Post Warranty 4 hour 9x5 Hardware Support w/DMR for LaserJet Enterprise E625xx Managed

Protect your investment with HP Care Pack. Let HP certified engineers resolve your technical issues. For more details on HP Care Pack, go to hp.com/go/cpc

Paper

Contact HP via phone: Asia: 65 6253 8500

Solutions

HP Web Jetadmin: hp.com/go/wja HP Universal Print Driver: hp.com/go/upd

HP Imaging and Printing Security Center: hp.com/go/ipsc

HP LaserJet Managed MFP E62565 series

Model Product number	HP LaserJet Managed MFP E62565hs J8J73A	HP LaserJet Managed Flow MFP E62565h J8J74A	
Product number Functions	J8J73A Print, Copy, Scan	J037 TF1	
Print	Tilik, copy, scali		
Duplex print options	Automatic (standard)		
Print speed ⁵	Black (A4, normal): Up to 61 ppm; Black (letter, normal): Up to 65 ppm; Black (A5, landscape): Up to 100 ppm; Black (A4, duplex): Up to 50 ppm; Black (letter, duplex): Up to 53 ppm		
First page out ⁷	Black (A4, ready): As fast as 5.4 sec; Black (A4, sleep): As fast as 12.2 sec	Black (A4, ready): As fast as 5.4 sec; Black (A4, sleep): As fast as 7.9 sec	
Print technology	Laser		
Print resolution	Black (best): Up to 1200 x 1200 dpi; Black (normal): FastRes 1200		
Print resolution technology	FastRes1200;1200 x 1200 dpi		
Standard print languages	HP PCL 6, HP PCL 5 (HP PCL 5 driver available from the Web only), HP postscript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™		
Printer management	HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP Web JetAdmin Software; HP WS Pro Proxy A	gent; Printer Administrator Resource Kit for HP Universal Print Driver	
Scan			
Scan technology	Type: Flatbed, ADF; Technology: Charge Coupled Device (CCD)		
Scan speed ¹⁰	Normal, A4: Up to 69 ppm/111 ipm (b&w), up to 69 ppm/111 ipm (color)	Normal, A4: Up to 83 ppm/167 ipm (b&w), up to 83 ppm/167 ipm (color)	
Scan resolution	Enhanced: 600 dpi; Hardware: 600 x 600 dpi		
Scan size	Flatbed: 220 x 365 mm; ADF scan size: 215.9 x 863.6 mm		
Scan input modes	Front panel applications: Copy; E-mail; Save to Network Folder; Save to USB; Save to Device Memory; Save		
Scan file format	Digital Send: PDF, Hi-Compression PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Print from easy access USB: PDF, PS, Print Ready files (.pm, .pcl, .cht)	Digital Send: PDF, Hi-Compression PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (DCR), Unicode TEXT (DCR), RTF (OCR), CDF, Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Scan to easy access USB: PE JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (DCR), Unicode TEXT (DCR), RTF (OCR), Searchable PDF (DCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Print from easy access USB: PDF, PS, Print Ready files (.prn, .pcl, .cht)	
Сору	[A. 1.0.1.4.1.5.400 N.C.H. A. 1.1.6.7.7.1]		
Copy smart software features	Auto scale; Reduce/enlarge from scanner glass (25 to 400 percent); Collate; Auto color detection; Two-side Black (A4, normal): Up to 61 cpm; Black (letter, normal): Up to 65 cpm	u copying, image adjustments (darkness, background cleanup, sharpness); Job build	
Copy speed	Black (A4, normal): Up to 61 cpm; Black (letter, normal): Up to 65 cpm Black (A4): As fast as 4.9 sec; Black (A4, sleep): As fast as 14.7 sec; Black (letter): As fast as 4.8 sec;	Black (A4): As fast as 4.9 sec; Black (A4, sleep): As fast as 10.4 sec; Black (letter): As fast as 4.8 sec;	
First copy out	Black (A4): As fast as 4.9 sec; Black (A4, sleep): As fast as 14.7 sec; Black (letter): As fast as 4.8 sec; Black (letter, sleep): As fast as 14.6 sec	Black (A4): As fast as 4.9 sec; Black (A4, sleep): As fast as 10.4 sec; Black (letter): As fast as 4.8 sec; Black (letter, sleep): As fast as 10.3 sec	
Copy resolution	Black (text and graphics): Up to 600 x 600 dpi (flatbed); Up to 600 x 450 dpi (ADF)	•	
Max. number of copies	Up to 9999 copies		
Copier settings	Two-sided copying, scalability, image adjustments (darkness, contrast, background cleanup, sharpness), N-up, N or Z-ordering, content orientation, collation, booklet, job build, edge-to-edge, job storage, ID Copy, Boo Copy, A-to-B Copy (different media sizes)		
Connectivity			
Standard connectivity	1 Hi-Speed Device USB 2.0; 2 Host USB (1 walk-up and 1 external accessible); 1 Gigabit Ethernet 10/100/10	000T network; 1 Hardware Integration Pocket	
Mobile printing capability	HP ePrint; Apple AirPrint™; Mopria™-certified; Google Cloud Print 2.0		
Network ready	Standard (built-in Gigabit Ethernet)		
Wireless capability	Optional, enabled with purchase of HP Jetdirect 2900nw Print Server J8031A or HP Jetdirect 3000w NFC/W	,	
Network Capabilities	Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-T, 100Base-T, 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (optional).		
Memory	Standard: 1.5 GB (printer); 512 MB (scanner); Maximum: 2.5 GB Total Standard: 1.5 GB (printer); 1 GB (scanner); Maximum: 2.5 GB Total		
Processor speed	1.2GHz		
Duty cycle (monthly)	Up to 450,000 pages; 5,000 to 40,000		
Paper handling	100 cheet multipurpose feeder EEO cheet input feeder 1EO cheet automatic decument feeder. (Intional i	× 550-sheet paper feeder, 1 x 550-sheet feeder with stand and cabinet, 2000-sheet feeder high capacity inp	
Input	with 1 x 550-sheet paper feeder and stand, optional 3 x 550-sheet feeder and stand, optional envelope fe		
Output	500-sheet ouput tray, 500 sheet output stapler stacker, two-sided printing	500-sheet ouput feeder, two-sided printing	
Media type	Paper (plain, light, bond, recycled, heavy, extra heavy, cardstock, pre-printed, pre-punched, colored, rough,	heavy rough), mono transparency, labels, letterhead, envelope, heavy envelope	
Media weight	Feeder 1: 60 to 200 g/m²; feeder 2: 60 to 120 g/m²		
Media sizes custom	Feeder 1: 76 x 127 to 216 x 356 mm; feeder 2: 99 x 148 to 216 x 297 mm		
Dimensions (W x D x H)	856×760×1025 mm		
Weight	39.8 kg		
What's in the box ¹	HP Laser Jet Multifunction Printer; HP Black Original Laser Jet Toner Cartridge (~11K yield); CD with software drivers and documentation; Documentation (Hardware Install Guide); Power cord		
Warranty features	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to hp.com/support to learn about HP award winning service and support options		
	your region.		
Systems Compatible operating systems	SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Y	.5, 8.6). Linux Fedora (22, 23, 24). Linux Mint (17, 17.1, 17.2, 17.3, 18). Linux Red Hat Enterprise (6, 0, 7.0). Lin osemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (X	
Minimum system requirements	PC: 2GB available hard disk space; OS hardware requirements see microsoft.com Mac: 1.3 GB available hard drive space; Internet; OS hardware requirements see Apple.com for more info		
Security management	Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key, and Kerberos authentication; CLOP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication (se.g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key, and Kerberos authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication (se.g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key, and Kerberos authentication; 1000 user PIN codes; Optional Pin Codes; Op		
Fonts and Typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); Additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPOS Emulation available at http://www.hp.com/go/laserjetfonts		
Control panel	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu)	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); Extended Keyboard	
Display	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illumina		
Power	Power supply type: Built in 115 V or 220 V Power Supply; Power supply required: Input voltage: 100V to 127V nominal (+/-10%), 50 - 60Hz nominal (+/- 3Hz), 12 A; Input voltage: 220V to 240V nominal, (+/-10%) 5 - 60Hz nominal (+/- 3Hz), 6 A; Power consumption 2, 740 watts (printing/copying), 29.0 watts (ready), 3.3 watts (sleep), <0.1 watts (Auto Off/Manual On), <0.1 watts (Manual Off); Typical electricity consumption (755) 400 (Manual Off); Typical electricity consumption (7		
Software included	(TEC) number: ES: 2.849 kWh/week; BA: 2.626 kWh/week HP Connected, HP Device Experience (DXP), HP PCL 6 Printer Driver, HP Software Installer/Uninstaller, Mac OS Welcome Screen (Directs users to 123.HP.com or OS App Source for printer software), Online user manuals		
Acoustics	PROGRESSION OF THE CONTROL OF THE CO		
Environmental ranges	Operating temperature range: 15 to 32.5°C, Recommended operating temperature: 15 to 27°C; Non-operating humidity range: 10 to 90% RH; Operating humidity range: 10 to 80% RH; Recommended operating humidity range: 30 to 70% RH		
Safety approvals and requirements	IEC 60950-1:2005 +A1:2009 +A2:2013 (International); EN60950-1:2006+A11:2009 +A1:2010 +A12:2011 +A2:2013 (EU); EN 60825-1:2007 (IEC 60825-1:2007 (Class 1 Laser Product); EN 62479:2010 / IEC 62479:2010; Low Voltage Directive 2006/95/EC with CE Mark (Europe); GS Certificate (Germany, Europe); UL/cUL Listed and UC CoC (US/Canada); CAN/CSA C22.2 No. 60950-1-07 2nd Ed. 2011-12; Compliance with Lase safety standards 21 CFR 1040.10 and 1040.11 except for deviations pursuant to Laser notice No. 50, Dated June 24, 2007; Other safety approvals as required by individual countries		
Supported network protocols	Via built-in networking solution: TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, IPP 2.0, Apple AirPrint [™] , HP ePrint, FTP Print, Google Cloud Print; DISCOVER'S LP, Bonjour, Web Services Discovery; IP CONFIG: IPv4 (BootP, DHCP, AutoIP, Manual, TFTP Config, ARP-Ping), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6); Management: SNMPv2/v3, HTTP/HTTPs, Telnet, TFTP Config, FTP FW Download, Syslog; Security: SNMPv3, SSL Cert Management, Firewall, ACL, 802.1x		

Paper-handling accessories



550-sheet paper feeder (J8J89A)



1x550-sheet paper feeder with stand and cabinet (J8J91A)



3x550-sheet naper feeder and stand (J8J93A)



1x550 and 2.000sheet HCI feeder with stand (J8J92A)



Envelope feeder (J8J90A)

Footnotes

- ¹ Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit http://www.hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/printersecurityclaims.
- ² HP Web Jetadmin is available for download at no additional charge at http://www.hp.com/go/webjetadmin
- ³ Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- Measured after 15 min in sleep, Exact speed varies depending on the system configuration, software application, driver, document complexity and time in sleep,
- 5 Based on HP testing using the ENERGY STAR® program's Typical Electricity Consumption (TEC) method or as reported in energystar.gov versus the top three leading competitors as of 8/2015. Actual results may vary. For details see http://www.hp.com/go/Ljclaims

 More pages versus predecessor cartridges claim based on page-yield comparison of HP 37X High Yield Black Original LaserJet Toner Cartridges with HP 87X High Yield Black Original LaserJet Toner Cartridges. For
- more information, see http://www.hp.com/go/learnaboutsupplies

 7 HP 37X High Yield Black Original LaserJet Toner Cartridges not included; please purchase separately.
- 8 Scan speed measured from ADF at default 300 dpi (black-and-white, grayscale, and color). Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

Product walkaround disclaimers

- Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase.
- ² An administrator must enable the easy-access USB port before use
- 3 Measured using ISO/IEC 24734; excludes first set of test documents. For more information, see hp.com/go/printerclaims, Exact speed varies depending on the system configuration, software application, driver,
- ⁴ The HP LaserJet Managed MFP E62565 series comes standard with the 100-sheet multipurpose tray 1 and 550-sheet tray 2. Both models can add up to four additional optional 550 sheet paper feeders; or add one of the other optional accessories (1x550-sheet paper feeder with stand and cabinet, 3x550-sheet paper feeder and stand, or 1x550 and 2,000-sheet HCI feeder and stand) and up to one additional optional
- 5 The pull-out keyboard and HP EveryPage are only available on the HP LaserJet Managed Flow MFP E62565h model.

 6 Add wireless direct by purchasing the optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device needs to be connected directly to the signal of a wireless direct supported MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. For details, see hp.com/go/mobileprinting.

 Add touch-to-print capability by purchasing the optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device must support Near Field Communication (NFC)-enabled printing. For more information,
- see hp.com/go/businessmobileprinting.

 8 Add wireless networking by purchasing the optional HP Jetdirect 2900nw Print Server. Wireless performance is dependent on physical environment and distance from access point, and may be limited during active

Technical specifications disclaimers

- ¹ Cartridges included; yields 11,000 black pages based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/qo/learnaboutsupplies
- ² Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typicallty based on measurement of 115 V device.
- ³ Average color composite (C/M/Y) and black declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies
- Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit http://www.hp.com/go/learnaboutsupplies ⁵ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- ⁶ Measured using ISO 24734 Feature Test, A5 Landscape Feed. Speed may vary based on content, PC, media orientation, and media type
- Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on
- measurement of 115 V device. 9 Based on the BA TEC method with the following possible exceptions: 1 minute or less sleep delay setting, Wi-Fi disabled.
- Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
 Scan software not included in box. HP Scan and TWAIN driver available for download at http://hp.com/support
- ¹² Original HP LaserJet "A" and "X" toner cartridges are also compatible with this product

To learn more, visit hp.com

© Copyright 2017 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial

ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Microsoft and Windows are registered trademarks of Microsoft Corporation. AirPrint and the AirPrint logo are trademarks of Apple Inc., registered in the U.S. and other countries. Linux is a U.S. registered trademark of Linus Torvalds. UNIX is a registered trademark of The Open Group.

