



# HP LaserJet Enterprise MFP 6600dn Printer (675T8A)



## Overview

### The ultimate A4 enterprise printer for large teams

Simplify document workflows with blazing-fast speeds and customizable features. Seamlessly integrates with your existing fleet, scales for the future, and delivers industry-leading security to safeguard your data.

### Get the power to be more productive

Save time with fast automatic 2-sided scanning up to 180 ipm and print speeds up to 57 ppm to power through your tasks.[2]

### Simplify work with automated workflows

### Protect what matters with the most secure printer[1]

Keep your work protected—HP Wolf silently detects and repairs your printer from cyberattacks.[1]

### Save energy and help reduce waste

Reduce costs and environmental impact with printers and toner cartridges that use less energy.[11]

## Features



Save time and deliver print projects quickly with speeds up to 57 ppm.[2]



Work fast and hands-free—150-page feeder lets you scan and copy multiple pages.



Easily connect your printer via reliable Ethernet or Hi-Speed USB.



Protect your network with quantum-resistant security against cyberthreats.[10]



Keep your business ahead—this printer evolves with updates and new features.[3]

---

[1] HP's most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of published features as of June 2025 of competitive in-class printers. Only HP offers a combination of security features to automatically detect, isolate, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device cyber resiliency. Printers are most vulnerable to attack when they are booting up and during runtime (when the printer is in sleep mode and in use). Only HP Enterprise printers protect the device during 100% of the printer's life with Sure Start BIOS protection, Memory Shield with hardware-based Runtime Intrusion Detection and Control Flow Integrity to detect and recover from zero-day threats in addition to Connection Inspector network behavioral anomaly detection all with self-healing recovery. For a list of compatible products, visit [hp.com/go/PrintersThatProtect](http://hp.com/go/PrintersThatProtect) For more information, visit [hp.com/go/PrinterSecurityClaims](http://hp.com/go/PrinterSecurityClaims).

[2] Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

[11] Energy reduction in HP LaserJet Enterprise 6500-6501 and 6600 with HP Original 160 TerraJet Toner Cartridges compared to predecessor HP LaserJet Enterprise M610 and M634 with HP Original 147 Toner Cartridges. Calculated in 2026 based on normalized Energy Star® Typical Electricity Consumption (TEC) data. See [hp.com/TerraJet/energysaving](http://hp.com/TerraJet/energysaving) for more information.

## Specifications

<b>Print Resolution Technologies</b>	Normal (600 x 600 dpi with FastRes), Fine Lines (1,200 x 1,200 dpi), Quickview (300 x 300 dpi), Economode
<b>Print quality black (best)</b>	Up to 1200 x 1200 dpi
<b>Print speed black (ISO, A4)</b>	Up to 55 ppm
<b>Print speed black (ISO, letter)</b>	Up to 57 ppm
<b>Print speed</b>	Up to 57 ppm (black)
<b>Bottom margin (A4)</b>	4.23 mm
<b>Left margin (A4)</b>	4.23 mm
<b>Right margin (A4)</b>	4.23 mm
<b>Top margin (A4)</b>	4.23 mm
<b>Duplex printing</b>	Automatic (standard)
<b>Duty cycle (monthly, A4)</b>	Up to 360,000 pages
<b>Duty cycle (monthly, letter)</b>	Up to 360,000 pages <sup>[18]</sup>
<b>Printer smart software features</b>	Apple AirPrint™, Mopria-certified, Open Extensibility Platform, FutureSmart Firmware, Instant-on Technology, HP Auto-On/Auto-Off technology, Easy Access USB, Two-Sided Printing, Hardware Integration Pocket, Intuitive 8 in (20.3 cm) or 10.1 in (25.6 cm) touchscreen control panel, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, print preview
<b>Copier smart software features</b>	Auto scale; Reduce/enlarge from scanner glass (25 to 400 percent); Collate; Auto color detection; Two-sided copying; Image adjustments (darkness, background cleanup, sharpness); Job build
<b>Fax smart software features</b>	Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax; Fax number confirmation; Holiday fax schedule
<b>Energy savings feature technology</b>	HP Auto-Off Technology; Instant-on Technology; Instant-on Copy; Power save; TerraJet Toner
<b>Replacement cartridges</b>	HP 160A Black Original LaserJet Toner Cartridge (~10,500 pages) W1600A; HP 160Y High Yield Black Original LaserJet Toner Cartridge (~38,000 pages) W1600Y. <sup>[9]</sup>
<b>Supplies feature</b>	HP TerraJet Cartridge
<b>Connectivity, standard</b>	1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (host); 1 Hi-Speed USB 2.0 (host); 1 Gigabit Ethernet 10/100/1000 Base-T network; 1 Hardware Integration Pocket 2nd generation (HIP2)
<b>Connectivity, optional</b>	HP Jetdirect 3200w WiFi 6 Bluetooth Wireless Accessory 9R1U0A; HP Jetdirect LAN Accessory 8FP31A; HP LJ MFP Analog Fax Accessory
<b>Modem</b>	Optional
<b>Network capabilities</b>	Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); WiFi 2.4/5 GHz wireless networking (optional); Second Ethernet port (optional); Microsoft Universal Print (MUP) support

<b>Wireless capability</b>	Optional, with wireless hardware accessory. Dual band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3200w WiFi 6 Bluetooth Wireless Accessory 9R1U0A.
<b>Mobile printing capability</b>	Apple AirPrint™; Mopria™ certified
<b>Network protocols, supported</b>	Via built-in networking solution: TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, IPP 2.0, Apple AirPrint™, HP ePrint, FTP Print, Google Cloud Print; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutoIP, Manual, TFTP Config, ARP-Ping), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6); Management: SNMPv2/v3, HTTP/HTTPS, Telnet, TFTP Config, FTP FW Download, Syslog; Security: SNMPv3, SSL Cert Management, Firewall, ACL, 802.1x
<b>Software included</b>	No software solutions are included in the Box only on <a href="http://hp.com">http://hp.com</a> ;
<b>Compatible Operating Systems</b>	Windows 11 (64-bit and ARM64); Windows 10 (32-bit, 64-bit and ARM64); Android; iOS; macOS 14 Sonoma; macOS 15 Sequoia; macOS Tahoe v26; Linux: Debian 10; Linux: Debian 11; Linux: Elementary 6P; Linux: Fedora 31; Linux: Fedora 32; Linux: Fedora 33; Linux: Fedora 34; Linux: Fedora 35; Linux: Linuxmint 20.1; Linux: Linuxmint 20.2; Linux: Manjaronlinux 20.2; Linux: Manjaronlinux 21.0.7; Linux: Mxlinux 21; Linux: OpenSuse 15.1; Linux: OpenSuse 15.2; Linux: OpenSuse 15.3; Linux: Rhel 6; Linux: Rhel 7; Linux: Rhel 8; Linux: Ubuntu 20.04; Linux: Ubuntu 20.10; Linux: Ubuntu 21.04; Linux: Ubuntu 21.10; Linux: Zorin 15; Linux: Zorin 16; Chrome OS <sup>[13]</sup> <i>([13] Citrix Server versions updates release every quarter, for updates see <a href="https://www.citrix.com/en-in/downloads/citrix-virtual-apps-and-desktops/">https://www.citrix.com/en-in/downloads/citrix-virtual-apps-and-desktops/</a> ; Citrix XenApp &amp; XenDesktop versions updates release every quarter, for updates see <a href="https://www.citrix.com/en-in/downloads/citrix-virtual-apps-and-desktops/">https://www.citrix.com/en-in/downloads/citrix-virtual-apps-and-desktops/</a> ; Citrix Ready Kit Certification - see <a href="http://citrixready.citrix.com">http://citrixready.citrix.com</a> for the latest qualification for HP Printers)</i>
<b>Technical features</b>	Automatic document feeder; Automatic 2-sided printing; Made with recycled plastic; ENERGY STAR®; Network printing; Fast first page out; HP Auto-on/Auto-off; TerraJet Toner; Touchscreen; Optional Fax
<b>Sustainability specifications</b>	Recyclable through HP Planet Partners; Contains at least 5% post-consumer recycled plastic
<b>Energy star certified</b>	Yes
<b>Ecolabels</b>	CECP; IT ECO Declaration; Blue Angel; EPEAT® Gold India; EPEAT® Gold Australia; EPEAT® Gold Canada; EPEAT® Gold US; SEPA; KOECO; ENERGY STAR® certified; Korea MEPS; Vietnam MEPS <sup>[10]</sup>
<b>Blue Angel compliant</b>	Yes, Blue Angel DE-UZ 219—only ensured when using Original HP supplies
<b>Copy speed (black, normal quality, A4)</b>	Up to 55 cpm
<b>Copy speed black (normal, letter)</b>	Up to 57 cpm
<b>Copy speed black duplex (A4)</b>	Up to 50 ipm
<b>Copy speed black duplex (Letter)</b>	Up to 52 ipm

<b>Digital sending standard features</b>	Embedded OCR; scan to OneDrive; scan to OneDrive for Business; scan to SharePoint Online; scan to Email; scan to network folder; scan to USB drive; scan to SharePoint; scan to FTP; scan to sFTP; scan to LAN fax; scan to Internet Fax; local address book; SMTP over SSL; automatically detect color/monochrome; high compression PDF; image adjustments (darkness, contrast, background cleanup, sharpness); optimize text/picture (text, mixed, printed picture, photograph); content orientation; scan mode (book, 2-sided ID); erase edges; auto page crop; job build; image preview; blank page suppression; automatically straighten
<b>Fax Resolution Black (best)</b>	Up to 300 x 300 dpi
<b>Faxing</b>	Optional
<b>Scan speed (normal, A4)</b>	Up to 86 ppm/ 172 ipm (b&w), up to 86 ppm/ 172 ipm (color)
<b>Scan speed (normal, letter)</b>	Up to 90 ppm/ 180 ipm (b&w), up to 90 ppm/ 180 ipm (color)
<b>Scan file format</b>	Standard JPEG; TIFF; MTIFF; XPS; PDF; PDF/A; High-Compression PDF; High-Compression PDF/A; Searchable PDF (OCR); Searchable PDF/A (OCR); High-Compression Searchable PDF (OCR); High-Compression Searchable PDF/A (OCR) <sup>[5]</sup>
<b>Scan input modes</b>	Front panel applications: Copy; E-mail; Save to Network Folder; Save to USB; Save to Device Memory; Save to SharePoint; Open Extensibility Platform (OXF) applications; HP Scan or user application via TWAIN
<b>Scan technology</b>	Charge Coupled Device (CCD)
<b>Scanner type</b>	Flatbed, ADF
<b>Display area (imperial)</b>	6.37 x 4.78 in
<b>Display area (metric)</b>	16.2 x 12.1 cm
<b>Display</b>	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen
<b>Dimensions (W x D x H)</b>	500 x 425 x 575 mm
<b>Dimensions (W x D x H)</b>	19.7 x 16.7 x 22.6 in
<b>Weight</b>	~24.2 kg <sup>[14]</sup> <i>([14] With print cartridges.)</i>
<b>Weight</b>	~53.4 lb <i>([14] With print cartridges.)</i>
<b>Power consumption</b>	750 watts (Printing), 22.1 watts (Ready), 0.77 watts (Sleep), 0.02 watts (Off) <sup>[7]</sup> <i>([7] Power consumption values based on measurement of 115 V device. Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.)</i>
<b>Power supply type</b>	Built-in 3-Pin 115V or 220V Internal Power Supply
<b>What's in the box</b>	HP LaserJet Enterprise MFP 6600n Printer; HP Black Original LaserJet Toner Cartridge (~10,000 yield); Documentation (Hardware Install Guide, Regulatory Flyer); Power cord. <sup>[8]</sup>
<b>Manufacturer Warranty</b>	One-year, onsite warranty service. Warranty and support options vary by product, country and local legal requirements. Go to <a href="http://hp.com/support">hp.com/support</a> to learn about HP award winning service and support options in your region. (warranty code 4G; warranty ID A001)

## Additional specifications

<b>ADF Capacity</b>	150
<b>Acoustic power emissions (active scan)</b>	7.5 B(A)
<b>Acoustic power emissions (active, printing)</b>	7.0 B(A)
<b>Acoustic power emissions (ready)</b>	3.5 B(A)
<b>Acoustic power note</b>	[20] Active Printing measured on worse case bundle/mode, printing A4 simplex at 56 ppm. Active Scan measured on worse case bundle/mode, scanning A4 Color Simplex to USB storage at 88 ppm for dn and 96 ppm for zfw.
<b>Acoustic pressure emissions bystander (active scan)</b>	59 dB(A)
<b>Acoustic pressure emissions bystander (active, printing)</b>	56 dB(A)
<b>Acoustic pressure emissions bystander (ready)</b>	14 dB(A)
<b>Additional information about HP</b>	<a href="http://www.hp.com">http://www.hp.com</a>
<b>Additional information about HP in the countries</b>	<a href="http://hp.com">hp.com</a>
<b>Auto document feeder capacity footnote</b>	[4] 75 gms
<b>Auto fax reduction supported</b>	Yes
<b>Automatic document feeder capacity</b>	Standard, 150 sheets <sup>[4]</sup>
<b>Automatic paper sensor</b>	No
<b>Bit depth</b>	24-bit
<b>Blue Angel footnote</b>	[11] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. ENERGY STAR value typically based on measurement of 115 V device and 230 V for Blue Angel.
<b>Cable included</b>	No, please purchase USB cable separately
<b>Capacity</b>	32 GB eMMC
<b>Cartons per layer</b>	4
<b>Certifications and compliances</b>	UL/cUL (US/Canada); RCM (Australia); TUV and GS Mark (Germany); Department of Industrial Standards of Cambodia; Bureau of Standards, Metrology and Inspection Ministry of Economic Affairs - BSMI (Taiwan); Certificate of China Compulsory Product Certification - CCC (China); Bureau of Indian Standards - BIS Registration (India); PSB (Singapore); Eastern European country approvals; CE Marking; Other Safety & EMC Certification approvals as required by individual countries.
<b>Color or black</b>	Black and white

<b>Color scanning</b>	Yes
<b>Compatible Network Operating Systems</b>	Citrix; SAP; Windows Server 2016 64-bit; Windows Server 2019 64-bit; Windows Server 2022 64-bit; Windows Server 2025 64-bit
<b>Consumables CO2e (kg)</b>	43
<b>Control panel</b>	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display
<b>Copier scaling (ADF)</b>	25 to 200%
<b>Copier settings</b>	Book Copy; Booklet; Build Job; Collation; Content orientation; Copy preview; Darkness control; Default Original Size; Edge Erase; ID Copy; Image adjustment; Job build; N or Z-ordering; Number of Copies; N-up; Original Size; Original Type; Paper Size; Paper Source; Paper type; Photo; Save Current Settings; Staple; Text/Photo; Tray Selection; Two-sided copy; Watermark; Scan mode (book, 2-sided ID); Stamps; Image overlay; Image shift; Image preview; Paper selection; Scan to job storage; Automatically straighten; Automatically detect color/monochrome; Auto tone; Multi-feed detection; Auto paper color removal; Document editing
<b>Copies, maximum</b>	Up to 9999 copies
<b>Copy reduce / enlarge settings</b>	25 to 400%
<b>Copy resolution (black text)</b>	Up to 600 x 600 dpi
<b>Copy resolution (color text and graphics)</b>	Up to 600 x 600 dpi
<b>Copy speed note</b>	[6] First Copy Out from Ready and Simplex Copy Speed measured using ISO/IEC 29183, Duplex Copy Speed measured using ISO/IEC 24735, excludes first set of test documents. For more information see <a href="https://www.hp.com/go/printerclaims">https://www.hp.com/go/printerclaims</a> . Exact speed varies depending on the system configuration, software application and document complexity.
<b>Count of layers in pallet</b>	3
<b>Datasheet photo 1</b>	Publication photos/675T8A_Coasters_Mystic_6600dn_AMS.png
<b>Datasheet photo 4</b>	Publication photos/Walkaround_Mystic_T_6600zfw.png
<b>Distinctive ring detection supported</b>	No
<b>Downloadable software</b>	Product Documentation and Support; HP Mac OS Print Driver; HP Easy Admin ; HP Universal Fax Driver; HP Universal Scan Solution; Printer Administrator Resource Kit (Driver Configuration; HP Universal Print Drivers PCL6 GDI & PS GDI for Windows; SAP Print Drivers for more information; HP JetAdvantage Security Manager; HP Command Center; Chrome Extension; Available on <a href="https://support.hp.com">https://support.hp.com</a> unless noted; HP Insights (WXP); HP WebJetAdmin; HP Workpath HPLIP Linux Printer Driver for more information see <a href="http://hplipopensource.com/hplip-web/index.html">http://hplipopensource.com/hplip-web/index.html</a> ; HPX;
<b>Driver updates</b>	Current HP printer drivers and software can be obtained from the HP Customer Care Web site: Go to <a href="http://www.hp.com/support">http://www.hp.com/support</a>
<b>Duplex ADF scanning</b>	Yes, single pass duplexing ADF
<b>Duty cycle note</b>	[18] HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

<b>Dynamic security</b>	Dynamic security enabled printer
<b>Ecolabels footnote</b>	[10] EPEAT® registered where applicable. EPEAT registration varies by country. See <a href="http://www.epeat.net">http://www.epeat.net</a> for registration status by country. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks.
<b>Electromagnetic compatibility</b>	CISPR 22:2008 (International) Class A, CISPR 32:2015 (International) Class A / EN 55032:2015 Class A + A11:2020, CISPR 35:2016 (International) / EN 55035:2017 + A11:2020, EN IEC 61000-3-2:2019 + A11:2021, EN IEC 61000-3-3:2013+A1:2019 + A2:2021, FCC 47 CFR Part 15 Class B, ICES-003, Issue 7 Class A. Other EMC approvals as required by individual countries.
<b>End of Life CO2e (kg)</b>	0.4
<b>Energy Usage CO2e (kg)</b>	369
<b>Enhanced scanning resolution</b>	up to 600 dpi
<b>Envelope Feeder</b>	Yes, 50 (optional)[21]
<b>FCC Class A emissions</b>	FCC Class A emissions - for use in commercial environments, not residential environments
<b>Fax Auto Redial</b>	Yes
<b>Fax Broadcast Locations</b>	0
<b>Fax PC Interface Supported</b>	Yes
<b>Fax Polling</b>	Yes (with optional analog fax accessory)
<b>Fax Remote Retrieval</b>	Yes (with optional analog fax accessory)
<b>Fax Transmission Speed</b>	Up to 33.6 kbps (with optional analog fax accessory)
<b>Fax delayed sending</b>	No
<b>Fax forwarding</b>	Yes (with optional analog fax accessory)
<b>Fax memory</b>	Up to 1000 pages
<b>Fax memory</b>	Up to 1000 pages
<b>Fax phone TAM interface supported</b>	No
<b>Fax resolution black</b>	Up to 203 x 196 dpi
<b>Fax telephone mode supported</b>	No
<b>File Format Supported</b>	MTIFF; PDF; PDF/A; TIFF; XPS; High-Compression PDF; JPEG
<b>Finished output handling</b>	Sheet feed; Main Tray: Stacking
<b>First copy out black (A4)</b>	As fast as 4.5 sec
<b>First copy out black (A4, sleep)</b>	As fast as 8.1 sec
<b>First copy out black (letter)</b>	As fast as 4.4 sec
<b>First copy out black (letter, sleep)</b>	As fast as 8.0 sec
<b>First page out black (A4, ready)</b>	As fast as 3.9 sec
<b>First page out black (A4, sleep)</b>	As fast as 8.1 sec
<b>First page out black (letter, ready)</b>	As fast as 3.7 sec

<b>First page out black (letter, sleep)</b>	As fast as 8.0 sec
<b>First page out footnote</b>	[17] Device first page out time based on HP internal measurement of printer activation until page exit. Measurement based on industry-standard ISO/IEC 17629 can be found at <a href="http://www.hp.com/go/printerclaims">http://www.hp.com/go/printerclaims</a> . Exact speed varies depending on the system configuration, software application, driver, and document complexity.
<b>Fonts and typefaces</b>	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript Level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono World Type); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation information available in the user guide and documentation for this printer model at <a href="http://www.hp.com/support">http://www.hp.com/support</a> .
<b>Input capacity</b>	Up to 650 sheets (MP Tray: up to 100 sheets; Tray 2: up to 550 sheets)
<b>Internal Storage</b>	Standard, 32 GB eMMC; Optional, 512 GB SSD
<b>Junk fax barrier</b>	Yes, up to 30 numbers may be blocked
<b>Levels of grayscale</b>	256
<b>Mac compatible</b>	Yes
<b>Maximum Input Capacity (envelopes)</b>	Up to 60 envelopes (MP Tray: 10mm, ~10 envelopes; ENV FDR Tray: 45mm, ~50 envelopes)
<b>Maximum Memory</b>	6 GB
<b>Maximum dimensions (W x D x H)</b>	500 x 750 x 820 mm (control panel fully out, rear jam access door open, front cartridge door open, all feeders open and extended, ISA open)
<b>Maximum dimensions (W x D x H)</b>	19.7 x 29.5 x 32.3 in (control panel fully out, rear jam access door open, front cartridge door open, all feeders open and extended, ISA open)
<b>Maximum input capacity (sheets)</b>	Up to 2850 sheets
<b>Maximum metric depth</b>	750
<b>Maximum metric height</b>	820
<b>Maximum metric width</b>	500
<b>Maximum output capacity (sheets)</b>	Up to 500 sheets
<b>Maximum print area</b>	212 x 352 mm
<b>Media size (ADF)</b>	Letter; legal; officio; executive; statement; 16K; A4; RA4; A5; A6; B5; B6 (JIS); Postcard (JIS); DPostcard (JIS); 4 x 6 in; 5 x 7 in; 5 x 8 in; 68 x 147 mm to 215.9 x 863.6 mm; 2.68 x 5.79 in to 8.46 x 34 in
<b>Media size, tray 1</b>	A4; A5; A6; RA4; B5 (JIS); B6 (JIS); 10 x 15 cm; Oficio (216 x 340); 16K; postcards (JIS single and double); envelopes (B5, C5, C6, DL); 76 x 127 to 216 x 356 mm
<b>Media size, tray 2</b>	A4; A5; A6; RA4; B5 (JIS); B6 (JIS); Oficio (216 x 340); 16K; postcards (JIS double); 105 x 148 to 216 x 356 mm
<b>Media size, tray 3</b>	Standard Optional Paper Feeder: A4; A5; A6; RA4; B5 (JIS); B6 (JIS); Oficio (216 x 340); 16K; postcards (JIS double); 105 x 148 to 216 x 356 mm; Envelope Feeder Accessory: Envelopes; 98 x 162 to 178 x 254 mm

<b>Media sizes supported</b>	Tray 1: letter, legal, executive, statement, 3 x 5 in, 4 x 6 in, 5 x 7 in, 5 x 8 in, 8.5 x 13 in, envelopes (No. 9, No. 10, Monarch); Tray 2: letter, legal, executive, statement, 5 x 7 in, 5 x 8 in, 8.5 x 13 in; Optional 550-sheet tray: letter, legal, executive, statement, 5 x 7 in, 5 x 8 in, 8.5 x 13 in; Automatic Duplexer: letter, legal, executive, 8.5 x 13 in; Envelope Feeder Accessory: No. 9, No. 10, Monarch; Tray 1: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10 x 15 cm, Oficio (216 x 340), 16K, postcards (JIS single and double), envelopes (B5, C5, C6, DL); Tray 2: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), Oficio (216 x 340), 16K, postcards (JIS double); Optional 550-sheet Tray: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), Oficio (216 x 340), 16K, postcards (JIS double); Automatic Duplexer: A4, A5, RA4, B5, 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm), Oficio; Envelope Feeder Accessory: B5, C5, C6, DL
<b>Media sizes supported</b>	Tray 1: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10 x 15 cm, Oficio (216 x 340), 16K, postcards (JIS single and double), envelopes (B5, C5, C6, DL); Tray 2: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), Oficio (216 x 340), 16K, postcards (JIS double); Optional 550-sheet Tray: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), Oficio (216 x 340), 16K, postcards (JIS double); Automatic Duplexer: A4, A5, RA4, B5, 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm), Oficio; Envelope Feeder Accessory: B5, C5, C6, DL
<b>Media sizes supported, key</b>	4 x 6 in; Letter; Legal; Envelopes; 3 x 5 in
<b>Media sizes supported, key</b>	A4; Envelopes; A5
<b>Media sizes, custom</b>	Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 105 x 148 to 216 x 356 mm; Optional 550-sheet Tray: 105 x 148 to 216 x 356 mm; Envelope Feeder Accessory: 98 x 162 to 178 x 254 mm
<b>Media sizes, custom</b>	Tray 1: 3 x 5 to 8.5 x 14 in; Tray 2: 4.14 x 5.83 to 8.5 x 14 in; Optional 550-sheet Tray: 4.14 x 5.83 to 8.5 x 14 in; Envelope Feeder Accessory: 3.86 x 6.38 to 7 x 10 in
<b>Media type and capacity, ADF</b>	Sheets: 150
<b>Media type and capacity, tray 1</b>	Sheets: 100; Envelopes: 10
<b>Media type and capacity, tray 2</b>	Sheets: 550; Labels: Up to 500
<b>Media type and capacity, tray 3</b>	Sheets: 550; Envelope Accessory Tray: 50 Envelopes
<b>Media types</b>	Paper (plain, light, bond, recycled, heavy, extra heavy, cardstock, pre-printed, pre-punched, colored, rough, heavy rough), monochrome transparency, labels, letterhead, envelope, heavy envelope
<b>Media weight (tray 1)</b>	60 to 200 g/m <sup>2</sup>
<b>Media weight (tray 2)</b>	60 to 120 g/m <sup>2</sup>
<b>Media weight (tray 3)</b>	60 to 120 g/m <sup>2</sup>
<b>Media weight, supported</b>	Feeder 1: 60 to 200 g/m <sup>2</sup> ; Feeder 2: 60 to 120 g/m <sup>2</sup> ; Automatic Duplexer: 60 to 120 g/m <sup>2</sup>
<b>Media weight, supported</b>	Feeder 1: 16 to 53 lb bond (plain), 16 to 24 lb (envelopes); Feeder 2: 16 to 32 lb bond (plain); Automatic Duplexer: 16 to 32 lb
<b>Media weights, supported ADF</b>	12 to 53 lb
<b>Media weights, supported ADF</b>	45 to 199 g/m <sup>2</sup>
<b>Memory</b>	6 GB
<b>Metric depth</b>	425

<b>Metric height</b>	575
<b>Metric width</b>	500
<b>Minimum System Requirements</b>	2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see microsoft.com;
<b>Minimum System Requirements for Macintosh</b>	2 GB available hard drive space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see apple.com;
<b>Native scan file format</b>	JPG; TIFF; MTIFF; PDF
<b>Number of users</b>	10-30 Users
<b>Operating humidity range</b>	10 to 80% RH
<b>Operating temperature range</b>	10 to 32.5°C
<b>Operating temperature range</b>	50 to 91°F
<b>Orderable supplies</b>	HP LaserJet 110V Fuser Kit C35T3A; HP LaserJet 220V Fuser Kit C35T4A; HP LaserJet Transfer Roller Kit C35T5A; HP LaserJet Tray Roller Kit C35T7A; HP LaserJet Envelope Feeder Roller Kit C35T6A; HP LaserJet ADF Maintenance Kit 6H122A; HP LaserJet ADF Flow Maintenance Kit 6M1P3A
<b>Output capacity</b>	Up to 500 sheets
<b>Package dimensions (W x D x H)</b>	598 x 548 x 742 mm
<b>Package dimensions (W x D x H)</b>	23.5 x 21.6 x 29.2 in
<b>Package weight</b>	30.4 kg
<b>Package weight</b>	66.8 lb
<b>Page yield (set-up/inbox cartridges)</b>	~10,000 pages black
<b>Pallet dimensions</b>	47.2 x 43.3 x 92.6 in
<b>Pallet dimensions (W x D x H)</b>	1200 x 1100 x 2353 mm
<b>Pallet weight</b>	834 lb
<b>Pallet weight</b>	379 kg
<b>Paper handling input, optional</b>	Optional 1 x 550-sheet paper feeder, 1 x 550-sheet feeder with cabinet, 2000-sheet feeder high capacity input with 1 x 550-sheet paper feeder, optional 3 x 550-sheet feeder, optional envelope feeder
<b>Paper handling input, standard</b>	100-sheet multipurpose feeder, 550-sheet input feeder, 150-sheet automatic document feeder
<b>Paper handling output, standard</b>	500-sheet output feeder
<b>Paper trays, maximum</b>	6 [22]
<b>Paper trays, standard</b>	2
<b>Power</b>	Input Voltage: 100V - 127V AC, 50 - 60Hz, 8.8A; or Input Voltage: 220V - 240V AC, 50 - 60Hz, 4.6A
<b>Print Cartridges/Bottle, Number</b>	1 (black)
<b>Print Technology</b>	Laser
<b>Print colors</b>	No

<b>Print languages</b>	HP PCL 6, HP PostScript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™
<b>Print quality black (normal)</b>	Up to 600 x 600 dpi
<b>Print resolution black (fine lines)</b>	Up to 1200 x 1200 dpi
<b>Print speed black (Landscape, A5)</b>	Up to 83 ppm
<b>Print speed black (Portrait, A5)</b>	Up to 5 ppm
<b>Print speed duplex (A4)</b>	Up to 50 ipm
<b>Print speed duplex (letter)</b>	Up to 52 ipm
<b>Print speed footnote (A5)</b>	[16] Measured using ISO/IEC 24734 Feature Performance Test, excludes first set of test documents. For more information see <a href="https://www.hp.com/go/printerclaims">https://www.hp.com/go/printerclaims</a> . Exact speed varies depending on the system configuration, software application, driver, and document complexity.
<b>Print speed footnote number (A5)</b>	[16]
<b>Print technology</b>	Laser
<b>Printer Management</b>	HP Printer Assistant; HP Device Toolbox; HP Web JetAdmin Software; HP Security Manager; Printer Administrator Resource Kit for HP Universal Print Driver (Driver Configuration Utility - Driver Deployment Utility - Managed Printing Administrator)
<b>Processor speed</b>	Quad Core (1.6 GHz)
<b>Product long name specifications</b>	HP LaserJet Enterprise MFP 6600dn Printer, Black and white Printer for Business, Print, copy, scan, fax (optional), Automatic document feeder; Two-sided printing; Two-sided scanning; TerraJet cartridge; Touchscreen
<b>Product short name specifications</b>	HP LaserJet Enterprise Black and white Printer
<b>Production CO2e (kg)</b>	288
<b>Quantity per pallet</b>	12
<b>RMN number</b>	BOISB-2403-00
<b>Recommended media weight (duplex)</b>	16 to 32 lb
<b>Recommended media weight (duplex)</b>	60 to 120 g/m <sup>2</sup>
<b>Recommended monthly page volume</b>	6,000 to 30,000 <sup>[19]</sup>
<b>Recommended monthly page volume note</b>	[19] HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period. The range shown is based on 60 months of output for the lower monthly value and 12 months of output for the higher monthly value.
<b>Recommended monthly scan volume</b>	14,250 to 23,750
<b>Recommended monthly scan volume note</b>	[3] HP recommends that the number of scanned pages per month be within the stated range for optimum device performance.

<b>Recommended operating humidity range</b>	30 to 70% RH
<b>Recommended operating temperature range</b>	59 to 80.6°F
<b>Recommended operating temperature range</b>	15 to 27°C
<b>Replacement cartridges footnote</b>	[9] Average black declared yields based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <a href="http://www.hp.com/go/learnaboutsupplies">http://www.hp.com/go/learnaboutsupplies</a> .
<b>Resolution</b>	Up to 600 dpi
<b>Resolution (black and white, standard mode)</b>	200 x 100 dpi
<b>Resolution (black and white, superfine mode)</b>	Up to 300 x 300 dpi
<b>Resolution (black photo grayscale)</b>	300 x 300 dpi (halftone)
<b>Safety</b>	IEC 62368-1:2014; EN 62368-1:2014 +A11:2017; IEC 62368-1:2018; EN 62368-1:2020 +A11:2020; EN 60825-1:2014 +A11:2021/IEC 60825-1:2014 (Class 1 Laser Product); EN 62479:2010/IEC 62479:2010; IEC 62471:2006 / EN 62471:2008; Low Voltage Directive 2014/35/EU with CE Mark (Europe); GS Certificate (Germany, Europe); UL/cUL Listed and UC CoC (US/Canada); UL62368-1 3rd Ed. 2021-10-22, CSA C22.2 No. 62368-1-19, 3rd Ed.; Compliance with Laser safety standards 21 CFR 1040.10 and 1040.11 except for deviations pursuant to Laser notice No. 56, Dated May 8, 2019; Other safety approvals as required by individual countries.
<b>Scan file format footnote</b>	[5] Scan software not included in box. HP Scan and TWAIN driver available for download at <a href="http://hp.com/support">http://hp.com/support</a> .
<b>Scan resolution, hardware</b>	Up to 600 x 600 dpi
<b>Scan resolution, optical</b>	up to 600 dpi
<b>Scan size (ADF), maximum</b>	216 x 864 mm
<b>Scan size (ADF), maximum</b>	8.5 x 34.0 in
<b>Scan size (ADF), minimum</b>	68 x 147 mm
<b>Scan size (ADF), minimum</b>	2.7 x 5.8 in
<b>Scan size, maximum</b>	8.5 x 14 in
<b>Scan size, maximum</b>	216 x 356 mm
<b>Scan speed duplex (normal, A4)</b>	Up to 172 ipm (b&w), up to 172 ipm (color)
<b>Scan speed duplex (normal, letter)</b>	Up to 180 ipm (b&w), up to 180 ipm (color)
<b>Scan speed footnote</b>	[2] Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

## Security management

Identity management: Role Based Access Control (RBAC) Walk-up and Remote Access; Admin PW Protected EWS and Remote Access, Self-signed Certificate; Encrypted passwords; Personal on-device user accounts; Account Lockout (time-based); Kerberos AuthN; LDAP authentication; 1000 user PIN codes; Optional HP and 3rd party passwordless, MFA solutions (e.g.; badge readers, HP Authentication Suite with Workpath); Protected Access (embedded) end user passwordless MFA for Microsoft® Entra ID; Proximity card reader, single sign-on, smart card, CAC support. Network protection: IPsec/firewall with Certificate; Elliptic Curve Cryptography (ECC, EC-based certificates); Pre-Shared Key; Kerberos AuthN; Web Jetadmin fleet proxy; 802.1X (EAP-PEAP; EAP-TLS); SNMPv3; HTTPS with Server Certificate Validation; Certificate Provisioning and CA support; Access Control List. Data privacy and protection: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated crypto libraries from Microsoft®); Secure Erase with job storage (3x overwrite for HDD, cryptographic erase for SSD); SSL/TLS 1.2, TLS 1.3 support (HTTPS; Encrypted Credentials; Secure encrypted print support via UPD; AI-enabled Guided Redaction data security (select models). Device protection: Continuous malware monitoring; HP SureStart with Quantum Resistant BIOS firmware Integrity checking, PQC protection, and self-healing recovery; Allowlisting code validation (DLLs, EXEs, etc.) at time of use; Memory Shield hardware-enforced Runtime Intrusion Detection and Control Flow Integrity with self-healing recovery; AI-powered Connection Inspector network behavior anomaly detection with self-healing recovery; Trusted Platform Module 2.0; Configurable Service PIN; EU RED, UK PSTI, Australia Cybersecurity Act 2024 compliant; Embedded VPN (select HP Enterprise models); HP LaserJet Workflow Accelerator Card support (select HP MFP Enterprise models); Wi-Fi security; WPA Enterprise; Security lock slot; USB host port disablement; Hardware integration pocket (HIP). Testing, Validation, Governance, and Compliance: FIPS 140-2, 140-3, Common Criteria Certification; HP Workpath support (select models); NIST security checklist; Supply Chain Security ISO/IEC 20243 Certifications. Fleet security management: HP Security Manager policy and device certificate management, fleet firmware vulnerability assessment; Compatible with Device Security Syslog Messages processed and accessible in SIEM tools; HP Workforce Experience Platform Support (select models); Original HP Enterprise Cartridge Security.

<b>Segment (filter)</b>	Enterprise
<b>Services</b>	^
<b>Software scan file format</b>	PDF; PDF/A; TIFF; Hi-Compression PDF; MTIFF; XPS; JPEG
<b>Standard media sizes (duplex)</b>	A4; A5; B5; 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm); Oficio
<b>Standard media sizes (duplex, imperial)</b>	Letter; Legal; Executive; Folio
<b>Standard output capacity (envelopes)</b>	Up to 75 envelopes
<b>Standard output capacity (transparencies)</b>	Up to 200 sheets
<b>Storage</b>	32 GB eMMC; 512 GB SSD (Optional)
<b>Storage device and direct print support</b>	Front-facing USB/Flash drive
<b>Storage footnote</b>	[1] Optional storage is available up to a 512 GB SSD
<b>Storage temperature range</b>	-4 to 104°F

<b>Storage temperature range</b>	-20 to 40°C
<b>Target user and print volume</b>	Prints up to 30,000 pages/month; For teams up to 30 users
<b>Tariff numbers</b>	(AMS) 8443310000; (EU) 8443310000; (AP) 84433129
<b>Telephone handset supported</b>	No
<b>Top key features</b>	Automatic document feeder; Two-sided printing; Two-sided scanning; TerraJet cartridge; Touchscreen
<b>Total CO2e (kg)</b>	720 <i>(A product carbon footprint is defined as the total amount of greenhouse gases emitted directly and indirectly by a product over its lifetime. Greenhouse gas emissions are reported as global warming potential for 100-year time horizon (GWP-100) in units of CO2 equivalence. Calculations are done in accordance with ISO 14040 &amp; ISO 14044. Individual values may not sum to total due to rounding.)</i>
<b>Transportation CO2e (kg)</b>	18
<b>Tray capacity</b>	2850 (up to 2300 pages if 3 bin stapler stacker is present)
<b>Twain version</b>	Version 2.4
<b>Typical electricity consumption (TEC) footnote</b>	[12] Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh).
<b>Typical electricity consumption (TEC) number</b>	0.575 kWh/Week (Blue Angel); 0.607 kWh/Week (ENERGY STAR 3.0) <sup>[12]</sup>
<b>UNSPSC code</b>	43212110
<b>UPC number</b>	(697) 199485756332; (AC8) 198701600732; (BGJ) 198415462589
<b>Warm-up time</b>	100 sec
<b>Waste electrical and electronic weight</b>	23.4 kg
<b>What is in the box footnote</b>	[8] Average black declared yields based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <a href="http://www.hp.com/go/learnaboutsupplies">http://www.hp.com/go/learnaboutsupplies</a> .

[4] 75 gms

[5] Scan software not included in box. HP Scan and TWAIN driver available for download at <http://hp.com/support> .

[7] Power consumption values based on measurement of 115 V device. Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.

[8] Average black declared yields based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/learnaboutsupplies> .

[9] Average black declared yields based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/learnaboutsupplies> .

[10] EPEAT® registered where applicable. EPEAT registration varies by country. See <http://www.epeat.net> for registration status by country. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks.

*[12] Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh).*

*[13] Citrix Server versions updates release every quarter, for updates see <https://www.citrix.com/en-in/downloads/citrix-virtual-apps-and-desktops/> ; Citrix XenApp & XenDesktop versions updates release every quarter, for updates see <https://www.citrix.com/en-in/downloads/citrix-virtual-apps-and-desktops/> ; Citrix Ready Kit Certification - see <http://citrixready.citrix.com> for the latest qualification for HP Printers*

*[14] With print cartridges.*

*[18] HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.*

*[19] HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period. The range shown is based on 60 months of output for the lower monthly value and 12 months of output for the higher monthly value.*

---

## Services

### Document & Printing

★ : Recommended

#### Support Services (for Document & Printing)

HP 3 year Next Business Day Onsite with DMR Service for LaserJet Enterprise MFP 6600	UP9P3E ★
HP 3 year NBD Onsite with Preferred Access and DMR Service for LaserJet Enterprise MFP 6600	UP9P7E ★
HP 3 year Parts Exchange with DMR Service for LaserJet Enterprise MFP 6600	UP9Q9E ★
HP 1 year Post Warranty 4 hour Onsite with DMR Service for LaserJet Enterprise MFP 6600	UP9Q4PE
HP 1 year Post Warranty 4hour Onsite with PreferredAccess and DMR Service for LaserJet Ent MFP 6600	UP9Q8PE
HP 1 year Post Warranty NBD Onsite with Preferred Access and DMR Service for LaserJet Ent MFP 6600	UP9Q0PE
HP 1 year Post Warranty Next Business Day Onsite with DMR Service for LaserJet Enterprise MFP 6600	UP9P6PE
HP 1 year Post Warranty Parts Exchange with DMR Service for LaserJet Enterprise MFP 6600	UP9R2PE
HP 3 year 4 hour Onsite with DMR Service for LaserJet Enterprise MFP 6600	UP9Q1E
HP 3 year 4 hour Onsite with Preferred Access and DMR Service for LaserJet Enterprise MFP 6600	UP9Q5E
HP 4 year 4 hour Onsite with DMR Service for LaserJet Enterprise MFP 6600	UP9Q2E
HP 4 year 4 hour Onsite with Preferred Access and DMR Service for LaserJet Enterprise MFP 6600	UP9Q6E
HP 4 year NBD Onsite with Preferred Access and DMR Service for LaserJet Enterprise MFP 6600	UP9P8E
HP 4 year Next Business Day Onsite with DMR Service for LaserJet Enterprise MFP 6600	UP9P4E
HP 4 year Parts Exchange with DMR Service for LaserJet Enterprise MFP 6600	UP9R0E
HP 5 year 4 hour Onsite with DMR Service for LaserJet Enterprise MFP 6600	UP9Q3E
HP 5 year 4 hour Onsite with Preferred Access and DMR Service for LaserJet Enterprise MFP 6600	UP9Q7E
HP 5 year NBD Onsite with Preferred Access and DMR Service for LaserJet Enterprise MFP 6600	UP9P9E
HP 5 year Next Business Day Onsite with DMR Service for LaserJet Enterprise MFP 6600	UP9P5E
HP 5 year Parts Exchange with DMR Service for LaserJet Enterprise MFP 6600	UP9R1E
HP Installation Service with network configuration for Workgroup Printer (1 unit)	U9JT2E

## **Print Security Solutions**

HP HID Mobile Access BLE MIFARE Card Reader	35H11B
---	--------

HP Keystroke Card Reader	Y7C05B
--------------------------	--------

HP Universal Card Reader	X3D03B
--------------------------	--------

## **Print Management Software Solutions - Security**

HP Legic Secure USB Reader	4QL32A
----------------------------	--------

## Ink/Toner/Paper/Printer Supplies

### HP Laser Toner Cartridges and Kits

★ : Recommended

#### HP TerraJet Toner Cartridges

HP 160A Black Original LaserJet Toner Cartridge	W1600A
HP 160Y Black Original LaserJet Toner Cartridge	W1600Y

#### HP Laser Printer Supply Kits

HP LaserJet ADF Flow Maintenance Kit	6M1P3A
HP LaserJet ADF Maintenance Kit	6H122A

### HP Home & Office Papers

#### HP Home & Office Papers for laser and inkjet

HP MultiPurpose20TM 20 lb 11 x 17 in. (279 x 432 mm) 250 sheets	HPM1720P
HP MultiPurpose20TM 20 lb 8.5 x 11 in. (216 x 279 mm) 500 sheets	HPM1120R
HP MultiPurpose20TM 20 lb 8.5 x 14 in. (216 x 356 mm) 500 sheets	HPM1420P

## Accessories

### Accessory Bundles

★ : Recommended

#### Printer Accessibility Accessories

HP Accessibility Kit	2TD64A
HP Printing Voice Assistant	478C2A

### Cables/Cable Kits/Cable Adapters

#### Printer Cables

HP Foreign Interface Harness	B5L31A
------------------------------	--------

### Printer Accessories

#### LaserJet Options

HP JetDirect 3200w Wifi 6 Bluetooth Wireless Accessory	9R1U0A
HP LaserJet 512 GB SED-TAA Solid State Drive	766R7A
HP LaserJet 512GB M.2 2280 NVMe CCC/FIPS/TAA Solid State Drive	B18J1A
HP LaserJet Workflow Accelerator Card	1M0Q5A
HP LaserJet Workflow Keyboard	1M0Q2A

### Network Print Servers

#### Internal Print Servers

HP Jetdirect LAN Accessory	8FP31A
----------------------------	--------

### Paper Handling

#### Output Trays and Stackers

HP LaserJet Inner/Booklet Staples	Y1G13A
-----------------------------------	--------

#### Staple Cartridges

HP Staple Cartridge Pack	Q7432A
--------------------------	--------

### Fax Accessories

#### Fax Accessories and Options

HP MFP Analog Fax 702 Accessory	1M0Q0A
---------------------------------	--------

# Security and Protection

## Smart Cards and SmartCard Readers

HP SmartCard NIPRNet Solution for US Government	CC543B
HP SmartCard SIPRNet Solution for US Government	F8B30A

# Expansion Solution and Controller Cards

## Expansion Packs and Solutions

Internal USB Expansion Kit	4XN67A
----------------------------	--------

---

## Disclaimer — Copyright

© Copyright 2026 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (us-en) – Jun 08, 2026 6:56 AM UTC+0000