HP Color LaserJet Managed E65060dn



This HP Color LaserJet with JetIntelligence merges performance, energy efficiency, and security.

HP Managed MFPs are optimized for managed environments. Offering increased monthly page volumes and fewer interventions, this product can help reduce printing and copying costs. See your HP Authorized Reseller for details.





The world's most secure printing

- With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.
- Help prevent potential attacks and take immediate action with instant notification of security issues.
- Centralize control of your printing environment with HP Web Jetadmin—and help build business efficiency.²
- Give workgroups what they need to succeed. Choose and deploy over 175 HP and third-party security features.



High speed performance meets energy efficiency

- Speed through tasks and save paper. Print two-sided documents at up to 60 images per minute.³
- This printer wakes up fast and prints your first page faster—in as quickly as 7.8 seconds.4
- This printer uses exceptionally low amounts of energy thanks to its innovative design and toner technology.⁵
- \bullet Paper handling options include a wheeled stand and 550-sheet input feeder for paper sizes 4 x 6" to legal.



More Pages, Performance, and Protection

- ColorSphere3 toner formulation, combined with an automatic media sensor, help provide leading print quality.
- Original HP Toner Cartridges with JetIntelligence supply 86% more pages per color cartridge vs predecessor.⁶
- Help retain the Original HP quality you paid for with anti-fraud and cartridge authentication technology.
- Spend less time replacing toner, and more on business. Choose high-yield toner cartridges.

Technical specifications

Functions Print	Print		
Duplex print options	Automatic (standard)		
Print speed ⁸	Black (A4, normal): Up to 56 ppm; Black (letter, normal): Up to 60 ppm; Black (A5, landscape): Up to 74 ppm; Black (A4, duplex): Up to 56 ppm; Black (letter, duplex): Up to 60 ppm		
First page out ¹⁰	Black (A4, ready): As fast as 5.8 sec; Black (A4, sleep): As fast as 7.8 sec		
Print resolution	Black (best): Up to 1200 x 1200 dpi; Black (normal): Up to 600 x 600 dpi; Black (fine lines): Up to 1200 x 1200 dpi		
Print technology	Laser		
Print resolution technology	HP ImageRet 3600; 600 x 600 dpi; HP ProRes 1200 (1200 x 1200 dpi); Pantone© Calibrated		
Print cartridges number	4 (1 each black, cyan, magenta, yellow)		
Standard print languages	HP PCL 6; HP PCL 5c; HP postscript level 3 emulation, native PDF printing (v 1.7), URF (AirPrint)		
Printer management	HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP Web JetAdmin Software; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Driver		
Connectivity	1111 C 1 D. 1 115 D 2 O 2 11 C 115 D 2 O 11-11 1 C 115 D 2 O 11-11 1 O 11-1		
Standard connectivity	1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit/Fast Ethernet 10/100/1000 Base-TX network; Hardware Integration Pocket		
Mobile printing capability ⁷	HP ePrint; Apple AirPrint™; Mopria-certified Optional, enabled with purchase of HP Jetdirect 2900nw Print Server J8031A or HP Jetdirect 3000w NFC/Wireless		
Wireless capability Network Capabilities	Accessory J8030A Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-T;		
Memory	802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (optional). Standard: 1 GB; Maximum: 2 GB		
Processor speed	1.2 GHz		
Duty cycle (monthly)	Up to 180,000 pages; Recommended monthly page volume : 4,000 to 30,000		
Paper handling			
Input	100-sheet multi-purpose tray, 550-sheet input tray 2; Optional 1x550-sheet paper feeder, optional 1x550-sheet Paper Feeder with Stand and Cabinet, optional 3x550-sheet Paper Feeder with Stand, optional 1x550/2000-sheet HCI Feeder and Stand		
Output	500-sheet output bin		
Media type	Paper (plain, light, bond, recycled, mid-weight, heavy, mid-weight glossy, heavy glossy, extra heavy, extra heavy glossy, cardstock, card glossy), color transparency, labels, letterhead, envelope, preprinted, prepunched, colored, rough, opaque film, user-defined		
Media weight	Tray 1: 60-220 g/m² (plain), 120 to 220 g/m² (glossy); Tray 2 and automatic two-sided printing unit: 60 to 163 g/m² (plain 120 to 220 g/m² (glossy); Optional Trays 3, 4, 5 1x550-sheet feeders: 60 to 163 g/m² (plain), 120 to 220 g/m² (glossy); Optional Tray 4 2,000 high capacity input: 60-163 g/m² (plain)		
Media sizes custom	Tray 1: 76×127 to 216×356 mm; Tray 2: 101.6×148 to 216×356 mm; Optional 550-sheet trays: 101.6×148 to 216×356 mm; Optional 2,000-sheet high-capacity tray: custom sizes not supported in this tray		
Dimensions (W x D x H)	510 x 458 x 510 mm		
Weight	31.3 kg		
What's in the box ²	HP Color LaserJet Printer; HP Black Original LaserJet Toner Cartridge (~12,500 yield), HP Cyan, Magenta and Yellow O LaserJet Toner Cartridges (~10,500 yield each) (toner cartridges installed); CD with software drivers and documentation (Hardware Install Guide); Power cord;		
Warranty features	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal		
Systems	requirements. Go to hp.com/support to learn about HP award winning service and support options in your region.		
compatible operating systems	Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linu Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Yosemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.)		
Minimum system	PC: 2GB available hard disk space, OS hardware requirements see microsoft.com		
requirements	Mac: 1.3 GB available hard drive space; Internet; OS hardware requirements see Apple.com for more info		
Fonts and Typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additiona font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts		
Control panel	4.3-in (10.92 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Home button		
Display	4.3-in (10.92 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle)		
Power	Power supply type: Built in 115V or 220V Power Supply (not dual voltage, power supply varies by part number with opt code identifier); Power supply required: Input voltage: 100V to 127V nominal (+/-10%), 50 - 60Hz nominal (+/- 3Hz), 1: A; Input voltage: 220V to 240V nominal, (+/-10%) 50 - 60Hz nominal (+/- 3Hz), 6 A; Power consumption ³ : 780 watts (printing), 31 watts (ready), 0.7 watts (sleep), 0.7 watts (Auto Off/Manual On), 0.1 (Manual Off); Typical electricity consumption (TEC) number ⁴ : ES: 2.49 kWh/Week; BA: 2.27 kWh/Week		
Software included	HP Connected, HP Device Experience (DXP), HP PCL 6 (XPS) Printer Driver, HP Software Installer/Uninstaller, Mac OS Welcome Screen (Directs users to 123.HP.com or OS App Source for printer software), Online user manuals		
Acoustics	Acoustic power emissions: 6.9 B(A); Acoustic Power Emissions (ready): 4.6 B(A); Acoustic Pressure Emissions		
	Bystander (active, printing): 54 dB(A); Acoustic Pressure Emissions Bystander (ready): 31 dB(A)		
Environmental ranges	Operating Temperature Range: 15 to 30°C; Recommended Operating Temperature: 17.5 to 25°C; Non-operating Humidity Range: 10 to 90% RH; Operating Humidity Range: 10 to 80% RH; Recommended Operating Humidity Rang 30 to 70% RH		
Security management	Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key; and Kerberos authentication; Supports WJA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; hardware integration pocket for security solutions; Intrusion Detection with Red Balloon Security Technology - Constant in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability; Whitelisting - loads only known good code (DLLs, EXEs,); Security management: Compatible wit HP JetAdvantage Security Manager, Device Security Syslog Messages processed and accessable in Arcsight and Splunk		
Safety approvals and requirements	SIEMS EC 60950-1:2005 +A1:2009 +A2:2013 (International); EN60950-1:2006 +A11:2009 +A1:2010 +A12:2011 +A2:2013 (EU EN 60825-1:2014 / IEC 60825-1:2014 (Class 1 Laser Product); EN 62479:2010 / IEC 62479:2010 Low Voltage Directive 2014/35/EU with CE Mark (Europe); GS Certificate (Germany, Europe); UL/cUL Listed and UC CC (US/Canada); CAN/CSA C22.2 No. 60950-1-07 Amendment 2:2014; Other safety approvals as required by individual countries		
Supported network protocols	Via built-in networking solution: TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), We Services Printing, IPP 2.0, Apple AirPrint™, HP ePrint, FTP Print, Google Cloud Print; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutoIP, Manual, TFTP Config, ARP-Ping), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6); Management: SNMPv2/N3, HTTP/HTTPs, Telnet, TFTP Config, FTP FW Download, Syslog; Security: SNMPv3, SSL Cert Management, Firewall, ACL, 802.1x		

Ordering Information

Number DescriptionL3U56A HP Color LaserJet Managed E65060dn

Supplies and Maintenance Kits

Number	Description
P1B91A	HP LaserJet 110V Maintenance Kit (Up to
	150,000 pages) (Up to 150,000 pages)
P1B92A	HP LaserJet 220V Maintenance Kit (Up to
	150,000 pages) (Up to 150,000 pages)
P1B93A	HP LaserJet Image Transfer Belt Kit (Up to
	150,000 pages) (Up to 150,000 pages)
P1B94A	HP LaserJet Toner Collection Unit (Up to
	100,000 pages) (Up to 100,000 pages)

Accessories

Number	Description
B5L28A	HP Internal USB Ports
B5L29A	HP High-Performance Secure Hard Disk
E5K48A	HP 1 GB x32 144-pin (800 MHz)DDR3 SODIMN
F5S62A	HP Trusted Platform Module Accessory
J8030A	HP Jetdirect 3000w NFC/Wireless Accessory
J8031A	HP Jetdirect 2900nw Print Server
P1B09A	HP Color LaserJet 550-sheet Media Tray
P1B10A	HP Color LaserJet 550 Sheet Paper Tray with Stand
P1B11A	HP Color LaserJet 3x550 Sheet Feeder and Stand
P1B12A	HP Color LaserJet 1x550/2000-Sheet HCI Feeder and Stand

Number	Description
U9PD2F	HP 3 year NBD Service w/Defective Media
	Retention for Color LaserJet Enterprise E650xx Managed
U9PD3E	HP 4 year NBD Service w/Defective Media
	Retention for Color LaserJet Enterprise E650xx Managed
U9PD4E	HP 5 year NBD Service w/Defective Media Retention for Color LaserJet Enterprise E650xx Managed
U9PD5E	HP 3 year 4 hour 9x5 Hardware Support w/DMR for Color LaserJet Enterprise E650xx Managed
U9PD6E	HP 4 year 4 hour 9x5 Hardware Support w/DMR for Color LaserJet Enterprise E650xx Managed

Protect your investment with HP Care Pack. Let HP certified engineers resolve your technical issues. For more details on HP Care Pack, go to hp.com/go/cpc

HP Inc. offices

Australia	(613) 8833 5000	hp.com.au
China	(010) 6564 3888	hp.com.cn
Hong Kong	(852) 3077 2688	hp.com.hk
India	(80) 2612 9000	hp.com/in
Indonesia	(62-21) 5799 1088	hp.com/id
Korea	(02) 2199 0114	hp.co.kr
Malaysia	(603) 2332 3333	hp.com.my
New Zealand	(09) 918 9555	hp.co.nz
Philippines	(632) 888 5900	hp.com/ph
Singapore	(65) 6275 3888	hp.com.sg
Taiwan	(02) 3789 9900	hp.com.tw
Thailand	(662) 353 9500	hp.com/th
Vietnam	(848) 3823 4151	hp.com/vn

For the following countries, please fax your queries to(65) 6275 6707 Bangladesh, Bhutan, Brunei, Cambodia, Maldives, Nepal, Pakistan, Sri Lanka

Supported paper

Contact HP via phone: Asia: 65 6253 8500

Solutions

For more solutions information, please visit hp.com/go/gsc

















Footnotes

- Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit http://www.hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/printersecurityclaims
- ² HP Web, letadmin is available for download at no additional charge at http://www.hp.com/go/webietadmin
- ³ Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software
- application, driver, and document complexity.

 Measured after 15 min in sleep. Exact speed varies depending on the system configuration, software application, driver, document complexity and time in sleep.
- ⁵ Energy claim based on TEC data reported on energystar.gov as of January 2017. Data normalized to determine energy efficiency of in-class laser printers with published speed of 50 to 60 ppm. Subject to device settings. Actual results may vary.
- 6 More pages versus predecessor cartridges claim based on page-yield comparison of HP M647A and HP 648A Color Original LaserJet Toner Cartridges with HP Managed Color LaserJet Toner Cartridges with HP Managed Color LaserJet Toner Cartridges. For more information, see http://www.hp.com/go/learnaboutsupplies
- 7 HP Managed LaserJet Toner Cartridges not included; please purchase separately.

Technical specifications disclaimers

- ¹ EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country.

 ² Cartridges included; yields 10,500 color (C/Y/M) and 12,500 black pages. Pages based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies. Pages may vary based on customer printing conditions and usage.
- Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.

 Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.

 Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device.

 Sassed on the BATEC method with the following possible exceptions: 1 minute or less sleep delay setting, Wi-Fi disabled.
- ⁶ Average color composite (C/M/Y) and black declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies.
- May require a firmware upgrade to be compatible, download at http://www.hp.com/go/support
- 8 Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- ¹⁰ Measured using ISO 24734 Feature Test, A5 Landscape Feed. Speed may vary based on content, PC, media orientation, and media type.

 ¹⁰ Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.


 ¹¹ Measured after 15 min in sleep. Exact speed varies depending on the system configuration, software application, driver, document complexity and time in sleep.

 ¹² eMMC is non-volatile storage; Firmware encryption (AES 128 or AES 256) of customer/job data; Secure Cryptographic Erase Job Data; Secure Erase Disk

 ¹³ Original HP LaserJet "A" and "X" toner cartridges are also compatible with this product.

- 14 Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit http://www.hp.com/go/learnaboutsupplies

To learn more, visit hp.com



ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Microsoft and Windows are registered trademarks of Microsoft Corporation. AirPrint and the AirPrint logo are trademarks of Apple Inc., registered in the U.S. and other countries. Linux is a U.S. registered trademark of Linus Torvalds. UNIX is a registered trademark of The Open Group.

